UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Dec. 1973			Budget Bureau No. 42-R1424		
UNITED STA DEPARTMENT OF TH		5. LEASE SF 078198			
GEOLOGICAL SURVEY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME			
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different		7.	UNIT AGREEMENT NA	AME	
reservoir, Use Form 9–331–C for such proposals.)	8.	FARM OR LEASE NAM Sunray C	1E	
well well X other		9.	WELL NO. 1A		
2. NAME OF OPERATOR El Paso Natural Gas Company		10.	10. FIELD OR WILDCAT NAME		
3. ADDRESS OF OPERATOR Box 289, Farmington, New Mexico 87401		11.	Blanco Mesa Verde SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 1, T-30-N, R-11-W		
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)			AREA Sec. 1, N.M.P.M.		
AT SURFACE: 1120'N, 790 AT TOP PROD. INTERVAL:	'W	12.	COUNTY OR PARISH San Juan	13. STATE New Mexico	
AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,		14. API NO.			
REPORT, OR OTHER DATA	·	15.	ELEVATIONS (SHOW 5952' GL	DF, KDB, AND WD)	
REQUEST FOR APPROVAL TO: S TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL	RECEIVE MAR 0.5 1990		OTE: Report results of mu	ultiple completion or zone	

below.) 1120'N, 790'W AT SURFACE: AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING change on Form 9-330.) MULTIPLE COMPLETE S. GEOLOGICAL SURVEY CHANGE ZONES FARMINGTON, N. M. ABANDON* (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Spudded well. Drilled surface hole. Ran 5 joints 9 5/8", 36#, KS surface casing 208' set at 222'. Cemented w/224 cu. ft. cement.

Circulated to surface. WOC 12 hours; held 600#/30 minutes

OIL CON. COM. Set @ . Subsurface Safety Valve: Manu. and Type ___ 18. I hereby certify that the foregoing is true and correct February 27, 1980 Drilling Clerk (This space for Federal or State office use) APPROVED BY ACCEPTED FOR RECORD CONDITIONS OF APPROVAL, IF ANY:

MAR 5 1980