5. LEASE

NM 047

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS (2) and use this from the programs of child not be deadled or plug back to a different interfect, like form 9-333-C. for each proposed is deadled or plug back to a different interfect, like form 9-333-C. for each proposed is deadled or plug back to a different interfect, like form 9-333-C. for each proposed is deadled or plug back to a different interfect, like form 9-333-C. for each proposed is deadled or plug back to a different interfect. It was a substitute of the plug back to a different interfect. It was a substitute of proposed interfect. It was a substitute of proposed interfect. It was a substitute of proposed work. If well is directionally dilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' proposed work. If well is directionally dilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' proposed work. If well is directionally dilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' proposed work. If well is directionally dilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' proposed work. If well is directionally dilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' proposed work. If well is directionally dilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 50' to surface. Cut off well head and install dry hol		TO STORE OUT TO	N/A
1. od gas gas completed at the subset of the	SUNDRY NOTICES	S AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
1. oil gas Well John J	reservoir. Use Form 9-331-C for s	ais to drill of to deepen or plug back to a different such proposals.)	8 FARM OR LEASE NAME
2. NAME OF OPERATOR Sin Oil Company 3. ADDRESS OF OPERATOR Sin Oil Company 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below) AT SURFACE: 940' FSL & 1115' FEL AT TOP AND INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE. REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TRACTURE TREAT SHOULD REPEAR WELL PUBL. OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABAIDON' 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) 18. I be obtained verbal permission from the U.S.G.S. to P & A the N.M. Federal N. #5E as of 11-10-90. PBTD 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. **Interbist. Pror. Supyr date November 11, 1980	1. oil gas ru		
2. NAME OF OPERATOR 3. ADDRESS OF OPERATOR 2. SUN DI COMPANY 3. ADDRESS OF OPERATOR 2. EXAMPLE STATE AND SURVEY OR AREA 2. LOCATION OF WELL (REPORT LOCATION CLEARLY, See space 17 below) AT SURFACE: 940° FSL & 1115° FEL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 1. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE. REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: 1. SUBSEQUENT REPORT OF: 1. SUBSEQUENT REPORT OF: 1. SUBSEQUENT REPORT OF: 1. SUBSEQUENT REPORT OF: 1. CHECK APPROPRIATE CASING MULTIPLE COMPLETE CHA VGE ZONES BRANDONS (other) 1. DESCRIBE PROPOSED OF COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work, if well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work) 1. Me obtained verbal permission from the U.S.G.S. to P & A the N.M. Federal 1. N. #5E as of 11-10-90. PBTD 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. (This space for Federal or State office use)			
3. ADDRESS OF OPERATOR 2525 N.M. EXPRESSWAY, Okla City, OK 73112 4. LOCATION OF WELL (REPORT LOCATION CLEARLY, See space 17 below.) AT SURFACE: 940' FSL & 1115' FEL AT 107 PROD. INTERVAL: AT OTAL DEPTH: CAT OTHER DATA 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE. REPORT, OR OTHER DATA 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) 18. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) 19. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) 19. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and work. 19. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and work of the pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) 19. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pe			
3. ADDRESS OF OPERATOR 2525 N.W. EXPRESSIVARY, Okla City, OK 73112 4. LOCATION OF WELL (REPORT LOCATION CLEARLY, See space 17 below.) 4. SURFACE: 940' FSL & 1115' FEL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 4. TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE. REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: 15. ELEVATIONS (SHOW DF, KDB, AND WD) 15. ELEVATIONS (SHOW DF, KDB, AND WD) 16. SUBSEQUENT REPORT OF: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE. REPAIR WELL PRACTURE TREAT SHOUTH OF ALTER CASING MULTIPLE COMPLETE CHANGE ZONES MULTIPLE COMPLETE CHANGE ZONES MULTIPLE COMPLETE CHANGE ZONES MULTIPLE COMPLETE CHANGE SHOW OF A THE NEW OF STATE OF STAT			
A LOCATION OF WELL (REPORT LOCATION CLEARLY, See space 17 below) AI SURFACE: 940' FSL & 1115' FEL AT TOTAL DEPTH: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE. REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dotted in seasured and true vertical depths for all markers and zones pertinent to this work.)* 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, necessary and true vertical depths for all markers and zones pertinent to this work.)* 18. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, necessary and true vertical depths for all markers and zones pertinent to this work.)* 19. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, necessary and true vertical depths for all markers and zones pertinent to this work.)* 10. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, necessary and give pertinent dates, necessary and give pertinent dates. 11. SEC. T. R., M., OR BLK. AND SURVEY OR AREA Sec. 7-T30N-R12W 12. COUNTY OR PARISH 13. STATE San Juan New Mexico 14. API NO. 15. ELEVATIONS (SHOW DF, KDB, AND WD) 5915' GR (Est.) 16. CHECK API NO. 16. ELEVATIONS (SHOW DF, KDB, AND WD) 5915' GR (Est.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, or complete or completion or zone charge on Form 9-3301 (NOTE: Report results of multiple completion or zone charge on Form 9-3301) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, or complete		PR	
AT TOP PROD. INTERVAL: AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE. REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, neluding estimated date of starting any proposed work, if well is directionally drilled, give subsurface locations and measured and true vertical depths for all imarkers and zones pertinent to this work). 18. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, neluding estimated date of starting any proposed work, if well is directionally drilled, give subsurface locations and measured and true vertical depths for all imarkers and zones pertinent to this work). 19. PETJ 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Clean up location. (This space for Federal or State office use)	2525 N.W. Expressw	ay, Okla City, OK 73112	
AT SURFACE: 940' FSL & 1115' FEL AT TOTAL DEPTH: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 17. REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: 18. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 19. SUBSEQUENT REPORT OF: 19. SUBSEQUENT REPORT OF: 10. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT OF: 19. SUBSEQUENT REPORT OF: 19. SUBSEQUENT REPORT OF: 10. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT OF: 10. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT OF: 10. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT OF: 10. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT OF: 10. API NO. 11. API	4. LOCATION OF WELL (RE	EPORT LOCATION CLEARLY. See space 17	AREA
AT TOP ADD. INTERVAL: AT TOTAL DEPTH: STATE	below.)		Sec. 7-T30N-R12W
AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE. 17. REPORT, OR OTHER DATA 18. REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: 18. SUBSEQUENT REPORT OF: 18. SUBSEQUENT REPORT OF: 19. SUBSEQUENT REPORT OF: 10.	AT TOP PRODUNTEDVAL:		12. COUNTY OR PARISH 13. STATE
15. ELEVATIONS (SHOW DF. KDB. AND WD) REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TES" WATER SHUT-OFF FRACTURE TREAT SHOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING COMPLETE CHANGE ZONES ABANDON' (other) 17. DESCRIBE PROPOSED OR CCMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, neluding estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* We obtained verbal permission from the U.S.G.S. to P & A the N.M. Federal -N- #5E as of 11-10-80. PSTD 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Subsurface Safety Valve: Manu. and Type 8. I hereby certify that the foregoing is true and correct IGNED TITLE DISTR. Pror. Supvr DATE November 11, 1980 (This space for Federal or State office use)			
REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OF TEST WATER SHUT-OF TEST WATER SHUT-OF TEACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL, OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABAINDON* (ATTER CASING CANNES COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, noluding estimated date of starting any proposed work, if well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* We obtained verbal permission from the U.S.G.S. to P & A the N.M. Federal "N- #5E as of 11-10-80. PBID 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Cican up location. Subsurface Safety Valve: Manu, and Type Set @ Ft. 15. ELEVATIONS (SHOW DF. KDB, AND WD) 5915' GR (Est.) (NOTE: Report results of multiple completion or zone charge on Form 9-330.) (NOTE: Report results of multiple completion or zone charge on Form 9-330.) (NOTE: Report results of multiple completion or zone charge on Form 9-330.) (NOTE: Report results of multiple completion or zone charge on Form 9-330.) (NOTE: Report results of multiple completion or zone charge on Form 9-330.) (NOTE: Report results of multiple completion or zone charge on Form 9-330.) (NOTE: Report results of multiple completion or zone charge on Form 9-330.)	16 CHECK APPROPRIATE	TO INDIONE	14. API NO.
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: 15. ELEVATIONS (SHOW DF, KDB, AND WD) 5915' GR (Est.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, neluding estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 18. ELEVATIONS (SHOW DF, KDB, AND WD) 5915' GR (Est.) (NOTE: Report results of multiple completion or zone change on Form 9-330.) (Rother) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, neluding estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* We obtained verbal permission from the U.S.G.S. to P & A the N.M. Federal "N- #5E as of 11-10-80. PBTD 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Subsurface Safety Valve: Manu, and Type Set @ Ft. 8. I hereby certify that the foregoing is true and correct ITILE Distr. Pror. Supvr DATE November 11, 1980 (This space for Federal or State office use)	REPORT. OR OTHER DA	ATA	
REQUEST FOR APPROVAL TO: TEST WATER SHUTTOFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE COHANGE ZONES ABANDON* (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, neluding estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* We obtained verbal permission from the U.S.G.S. to P & A the N.M. Federal N- #5E as of 11-10-80. PBTD 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Subsurface Safety Valve: Manu. and Type 8. I hereby certify that the foregoing is true and correct IGNED TITLE Distr. Pror. Supvr DATE November 11, 1980 (This space for Federal or State office use)	The same of the same		15. ELEVATIONS (SHOW DF, KDB, AND WD)
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, neluding estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* We obtained verbal permission from the U.S.G.S. to P & A the N.M. Federal -N- #5E as of 11-10-80. PBTD 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Subsurface Safety Valve: Manu, and Type 8. I hereby certify that the foregoing is true and correct IGNED TITLE DISTR. Pror. Supvr DATE November 11, 1980 (This space for Federal or State office use)	REQUEST FOR APPROVAL T	O: SUBSEQUENT REPORT OF	5915' GR (Est.)
SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, neluding estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Ile obtained verbal permission from the U.S.G.S. to P & A the N.M. Federal -N- #5E as of 11-10-80. PBTD 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Subsurface Safety Valve: Manu. and Type 8. I hereby certify that the foregoing is true and correct IGNED TITLE Distr. Pror. Supvr DATE November 11, 1980 (This space for Federal or State office use)	TEST WATER SHUT-OFF		
REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* We obtained verbal permission from the U.S.G.S. to P & A the N.M. Federal -N- #5E as of 11-10-80. PBTD 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Subsurface Safety Valve: Manu. and Type 8. I hereby certify that the foregoing is true and correct IGNED (This space for Federal or State office use)	CHART OR ASSESSED		
PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON? (other) 17. DESCRIBE PROPOSED OR CCMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, nocluding estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* We obtained verbal permission from the U.S.G.S. to P & A the N.M. Federal "N- #5E as of 11-10-80. PBTD 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Subsurface Safety Valve: Manu. and Type 8. I hereby certify that the foregoing is true and correct IGNED (This space for Federal or State office use)	DED US WELL	<u> </u>	
CHANGE ZONES ABANDON* (other) 17. DESCRIBE PROPOSED OR CCMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, nocluding estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* We obtained verbal permission from the U.S.G.S. to P & A the N.M. Federal -N- #5E as of 11-10-80. PBTD 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Subsurface Safety Valve: Manu, and Type 8. I hereby certify that the foregoing is true and correct IGNED TITLE Distr. Pror. Supvr DATE November 11, 1980 (This space for Federal or State office use)	PULL OR ALTER CASING	=	(NOTE: Report results of multiple completion or zone
ABANDON* (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, nocluding estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* We obtained verbal permission from the U.S.G.S. to P & A the N.M. Federal "N- #5E as of 11-10-80. PBTD 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Subsurface Safety Valve: Manu. and Type 8. I hereby certify that the foregoing is true and correct IGNED TITLE Distr. Pror. Supvr DATE November 11, 1980 (This space for Federal or State office use)	MOLINICE CONTECTIE		change on Form 9-330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, noluding estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* We obtained verbal permission from the U.S.G.S. to P & A the N.M. FederalN- #5E as of 11-10-80. PBTD 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Glean up location. Subsurface Safety Valve: Manu. and Type Set @ Ft. 1. Thereby certify that the foregoing is true and correct igned (This space for Federal or State office use)			
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, nocluding estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* We obtained verbal permission from the U.S.G.S. to P & A the N.M. FederalN- #5E as of 11-10-80. PBTD 4488' Perf. Point Lookout 4460' - 4481' Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Subsurface Safety Valve: Manu, and Type 8. I hereby certify that the foregoing is true and correct IGNED		∑X	
Procedure: Circ. hole w/mud. spot 20 sx cmt Plug from 4488' - 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Set @	Me obtained verba	al depths for all markers and zones pertinent	t to this work.)*
- 4238'. Spot 50' cmt plug from 50' to surface. Cut off well head and install dry hole marker. Clean up location. Set @Ft. Hereby certify that the foregoing is true and correct GNED		PBTD 4488' Perf. Point Lookou	ut 4460' - 4481'
8. I hereby certify that the foregoing is true and correct IGNED	Procedure:	- 4238'. Spot 50' cmt plug Cut off well head and insta	from 50' to surface.
(This space for Federal or State office use)	8. I hereby certify that the for	regoing is true and correct	
	IGNED SALAS ASSAULT	TITLEUISTE, Pror. St	ipvr _{date} November II, 1980
PPRC VED BY TITLE DATE ONDITIONS OF APPROVAL, IF ANY	·	(This space for Federal or State office	e use)
ST AFFROYAL, IF ANY	PPRCVED BY	TITLE	DATE
	SHELLIONS OF APPROVAL, IF A!	M.T.	
	- 1	I NMOCO	

Janu & Sur

*See Instructions on Reverse Side