UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	SF 078508
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME
	8. FARM OR LEASE NAME
1. oil gas 🖂	Nordhaus
well well other	9. WELL NO.
2. NAME OF OPERATOR	6-A
SUPRON ENERGY CORPORATION	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Basin Dakota - Blanco Mesaverde
P.O. Box 808, Farmington, New Mexico 87401	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA Sec. 1, T-31N, R-9W, N.M.P.M.
below.) AT SURFACE: ll20 ft./N ; 990 ft./W line	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: Same as above	San Juan New Mexico
AT TOTAL DEPTH: Same as above	14. API NO:4
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	
REPORT, OR OTHER DATA	16 ENVATIONS (SHOW DF, KDB, AND WD)
	6594 R.K.B.
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT	3 U 1981
TEST WATER SHUT-OFF	30 1981 SURVEY OLOGONE: Replace results of multiple completion or zone
FRACTURE TREAT	URVEY 1
SHOOT OR ACIDIZE U U JON SEPAIR WELL U U JON SEPAIR WELL U U U U U U U U U U U U U U U U U U	(NOTE: Reportesults of multiple completion or zone
PULL OR ALTER CASING	OLOGOM Phange on Form 9-330.)
MULTIPLE COMPLETE 🔲 🔲 📘 📜 U. 🥞 🎉	Missing
ABANDON* U U (other) Ran 7-5/8" casing	
*	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Elearly stat including estimated date of starting any proposed work. If well is dimeasured and true vertical depths for all markers and zones pertinent	lirectionally drilled, give subsurface locations and
1. Drilled 9-7/8" hole with mud to intermedia	ate total aepth of 3765 ft. R.K.B.
2. Ran 88 joints of 7-5/8", 26.40#, K-55 casi	
3. Cemented with 250 sacks or 65-35-6 with 12	2½ lb. of Gilsonite per sack and
100 sacks of class "B" with 2% calcium chi	loride. Plug down at 7:30 a.m.
1-22-81.	
4. Ran temperature survey and found cement to	op at 1300 ft. R.K.B
Subsurface Safety Valve: Manu. and Type	Set 6 - Ft.
	L
18. I hereby certify that the foregoing is true and correct	2003
SIGNED TITLE Production Su	ipt. DATE January 28, 1981
Kenneth E. Roddy / (This space for Federal or State office use)	
<i>!</i>	
ADDROVED BY TITLE	DATE

CONADGEPTED FOR RECURY FEB 0 3 1981

*See Instructions on Reverse Side

FARMINGTON DISTRICT