Form 9-330
(Rev. 5-63)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE* (See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other

b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other

2. NAME OF OPERATOR
Supron Energy Corporation

3. ADDRESS OF OPERATOR
P.O. Box 808, Farmington, New Mexico 87401

4. LOCATION OF WELL (*Report location clearly and in accordance with any State requirements*)*
At surface 1120 Ft./North; 990 ft./West line
At top prod. interval reported below Same as above
At total depth Same as above

RECEIVED APR 23 1981 U.S. GEOLOGICAL SURVEY FARMINGTON, N. MEX.

5. LEASE DESIGNATION AND SERIAL NO.
SF 078508

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Nordhaus

9. WELL NO.
6-A

10. FIELD AND POOL, OR WILDCAT
Blanco Mesaverde

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
Sec. 1, T-31N, R-9W N.M.P.M.

12. COUNTY OR PARISH: San Juan
13. STATE: New Mexico

14. PERMIT NO.
DATE ISSUED

15. DATE SPUDDED	16. DATE T.D. REACHED	17. DATE COMPL. (*Ready to prod.*)	18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*	19. ELEV. CASINGHEAD
1/15/81	1/29/81	4/21/81	6594 R.K.B.	6581

20. TOTAL DEPTH, MD & TVD	21. PLUG, BACK T.D., MD & TVD	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY	ROTARY TOOLS	CABLE TOOLS
8200 MD & TVD	8178 MD & TVD	2	→	0 - 8200	- - -

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
5599 - 5941 Mesaverde (MD & TVD)

25. WAS DIRECTIONAL SURVEY MADE
No

26. TYPE ELECTRIC AND OTHER LOGS RUN
Induction Electric and Compensated Density

27. WAS WELL CORED
No

RECEIVED MAY 4 1981 OIL CON. COM. DIST. 3

28. CASING RECORD (*Report all strings set in well*)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
10-3/4"	32.75	272	14-3/4"	250 Sacks	
7-5/8"	26.40	3765	9-7/8"	350 Sacks	
5-1/2"	15.50	3575 - 8192	6-3/4"	500 Sacks	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)
5-1/2", 15.50#	3575	8192	500	

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-1/16" IJ	5927	7928

31. PERFORATION RECORD (*Interval, size and number*)
1- 0.42" hole at each of the following depths:
5599,5602,06,11,31,37,55,63,67,77,5710,20,44,
5748,56,61,68,85,88,92,96,5800,04,08,12,17,20,
5824,28,36,39,41,43,46,60,63,66,69,79,82,84,96,
5903,06,15,17,39,40,41. (Total of 49 holes)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5599 - 5941	1500 gal. 15% HCL, 100,000 lb. 20-40 sand, 1% KCL water

33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (*Flowing, gas lift, pumping—size and type of pump*)	WELL STATUS (*Producing or shut-in*)
	Flowing	Shut-In

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD →	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
4/21/81	3	3/4"	→		172		

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
103	444	→		1376		

34. DISPOSITION OF GAS (*Sold, used for fuel, vented, etc.*)
Vented

TEST WITNESSED BY
Steve Moore

ACCEPTED FOR RECORD
MAY 1 1981
FARMINGTON DISTRICT
BY KRS

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

SIGNED Kenneth E. Roddy
Kenneth E. Roddy
TITLE Production Superintendent
DATE April 22, 1981

*(See Instructions and Spaces for Additional Data on Reverse Side)

NMOCC

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "*Sacks Cement*": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.

38. GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Ojo Alamo	2100	
Kirtland	2152	
Fruitland	3120	
Pictured Cliffs	3452	
Cliff House	5470	
Point Lookout	5782	
Gallup	6456	
Base Greenhorn	7887	
Dakota	8008	

U.S. GOVERNMENT PRINTING OFFICE: 1963—O-683836

GPO 680-147