5. LEASE

UNITED STATES

DEPARTMENT OF THE INTERIOR	SF - 0/8212
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
GEOLOGICAE SORVET	N/A
THE PROPERTY ON WELLO	7. UNIT AGREEMENT NAME
SUNDRY NOTICES AND REPORTS ON WELLS	N/A
Do not use this form for proposals to drill or to deepen or plug back to a different eservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
eservoir. Ose rottin 3-552 C to see proposed	McCord McCord
1. oil gas well well other	9. WELL NO.
Well Well Genor	7-R
2. NAME OF OPERATOR	10. FIELD OR WILDCAT NAME
Supron Energy Corp. c/o John H. Hill, et al.	Basin Dakota
3. ADDRESS OF OPERATOR Kysar Building, Suite 020	
300 W. Arrington, Farmington, New Mexico 87401	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	Sec. 4 T30N R13W
below.)	12. COUNTY OR PARISH 13. STATE
AT SURFACE: 1540' FNL & 1850' FEL (SW NE) AT TOP PROD. INTERVAL:	San Juan New Mexico
AT TOTAL DEPTH:	14. API NO.
	14. AFI NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	15 ELEVATIONS (SHOW DE KDR AND WD)
	15. ELEVATIONS (SHOW DF, KDB, AND WD) 5645 GR
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	
FRACTURE TREAT	
SHOOT OR ACIDIZE U U REPAIR WELL U	(NOTE: Report results of multiple)completion or zone
PULL OR ALTER CASING	change on Form 9-330.)
	TEN 1985
CHANGE ZONES	NOV ECENTED TO THE
ABANDON*	Now SOM STATE
(0000)	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stational including estimated date of starting any proposed work. If well is measured and true vertical depths for all markers and zones pertine	nt to this work.)*
1. Spudded 124" hole, to 322 at 1:00 A.M., 8,	/8/80. Cement circulated.
2. Ran 7 joints (307') of new 8 5/8", 23.56# ST&C casing.	
3. Set and cemented at 307'.	•
4. Cemented with 250 sacks Ideal Class "B" cer	ment, 2% Calcium Chloride,
¼# celo-flake per sack.	•
5. Plug down at 4:45 A.M., 8/9/80.	
6. Circulation good throughout job. Circulated 5 barrels cement.	
7. Checked water shut-off at 600#, with 10" 900 Series, Gardner-Denver	
Preventer.	•••••••
Trevender.	
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
Comment to the second second	
Exploration and Deve	lopment 15 2 7 1980
SIGNED James C. Caller TITLE Superintende	NT DATE
(This space for Federal or State of	office use)
APPROVED BY TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:	