

80752

District I  
P.O. Box 1980, Hobbs, NM  
District II  
P.O. Box 1100, Lordsburg, NM 88211  
District III  
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico  
Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO  
APPROPRIATE  
DISTRICT OFFICE  
AND 1 COPY TO  
SANTA FE OFFICE

## OIL CONSERVATION DIVISION

P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

PIT REMEDIATION AND CLOSURE REPORT

Operator: Amoco Production Company Telephone: (505) 326-9200  
Address: 200 Amoco Court, Farmington, New Mexico 87401  
Facility Or: Glom com A #12  
Well Name  
Location: Unit or Qtr/Qtr sec N sec 28 T 30N R 9W county SAN JUAN  
Pit Type: ABANDONED Separator ☒ Dehydrator ☐ Other ☐  
Land Type: BLM ☒ State ☐ Fee ☐ Other ☐

t Location: Pit dimensions: length NA, width NA, depth NA  
(attach diagram) Reference: wellhead ☒, other ☐  
Footage from reference: 66'  
Direction from reference: 31 Degrees ☒ East North ☐  
of  
☐ West South ☒

Depth To Ground Water: Less than 50 feet (20 points)  
(Vertical distance from 50 feet to 99 feet (10 points)  
contaminants to seasonal Greater than 100 feet (0 Points) 0  
high water elevation of  
ground water)

Wellhead Protection Area: Yes (20 points) 0  
(Less than 200 feet from a private No (0 points)  
domestic water source, or; less than  
1000 feet from all other water sources)

Distance To Surface Water: Less than 200 feet (20 points)  
(horizontal distance to perennial 200 feet to 1000 feet (10 points)  
lakes, ponds, rivers, streams, creeks, Greater than 1000 feet (0 points) 0  
irrigation canals and ditches)

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: \_\_\_\_\_ Date Completed: 5/18/00

mediation Method: Excavation ☒ Approx. cubic yards NA  
(check all appropriate sections) Landfarmed \_\_\_\_\_ Insitu Bioremediation \_\_\_\_\_  
Other CLOSE AS IS.

Remediation Location: Onsite ☒ Offsite \_\_\_\_\_  
(ie. landfarmed onsite,  
name and location of  
offsite facility)

General Description Of Remedial Action: \_\_\_\_\_

Excavation, BEDROCK BOTTOM, RISK ASSESSED, SAMPLE COLLECTED FROM  
BEDROCK, THEREFORE NO TPH ANALYSIS WAS CONDUCTED.

Ground Water Encountered: No ☒ Yes \_\_\_\_\_ Depth \_\_\_\_\_Final Pit: Sample location see Attached Documents

Closure Sampling:  
(if multiple samples,  
attach sample results  
and diagram of sample  
locations and depths)

Sample depth 7' (TEST HOLE BOTTOM)Sample date 5/18/00 Sample time 1345

## Sample Results

Benzene (ppm) \_\_\_\_\_

Total BTEX (ppm) \_\_\_\_\_

Field headspace (ppm) 739TPH NAGround Water Sample: Yes \_\_\_\_\_ No ☒ (If yes, attach sample results)I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST  
OF MY KNOWLEDGE AND BELIEFDATE 5/18/00

SIGNATURE

B. ShawPRINTED NAME  
AND TITLEBuddy D. Shaw  
Environmental Coordinator

7004524804

CLIENT: <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80752</u> D.O.C. NO: _____																																								
FIELD REPORT: CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																								
LOCATION: NAME: <u>GNMI com A</u> WELL #: <u>1R</u> PIT: <u>ABAN. SEP.</u>		DATE STARTED: <u>5/18/00</u> DATE FINISHED: _____																																								
QUAD/UNIT: <u>N</u> SEC: <u>28</u> TWP: <u>30N</u> RNG: <u>9W</u> PM: <u>NM</u> CNTY: <u>ST</u> ST: <u>NM</u>		ENVIRONMENTAL SPECIAL ST: <u>NV</u>																																								
QTR/ECOTAGE: <u>1010'S 1310'W</u> SEGW CONTRACTOR: <u>FUNT</u>																																										
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u>																																										
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD <u>CLOSE AS IS</u>																																										
LAND USE: <u>RANGE</u> LEASE: <u>SF-078042</u> CA 15C735 FORMATION: <u>PC</u>																																										
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>66'</u> FT. <u>S31E</u> FROM WELLHEAD.																																										
DEPTH TO GROUNDWATER: <u>&gt;100'</u> NEAREST WATER SOURCE: <u>&gt;1000'</u> NEAREST SURFACE WATER: <u>&gt;1000'</u>																																										
NMDCD RANKING SCORE: <u>0</u> NMDCD TPH CLOSURE STD: <u>5000</u> PPM		CHECK ONE: <input checked="" type="checkbox"/> PIT ABANDONED <input type="checkbox"/> STEEL TANK INSTALLED <input type="checkbox"/> FIBERGLASS TANK INSTALLED																																								
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ: <u>53.1</u> ppm TIME: <u>0853</u> am/pm <u>5/18/00</u>																																								
<p>BEDROCK (SANDSTONE) EXPOSED @ 5'-7' BELOW GRADE WITHIN TEST HOLE, OR, DUE TO MED. GRAY IN COLOR, SLIGHTLY FRIABLE TO VERY HARD @ BOTTOM, STRONG HC ODOR DETECTED ONLY WITHIN DISCOLORED BEDROCK, SAMPLE COLLECTED FROM BEDROCK, THEREFORE NO TPA ANALYSIS WAS CONDUCTED.</p>																																										
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 30%;"> <p><b>BEDROCK Bottom</b></p> <p>SS</p> <p>SCALE</p> <p>0 FT</p> </div> <div style="width: 30%; text-align: center;"> <p><b>RISK ASSESSED</b></p> </div> <div style="width: 35%;"> <p>FIELD 418.1 CALCULATIONS</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>TIME</th> <th>SAMPLE I.D.</th> <th>LAB No:</th> <th>WEIGHT (g)</th> <th>mL. FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. ppm</th> </tr> </thead> <tbody> <tr> <td>1345</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table> </div> </div>			TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm	1345																															
TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																			
1345																																										
<p><b>PIT PERIMETER</b></p> <p>TO WELL HEAD</p> <p>PIT DEPRESSION APPROX. 4' BELOW GRADE</p> <p>19'</p> <p>23'</p> <p>TEST HOLE APPROX. 3' BELOW PIT DEPRESSION</p> <p>SURFACE GRADIENT DIRECTION</p>		<p><b>PIT PROFILE</b></p> <p>NOT APPLICABLE</p>																																								
<p><b>OVM RESULTS</b></p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 7'</td><td>739</td></tr> <tr><td>2 @</td><td></td></tr> <tr><td>3 @</td><td></td></tr> <tr><td>4 @</td><td></td></tr> <tr><td>5 @</td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> </tbody> </table>			SAMPLE ID	FIELD HEADSPACE PID (ppm)	1 @ 7'	739	2 @		3 @		4 @		5 @																													
SAMPLE ID	FIELD HEADSPACE PID (ppm)																																									
1 @ 7'	739																																									
2 @																																										
3 @																																										
4 @																																										
5 @																																										
<p><b>LAB SAMPLES</b></p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td> </td><td></td><td></td></tr> <tr><td> </td><td></td><td></td></tr> <tr><td> </td><td></td><td></td></tr> <tr><td> </td><td></td><td></td></tr> <tr><td> </td><td></td><td></td></tr> </tbody> </table>			SAMPLE ID	ANALYSIS	TIME																																					
SAMPLE ID	ANALYSIS	TIME																																								
TRAVEL NOTES: CALLOUT: <u>5/17/00 - NORM.</u> ONSITE: <u>5/18/00 - AFTER.</u>																																										

**Well Name:**

Well Site location:

Pit Type:

Producing Formation:

Pit Category:

Horizontal Distance to Surface Water:

Vicinity Groundwater Depth:

**Giomi A #1R**

Unit N, Sec. 28, T30N, R9W

Separator Pit

Pictured Cliffs

Non Vulnerable

&gt; 1000 ft.

&gt; 100 ft.

**RISK ASSESSMENT (non-vulnerable area)**

Pit remediation activities were terminated when trackhoe encountered competent sandstone at 7 feet below grade.

No past or future threat to surface water or groundwater is likely based on the following considerations:

1. Groundwater levels located on or close to the well pad are estimated to be at a much greater depth below shallow sandstone bedrock.
2. Topographic information does not indicate off site lateral fluid migration near the earthen pit.
3. Daily discharge into the earthen pit has been terminated (pit abandoned). Prior discharge into the pit is believed to be under 5 barrels per day.
4. Well site located within the **non-vulnerable area** and is approximately 0.1 miles northeast of the nearest vulnerable area boundary (Mansfield Canyon wash).

**(Refer to Turley Quadrangle, New Mexico - San Juan County, 7.5 Minute Series (Topographic), Provisional edition, 1985, (vulnerable area boundary developed by Mr. William C. Olson, Hydrogeologist, Environmental Bureau, New Mexico Oil Conservation Division).**

Based upon the information given, we conclude that the subsurface lateral impact from the earthen pit is very limited and that the sandstone bottom creates enough of a impermeable barrier as to subdue impact to groundwater below it (please refer to AMOCO's report "Post Excavation Pit Closure Investigation Summary, July, 1995", with cover letter dated November 30, 1995). BP AMOCO therefore request pit closure approval on this location.