

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE\*

(See other instructions on reverse side)

Form approved  
Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

SF 078996

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

San Juan 32-7 Unit Com

8. FARM OR LEASE NAME

San Juan 32-7 Unit Com

9. WELL NO.

#79

10. FIELD AND POOL, OR WILDCAT

Blanco MV / Undesignated PC

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec 7, T31N, R7W

12. COUNTY OR PARISH

San Juan

13. STATE

N.M.

1a. TYPE OF WELL:

OIL WELL ☐GAS WELL ☒DRY ☐

Other \_\_\_\_\_

b. TYPE OF COMPLETION:

NEW WELL ☒WORK OVER ☐DEEP-EN ☐PLUG BACK ☐DIFF. RESVR. ☐

Other \_\_\_\_\_

2. NAME OF OPERATOR

Northwest Pipeline Corporation

3. ADDRESS OF OPERATOR

P.O. Box 90, Farmington, N.M. 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*

At surface 1910 FSL &amp; 1840 FEL

At top prod. interval reported below

1910 FSL &amp; 1840 FEL

At total depth

1910 FSL &amp; 1840 FEL

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED

10-19-81

16. DATE T.D. REACHED

10-26-81

17. DATE COMPL. (Ready to prod.)

12-4-81

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)\*

6560' KB

19. ELEV. CASINGHEAD

6548' GR

20. TOTAL DEPTH, MD &amp; TVD

5951'

21. PLUG, BACK T.D., MD &amp; TVD

5900'

22. IF MULTIPLE COMPL., HOW MANY\*

2

23. INTERVALS DRILLED BY

0'-5950'

ROTARY TOOLS

CABLE TOOLS

NO

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*

Pictured Cliffs 3344' - 3370'

YES

26. TYPE ELECTRIC AND OTHER LOGS RUN

IES FDC/CNL/GR logs. GR/CC1

27. WAS WELL CORED

NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	32.3#	373'	12-1/4"	236 cu.ft Cl'B'w/3% CaCl <sub>2</sub>	10 bbls
				& 1/4# folcele/sx	
7"	20#	3926'	8-3/4"	274cu.ft 65/35poz w/12% gel, 89cu.ft of Cl'B' w/2% CaCl <sub>2</sub> TOC @ 150w	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
4-1/2"	3715'	5951'	412cu.ft Cl'B'w/ 4% gel & 12-1/2# gils/sx.		1-1/4"	3357'	

31. PERFORATION RECORD (Interval, size and number)

10 .37" holes from (3344' to 3350') 15P2F  
(3360' to 3370')

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
3344'-3370'	SWF w/ 1355 bbls & 40,000# 10/20 sand.

33.\* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
11-29-81		Flowing				Shut in	
	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
2-16-82	3 hrs	2"X.750"	→	-	CV 82 MCF	-	-
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
16 psig	461 psig	→	-	AOF 354 MCF/D	-	-	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Waiting on Pipeline Connection to be sold

TEST WITNESSED BY

Fred S. Hamrick

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

*Paul C. Thompson*  
for F.H. Wood

TITLE

Drlg &amp; Prod Manager

DATE

April 7, 1982

\*(See Instructions and Spaces for Additional Data on Reverse Side)

NMOCC

# INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

**Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29:** "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

**Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROSITY ZONES:			38. GEOLOGIC MARKERS		
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CEMENT USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES					
FORMATION	TOP	BOTTOM	NAME	TOP	
				MEAS. DEPTH	TRUE VERT. DEPTH
Ojo Alamo	2500' est	2687'			
Kirtland	2687' est	3037'			
Fruitland	3037' EL	3270'			
Pictured Cliffs	3270' EL	3722'			
Lewis	3722' est	5422'			
Cliff House	5422' EL	5469'			
Menefee	5649' EL	5715'			
Point Lookout	5715' EL				
Total Depth	5950'				