

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	7. UNIT AGREEMENT NAME Western Federal #1
2. NAME OF OPERATOR WESTERN INTERNATIONAL PETROLEUM	8. FARM OR LEASE NAME KGS Lease N.M. 58917
3. ADDRESS OF OPERATOR 11801 Tatum Blvd., Suite 246, Phoenix, Arizona 85028	9. WELL NO. 1
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 2310'/E & 330'/S	10. FIELD AND POOL, OR WILDCAT Horseshoe Gallup
14. PERMIT NO.	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 11, T30N-R16W
15. ELEVATIONS (Show whether on Ft. or M.) 5425' Gr.	12. COUNTY OR PARISH San Juan
	13. STATE N.M.

RECEIVED

APR 01 1985

18. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) 4 1/2" Liner

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Ran 31 jts. [968'] 4 1/2", K-55, 10.5# 4 1/2" casing & hung at 1661' K.B.
WITH 5" 15.0# 8 rnd x 7" 20# hyflo hanger packer with CPN.
2. Cemented with/100 sx [110 cubic feet] class B with 0.3% CE-10. Ran 20 bbl WM-1 mud flush.
3. Job complete @ 5:45 p.m., 3/29/85.

RECEIVED
APR 03 1985
OIL CON. DIV.
DIST. 3

18. I hereby certify that the foregoing is true and correct

SIGNED

W.D. Stricklin

TITLE

Agent

DATE

4/1/85

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

APR 02 1985

*See Instructions on Reverse Side

NMOCC

FARMINGTON RESOURCE AREA
RV Smm

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

PERMIT IN TRIPLICATE*
(Other Instructions on Reverse Side)

Form BLM-1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR	8. FARM OR LEASE NAME
WESTERN INTERNATIONAL PETROLEUM	WESTERN FEDERAL
3. ADDRESS OF OPERATOR	9. WELL NO.
P.O. Drawer 3307 - Farmington, New Mexico 87499	#1
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface	10. FIELD AND POOL, OR WILDCAT
2310' FEL & 330" FSL	Horseshoe Gallup
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
	Sec. 11, T30N, R16W
14. PERMIT NO.	12. COUNTY OR PARISH
	San Juan
15. ELEVATIONS (Show whether in feet or meters)	13. STATE
5425' GR	NM

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRAC TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANE <input type="checkbox"/>

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRAC TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) Completion	

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. (If well proposed or completed operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).*

- 4-13-85 Cleaned out to 2484' P.B.T.D. Pressure tested casing to 3000 PSI for 15 minutes.
- 4-15-85 Perforated lower Tocito 2462 - 67' with 4 JSPF -20 holes. Broke down with 2% KCL water. Acidized with 250 gallons 7½% HCL and balled off. Swab tested and recovered 90% water and 10% oil at end of test.
- 4-16-85 Set retrievable bridge plug at 2458'. Pressure tested to 3000 PSI. Perforated upper Tocito 2442 - 47' with 4 JSPF -20 holes. Broke down with 2% KCL water. Acidized with 250 gallons 7½% HCL and balled off. Swab tested and recovered 97% water and 3% oil at end of test.
- 4-17-85 Pulled bridge plug at 2458'. Set retrievable bridge plug at 2438'. Pressure tested to 3000 PSI. Perforated lower Gallup 2403 - 22' with 4 JSPF -76 holes. Broke down with 2% KCL water. Acidized with 500 gallons 7½% HCL and attempted ball off. Unsuccessful. Pulled bridge plug at 2438'.
- 4-18-85 Frac treated lower Gallup 2403 - 22', upper Tocito 2442 - 47', and lower Tocito 2462 - 67'. 38,814 gallons of 20#/1000 gal cross link gelled water and 40,000# of 10/20 sand at 20 BPM down casing. ATP - 400 PSI. Shut the well in overnight.
- 4-19-85 Through 4-26-85 Swab testing
- 4-27-85 Set Pumping unit and started pumping well.

I hereby certify that the foregoing is true and correct.

SIGNED Mike Hicks TITLE AGENT
(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

OIL CON. DIV.

DATE 3 May 22nd, 1985

ACCEPTED FOR RECORD

DATE

MAY 24 1985

*See Instructions on Reverse Side

NMOC

FARMINGTON RESOURCE AREA

DI

RV

I hereby certify that the foregoing is true and correct, and willfully to make to any department or agency of the United States or to any court, any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

SUNDY NOTICES & REPORTS ON WELL (cont.)

WESTERN FEDERAL #1

Sec. 11, T30N, R16W

San Juan County, New Mexico

5-22-85 Presently pumping 17 B.O.P.D. and 23 B.W.P.D. Approximately 450 BBLS of load
water yet to recover.