STATE OF NEW MEXICO AND MILIERALS DEPARTMENT

| 967RIBUTIO4 | | |
|-------------|----|----------|
| BANTAFE | | |
| FILE | | |
| V.S.G.1. | | |
| LAND OFFICE | 4_ | <u> </u> |
| CORRATOR | 1 | 1 |

SEE RULE 1103.

OIL CONSERVATION DIVISION

fore C-103

| | P. D. BOX 2088 | Revised 10-1-78 | |
|---|--|--|--|
| BOTRIBUTION | | | |
| SANTAFE | SANTA FE, NEW MEXICO 87501 | Sa. Indicate Type of Lease | |
| FILE | • | | |
| V.S.G.S. | | State Foo 🖂 | |
| LAND OFFICE | • | 5. State Oil & Gas Lease No. | |
| OPERATOR . | | • | |
| | | | |
| SUNDRY | NOTICES AND REPORTS ON WELLS | | |
| SE SET USE THIS FORM FOR PROPE | SALS TO DEILL OR TO BEEPER OF PLUC BALK TO A DIFFERENT RESERVED OF PROPOSALS.) | | |
| | | 7. Unit Agreement Name | |
| on See X | 97HE9+ | | |
| 714 (- | 9791 | 8. Farm or Lease Hame | |
| ame of Operator | _ | AMOCO | |
| Joel B. Burr, | Jr. | 9. Well No. | |
| ddress of Operator | | . 1 | |
| 300 W. Arringt | on, Suite 300, Farmington, New Mexico 8740 | 10. Field and Pool, or Wildon | |
| ecation of Well | | 1 | |
| λ 81 | O PERT PROM THE North LINE AND 880 | Fulcher Kutz Ext. | |
| WHIT LETTER | PEET PROM THE EINE AND | | |
| | 21 20NT 12W | BAPA. | |
| East Line, section | 21 TOWNSHIP 30N BANGE 12W | - · · · · · · · · · · · · · · · · · · · | |
| | St. Lutur DE RT CR etc.) | 12. County | |
| 15. Elevation (Show whether DF, RT, GR, etc.) | | | |
| | 5655 G.L. | San Juan | |
| | Appropriate Box To Indicate Nature of Notice, Repo | rt or Other Data | |
| | EQUENT REPORT OF: | | |
| NOTICE OF IN | ITENTION TO: | | |
| | | ALTERING CASING | |
| ERFORM BEMEDIAL WORK | PLUE AND ABANDON REMEDIAL WORK | | |
| | COMMENCE DRILLING SPMS. | PLUE AND ASANDONMENT | |
| EMPORAPILY ABANDON | CHANGE PLANS CASING TEST AND CEMENT JO | ے لکا د | |
| WEL ON ALTER CASING | OTHER | | |
| | | · | |
| 67 tet 6 | | | |
| | perations (Clearly state all pertinent details, and give pertinent dates | , including estimated date of starting any proposi | |

Drilled 5 1/8" hole to 1935'. Ran D.I.L. and CNL - FDC open hole logs. Ran 2 7/8" 6.5 lb./ft. casing to 1911' with float at 1880'. Cemented with 168 cu. ft. 65/35 poz mix with 12% gel and 12 ½ lb. Gilsonite/sk followed by 216 cu. ft. 50/50 poz mix with 2% gel and 12 ½ lb. Gilsonite/sk. Maintain circulation throughout job. Plug down 1530 hrs. 9/9/85. Ran temperature survey and found cement top @ 275' casing will be pressure tested on completion.

Slurry weight and yield:

65/35 + 12% gel + 12 ½ lb. Gilsonite = 11.8 lb./gal. 2.4 cu. ft./sk. 50/50 + 2% gel + 12 ½ lb. Gilsonite = 12.5 lb./gal. 1.54 cu. ft./sk.

RECEIVED

| | | | SEP 1 6 1985 |
|--|--------------------|-----------------------------|---------------|
| 18. I beerby comity that the information above to true and compl | lete to the best (| of my tnewledge and belief. | OIL CON. DIV. |
| ALLEN ALLENDED | TITLE | Agent | Sept. 11, 85 |
| Original Signed by FRANK T. CHAVEZ | 41474 | SUPERVISOR DISTRICT 明 3 | SEP 1 6 1985 |

