## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	BUREAU OF LAI	ND MANAGEMENT		
	Sundry Notices	and Reports on Wells	·	
		DECEIVED	5.	Lease Number SF-078508
1. Туј	pe of Well GAS	DECE 1 9 1999	6. 1	If Indian, All. or Tribe Name
	me of Operator	COMPANY COMPANY	jo 7.	Unit Agreement Name
E	BURLINGTON ESOURCES OIL & GAS	COMPANY		
3 . <b>Ad</b>	dress & Phone No. of Operator		8.	Well Name & Number Nordhaus #711
P	O Box 4289, Farmington, NM 874	99 (505) 326-9700	9.	API Well No. 30-045-27654
	cation of Well, Footage, Sec., 70'FSL, 1500'FWL, Sec.1, T-31-N		10.	Field and Pool Basin Fruitland Coal
		$\vee$	11.	County and State San Juan Co, NM

12. 0	CHECK APPROPRIATE BOX TO	INDICATE NATURE OF NOTICE, REPORT, OTHER DATA		
Ту	pe of Submission	Type of Action		
	_X_ Notice of Intent	Abandonment Change of Plans Recompletion New Construction		
	Subsequent Report			
	Final Abandonment	Altering Casing Conversion to Injection _X_ Other - Pump Installation		
13.	Describe Proposed or Completed Operations			
	It is intended to insta procedure and wellbore	all a pump in the subject well according to the attached diagram.		

14. I hereby certify that the foregoing is true and correct.

Signed Title Regulatory Administrator Date 6/29/99 \_\_\_\_\_\_

(This space for Federal or State Office use)

APPROVED BY Signed Title Toem Lead. Potvioum Congregate

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## Nordhaus #711 PUMPING UNIT INSTALLATION PROCEDURE 6/23/99

## <u>Unit N, Section 1, T31N-R9W, San Juan County, New Mexico</u> <u>Lat. 36.922850 / 36° 55.37'</u> Long. 107.735180 / 107° 44.11'

- 1. MIRU pulling unit.
- 2. NDWH / NU BOP. Kill if necessary with produced Fruitland coal water.
- 3. PU 2 to 3 joints of tubing and TIH to tag for fill.
- 4. TOH with 2-3/8" tubing (tbg is set @ 3341'. There are 107 joints of 2-3/8" 4.7# J-55 and an "F" nipple @ 3310').
- 5. GIH with 2-3/8" 4.7# J-55 EUE tubing with a 4-3/4" bit and clean out to PBTD @ 3410'. Circulate hole clean.
- 6. TIH w/ 2-3/8" tubing string configured for downhole pump and land @ 3405'. Purge valve will be on bottom, followed by pup joint, perforated sub, and seating nipple. Space out as needed with pup joints.
- 7. Hang tubing in donut. ND BOP / NUWH.
- 8. TIH w/ new 1.25" top hold down pump, 3/4" Grade D sucker rods w/ spray metal couplings, polished rod, and polished rod liner. (Note: Vendor contact is listed below)
- 9. Seat the downhole pump, hang horses head, and space out pump.
- 10. Load tubing, and pressure test.
- 11. Start pumping unit and test (adjust spacing as required).
- 12. RDMO.

COMPLY WITH ALL FEDERAL, STATE AND LOCAL RULES AND REGULATIONS RELATING TO OIL AND GAS OPERATIONS.


Approved: Drilling Supt.

Prepared: D.W. Mussett

Pump vendor: ENERGY PUMP

Leo Noyes @ 564-2874

## Nordhaus #711 June 23, 1999 Basin Fruitland Coal Unit N, Section 1, T31N, R9W, San Juan County, New Mexico



TD 3446'

n:\area\opfc\