

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT - " for such proposals

5. Lease Designation and Serial No.

SF-080597

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Gartner A #11

9. API Well No.

30 045 28426

10. Field and Pool, or Exploratory Area

Basin Fruitland Coal

11. County or Parish, State

San Juan, NM

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other Coal Seam

2. Name of Operator Attention
Amoco Production Company E. R. Nicholson

3. Address and Telephone No.
P. O. Box 800, Denver, Colorado 80201 (303) 830-5014

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1880' FNL, 830' FEL Sec. 26, T30N-R8W

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Clean out/Recavitate

- ☐ Change of Plane
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Amoco intends to perform the following workover procedure to clean out/recavitate open hole as well as run 3 1/2" tubing in place of 2 3/8" tubing. Procedures are as follows:

1. MIRU CST rig.
2. TOH w/tubing
3. TIH w/drill pipe and bit.
4. Clean out open hole to PBTD (2885') and cavitate as necessary.
5. Once stable, TIH w/and land 3 1/2" normalized tubing at 2710'.
6. Return well to production.

If there are any questions, please contact E. R. Nicholson at (303) 830-5014.

RECEIVED
MAY 3 1993
OIL CON. DIV.
DIST. 3

070 FARMINGTON NM
03 APR 26 AM 11:17

RECEIVED
BLM

14. I hereby certify that the foregoing is true and correct

Signed

Title

Date

4-21-93

(This space for Federal or State office use)

Approved by

Title

Conditions of approval, if any:

APPROVED


APR 28 1993

DISTRICT MANAGER

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

Amoco Production Company Downhole Well Profile

DATE 1-22-91



WELL NAME Gardner A-11
 WELL LOCATION
 ELEVATION 6069 KN TO FLANGE 12 FM TO FLANGE 11
 SIZE (O.D.) WEIGHT SET AT TOP
 SURFACE CASING 95/8 36 270
 INTER CASING 7 23 2703
 LINER PROD CSD.
 PHOTOGRAPH HOLE 182
 DIAMETER OPEN HOLE 6 1/4
 CMT TYPE/CLASS G' 45/35 Pol MAKE Davis II
 No. OF JOINTS ON LOCATION 87 TALLIED LENGTH 2761.99
 No. OF JOINTS PERMANENTLY IN WELL 84 TALLIED LENGTH 2670.61

ITEM #	DESCRIPTION	LENGTH FT.	DEPTH FT.	SET IN
1	MALE END W/ BOP. CHUCK 2 3/8 X 1.700	0	80	2682.41
2	TOG. 2 3/8 OD BUE BOP 4.7 IN FON	31	81	2681.81
3	5' PROFILE DIAPHR. 2 3/8 X 1.81	1	20	2680
4	TOG. 2 3/8 BUE BOP 4.7 IN FON	2636	80	2636.80
	KB	12	-	12

WEIGHT OF TUBING STRING 12552 lbs. ON PACER - lbs. ON HANGER 12552 lbs.
 WELLHEAD W.P. 3000 psi. MAKE FMC ☒ Flanged ☐ Screwed
 MASTER VALVE TYPE Gate MAKE FMC W.P. 3000
 SIZE 2 1/2 in. HAS TRIM? ☐ YES ☒ NO
 CASING VALVES TYPE Gate MAKE FMC W.P. 3000
 SIZE 2 1/2 in. HAS TRIM? ☐ YES ☒ NO
 SURFACE CASING STATUS
 CHECK TYPE MAKE
 REMARKS (Note Additional Equipment) Test head 3000"
Gas samples & wire sample sent to Tech 1-22-91

COMPLETE IN DETAIL
 TC, FBTP
 Casing & Tubing Depth
 Perforations
 Packers, Nipples, etc.
 SURVEILLANCE

R. Garrett

AMOCO - REPRESENTATIVE

GARTNER A #11
LOCATION - H26-30N-8W
FNL 1880 FEL 830
SINGLE FT
ORIG. COMPLETION - 1/93
LAST FILE UPDATE - 4/93 BY CSW

