

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
BLM

JAN -7 PM 1:00

FORM APPROVED
Budget Bureau No. 1004-0135
Expires September 30 1990

5. Lease Designation and Serial No.

SF-080597

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

019 EASTINGTON, N.M.

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Gartner "A" #16

9. API Well No.

10. Field and Pool, or Exploratory Area

Basin Fruitland Coal Gas

11. County or Parish, State

San Juan, New Mexico

1. Type of Well

☐ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Amoco Production Company

Attn: J. L. Hampton

3. Address and Telephone No.

P.O. Box 800, Denver, Colorado 80201

303-830-5025

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

446 1650

790' FSL x 1700' FWL, Sec. 33-30N-8W

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

drill cathodic protection well

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Amoco Production Company drilled a cathodic protection well associated with the subject well and the Gartner LS #3 and #10 wells as follows:

1. Drilled 6 3/4" hole to 480'.
2. Hit water @ 40'. This was the only water zone encountered.
3. Installed 16 anodes & wires.
4. Backfilled with coke breeze.
5. Filled remainder of hole with pea gravel to stabilize.

RECEIVED

FEB 04 1991

OIL CON. DIV.
DIST. 3

APPROVED

JAN 25 1991

AREA MANAGER

Please call Cindy Burton at 303-830-5119 if you have any questions.

14. I hereby certify that the foregoing is true and correct

Signed

J. L. Hampton/UB

Title

J. L. Hampton

Date

1/3/91

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date

SECRET

REF ID: A68881

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED

DATE 10-10-2001 BY SP-6 BJS/STP

REASON: 25X(1) (b) (7) (D)

EXEMPTED FROM GDS

RECEIVED
BLM

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

91 JAN -7 PM 1:00
FARMINGTON, N.M.

Operator AMOCO PRODUCTION CO. Location: Unit N Sec. 33 Twp 30N Rng 8W

Name of Well/Wells or Pipeline Serviced GARTNER LS3, GARTNER LS 10,
GARTNER A+16

Elevation 6400' Completion Date 12/14/90 Total Depth 485' Land Type* F

Casing, Sizes, Types & Depths No casing

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

NONE USED - ONLY ONE WATER ZONE ENCOUNTERED

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. Water at 48' - thickness ~ 2' to 4', fresh
water

Depths gas encountered: NONE

Type & amount of coke breeze used: 2.8 tons METALLURGICAL COKE breeze, 0-3/8" top ^{from 20' above} _{T.D.}

Depths anodes placed: 220', 230', 240', 250', 260', 270', 280', 290', 300', 310', 320', 330', 340', 350', 360', 370'

Depths vent pipes placed: From top to T.D.

Vent pipe perforations: From 205' to T.D.

Remarks:

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

DRILLING LOG

A #16

SOIL

(NOTE WHERE WATER IS LOCATED)

10 SANDY CLAY
 20 "
 30 SANDSTONE
 40 SAND H²O
 50 SAND + SHALE
 60 SANDY SHALE
 70 SHALE
 80 SHALE
 90 SHALE
 100 SANDY SHALE
 110 SANDSTONE
 120 SANDSTONE
 130 SANDY SHALE
 140 SANDY SHALE
 150 SANDY SHALE
 160 SANDY SHALE
 170 SANDSTONE
 180 SANDSTONE
 190 SANDY SHALE
 200 SANDY SHALE
 210 SHALE
 220 SANDSTONE
 230 SHALE
 240 SHALE
 250 SHALE
 260 SANDY SHALE
 270 SANDY SHALE
 280 SANDSTONE
 290 SANDSTONE
 300 SANDSTONE
 310 SANDSTONE
 320 SANDSTONE
 330 SANDSTONE
 340 SANDSTONE
 350 SANDSTONE
 360 SANDY SHALE
 370 SANDY SHALE
 380 SANDY SHALE
 390 SHALE
 400 SHALE
 410 SHALE
 420 SANDY SHALE
 430 SANDY SHALE
 440 SANDY SHALE
 450 SANDSTONE
 460 SANDSTONE
 470 SANDY SHALE
 480 SHALE
 490
 500
 510
 520

R. Allen