

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

830' FNL 790' FEL, Sec.10, T-30-N, R-9-W, NMPM

5. Lease Number

SF-078201-A 081098

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

8. Well Name & Number

Riddle Com #200R

9. API Well No.

30-045-28747

10. Field and Pool

Basin Fruitland Coal

11. County and State

San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment

Type of Action

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other -

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut off

☐ Conversion to Injection

13. Describe Proposed or Completed Operations

It is intended to install a pump in the subject well according to the attached procedure and wellbore diagram.

RECEIVED
BLM
99 MAR -4 PM 2:34
070 FARMINGTON, NM

14. I hereby certify that the foregoing is true and correct.

Signed Chip Haraden (HJG) Title Regulatory Administrator Date 3/2/99
TLW

(This space for Federal or State Office use)

APPROVED BY Chip Haraden Title Acting Team Lead Date 3/11/99

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOC

Riddle Com #200R
PUMPING UNIT INSTALLATION PROCEDURE
2/24/99

Unit A, Section 10, T30N, R09W, San Juan County, New Mexico

Aircare Lat. 36 49.84'
Aircare Long. 107 45.68'

1. MIRU PULLING UNIT.
2. BLOW DOWN TBG. KILL WELL W/ WATER ONLY IF NECESSARY.
3. NDWH / NUBOP.
4. PU AT LEAST 2 JTS. OF TBG. - TIH TO TAG FOR FILL.
5. TOH STANDING BACK 2-3/8" TBG. (TBG. IS SET @ 2726', THERE ARE 88 JTS. OF 2-3/8" 4.7# J-55 WITH F NIPPLE @ 2692').
6. PU 4-3/4" BIT ON 2-3/8" TBG. AND TIH TO COTB, CIRC. HOLE CLEAN. TOH W/ SAME.
7. TIH W/ 2-3/8" TBG. STRING AND LAND TBG. @ 2768'. PURGE VALVE WILL BE ON BOTTOM W/ 2-3/8"x10' PUP JOINT(2758'-2768'), 2-3/8"x6' PUP JOINT(2752'-2758'), 2-3/8"x4' PERFORATED SUB(2748'-2752') AND 2-3/8" SN @ 2748'.
8. HANG TBG. IN DONUT. NDBOP / NUWH.
9. TIH W/ NEW TOP HOLD DOWN ROD PUMP (2"x1-1/4"x10'x14' RHAC-Z), 4' SECTION CUP TYPE PLUNGER. RUN THREE - 1-1/4" SINKER BARS, 107 - 3/4" GRADE D SUCKER RODS (W/ SPRAY METAL COUPLINGS), A SET OF 3/4" PONY RODS (2', 4', 6', 8') TO SPACE OUT, ONE - 1-1/4"x 22 - 3/4" PIN POLISHED ROD AND ONE - 1/1/4"x1-1/2"x10' POLISHED ROD LINER.
10. SEAT THE DOWNHOLE PUMP, HANG HORSES HEAD ON, SPACE PUMP.
11. LOAD TBG. , PRESSURE TEST.
12. START PUMPING UNIT, AND TEST OK (ADJUST SPACING IF NEEDED).
13. RDMO.

COMPLY WITH ALL FEDERAL, STATE AND LOCAL RULES AND REGULATIONS RELATING TO OIL AND GAS OPERATIONS.

E.J. Giles 2/24/99

Prepared: E.J. Giles
Office: 326-9584
Home: 325-8164
Pager: 324-2636

Bruce W. Bong 3.1.99

Approved: Drilling Supt.

Riddle Com #200R

Basin Fruitland Coal

Unit A, Section 10, T30N, R9W, San Juan County, New Mexico

Ojo Alamo @ 1510'

Kirtland @ 1610'

Fruitland @ 2420'

Perforations: 2559'-2777'

Workover History:
1-98 Well was recavitated.

Tubing: 2-3/8, 4.7# J55
- Set @ 2726', 88 jts.
F Nipple @ 2692'

Casing: 7, 23# K55
Set @ 2417'
Circulated cement to surface.

Liner: 5-1/2, 15.5# K55
- Set @ 2334'-2778'
Did not cement.

TD 2779'