

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO.

30-045-29632

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

CAPTAIN H.W. SAWYER

8. Well No.

1

Pool name or Wildcat

BASIN FRUITLAND COAL

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL  
WELL ☐

GAS  
WELL ☒

OTHER ☐

2. Name of Operator

THOMPSON ENGINEERING

3. Address of Operator

7415 E. MAIN

4. Well Location

Unit Letter B : 1255 Feet From The NORTH Line and 1715 Feet From The EAST Line

Section 13 Township 30N Range 12W NMPM SAN JUAN County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

5580' GL

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☒ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☒

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

7/15/98 Spud well at 1200 hrs. Drill 8-3/4" hole to 135'. Ran 3 jts (130.05') of 7", 20#, K-55, ST&C casing and set at 131' GL. Cemented with 50 sx (59 cu.ft.) of C1 "H" with 1/4#/sk cello flake and 2% CA CL<sub>2</sub>. Circ. 1/2 bbl of cement. WOC. Pressure test casing and BOP to 600#- Held okay. TD 6-1/4" Hole at 2020' on 7/23/98. Ran JES/GR add CNL/CDL logs. Ran 47 jts. (2019.24') of 4-1/2", 10.5#, J-55, ST&C casing and set at 2019' GL. Cemented with 150sx (309'cu.ft.) of C1 "B" w/ 1/4#/sk cello flake and 2% metasilicate. Tailed with 50 sx (59 cu ft) of C1 "B" w/ 1/4#/sk cello flake and 2% CaCl<sub>2</sub>. Displaced cement to 2009'. Circulated out 3 bbls of cement. Set slips and installed wellhead.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

PRESIDENT

DATE

8/4/98

TYPE OR PRINT NAME

TELEPHONE NO.

(This space for State Use)

Original Signed by FRANK T. CHAVEZ

SUPERVISOR DISTRICT # 3

AUG

6 1998

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: