UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	UNITED STA DEPARTMENT OF TH BUREAU OF LAND MA	E INTERIOR
	APPLICATION FOR PERMIT TO DRIL	$f(x_0)$
la.	Type of Work DRILL	5. Lease Number SF-078505 Unit Reporting Number
1b.	Type of Well GAS	6. Irundian, All. or Tribe
2.	Operator BURLINGTON RESOURCES Oil & Gas Company	(COM)。 (Diffile Agreement Name のいる。 3
3.	Address & Phone No. of Operator PO Box 4289, Farmington, NM 87499 (505) 326-9700	8. Farm or Lease Name Seymour 9. Well Number 6B
4.	Location of Well 2500' FSL, 1955' FWL $R \sim 10980R$ Latitude 36° 53.9, Longitude 107° 45.1	10. Field, Pool, Wildcat Blanco Mesaverde 11. Sec., Twn, Rge, Mer. (NMPM) Sec. 14, T-31-N, R-9-W API# 30-045-27812
14.	Distance in Miles from Nearest Town 6 miles to Navajo Dam Post Office	12. County 13. State San Juan NM
15.	Distance from Proposed Location to Nearest Property of	r Lease Line
16.	Acres in Lease	17. Acres Assigned to Well
18.	Distance from Proposed Location to Nearest Well, Drlg,	
19.	Proposed Depth 5997' proposed Depth and appeal garageant to 48 UNA 3105	ম প্রাপ্তর্ক্তর Zu. Rotary or Cable Tools
21.	Elevations (DF, FT, GR, Etc.) 6500' GR	22. Approx. Date Work will Start
23.	Proposed Casing and Cementing Program See Operations Plan attached	DRILLING OPERATIONS AUTHORIZED ARE SUBJECT TO COMPLIANCE WITH ATTACHED "GENERAL REQUIREMENTS"
24.	Authorized by: Matty Dan hard & Regulatory/Compliance Admi:	3-9-99 nistrator Date
	IIT NO. AP	PROVAL DATE JUN 1 6 1999

Archaeological Report to be submitted

Threatened and Endangered Species Report to be submitted

NOTE: This format is issued in lieu of U.S. BLM Form 3160-3

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or presentations as to any matter within its jurisdiction.

District I PO Box 1980, Hobbs, NM 88241-1980

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised February 21, 1994 Instructions on back

District II PO Drawer DD, Artesia. NM 88211-0719

PO Box 2088

Submit to Appropriate District Office
OIL CONSERVATION DIVISION State Lease - 4 Copies
Fee Lease - 3 Copies State Lease - 4 Copies Fee Lease - 3 Copies

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Santa Fe, NM 87504-2088

District IV PO Box 2088, Santa Fe, NM 87504-2088

WELL LOCATION AND ACREAGE

		W	ItLL	LUCA I I	JA DNA NU.	CHEAGE DEDI	CALION	1 PLAI			
1,4		²Pool Code			³Pool Name						
30-045- 2989.7				72319 Blanco Mesaverde					,		
Property	Code			Property Name				⁵ Well Number			
7499				SEYMOUR				6B			
'OGRID	No.		**.*		*Operator	Name			* E	levation	
· 14538		В	URLI	NGTON	RESOURCES	OIL & GAS	COMPA	NY		6500	
				1	¹⁰ Surface	Location					
UL or lot no.	Section	Township	Pange	Lat Idn	Feet from the	North/South line	Feet from	the Eas	st/West line	County	
К	14	31N	₽W		2500	SOUTH	195	5	WEST	SAN JUAN	
		¹¹ Bot	tom	Hole L	ocation I	f Different	From	Surface			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from	the Ea	st/West line	County	
12 Dedicated Acres	<u> </u>	13 Joint or Infill	14 Cons	colidation Code	¹⁵ Order No.						
W/320	•	002116 07 111111		, , , , , , , , , , , , , , , , , , ,							
NO ALLOW	VABLE W	VILL BE ASS OR A N	SIGNE ION-ST	D TO THI	IS COMPLETION UNIT HAS BE	ON UNTIL ALL EN APPROVED E		STS HAVE DIVISION		NSOL IDATED	
16	16			16.64						IFICATION on contained herein is knowledge and belief	
[1]		1 3		- Iı		1	true	and complete to	the best of my	knowledge and belief	

16	5216	.64		17 OPERATOR CERTIFICATION I pereby sectify that the information contained become
4	18 1993 18 1993	2	1	I hereby centify that the information contained herein is true and complete to the best of my knowledge and belief
110	1 8 1993 1 8 1993	7	8	Signature Peggy Bradfield Printed Name Regulatory Administrator Title
	-078505 1	 	5254.92	Date 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief.
12	11	10	9	
13	00 5232	15	16	Signature and Seal of Propessors Surveyor R MEXICO Centificate Number

OPERATIONS PLAN

Well Name: Seymour #6B

Location: 2500' FSL, 1955' FWL, Sec. 14, T-31-N, R-9-W

San Juan County, NM

Latitude 36° 53.9, Longitude 107° 45.1

Formation: Blanco Mesa Verde

Elevation: 6500'GR

Formation Tops:	<u>Top</u>	Bottom	<u>Contents</u>
Surface	San Jose	2012'	
Ojo Alamo	2012'	2112'	
Kirtland	2112'	2787'	
Intermediate TD	2212'		
Fruitland	2787'	3377'	
Pictured Cliffs	3377'	3497'	
Lewis	3497'	4067'	
Mesaverde	4067'	4462'	
Chacra	4462'	5212 '	
Massive Cliff House	5212'	5267'	
Menefee	5267'	5597 '	
Massive Point Lockout	5597'		
TD	5997'		

Logging Program:

Open hole Array Ind - intermed csg to surface

Neutron/Density - intermed csg to 1733'

Cased hole TDT - intermed csg to 1733' (only if open hole logs do not go)

GR/CBL - surface to TD

Mud Program:

Interval	<u>Type</u>	<u>Weight</u>	<u>Vis.</u>	Fluid Loss
0- 200'	Spud	8.4-9.0	40-50	no control
200-2212'	LSND	8.4-9.0	30-60	no control
2212-59971	Air	n/a	n/a	n/a

Pit levels will be visually monitored to detect gain or loss of fluid control.

Casing Program (as listed, the equivalent, or better):

Hole Size	Depth Interval	<u>Csq.Size</u>	<u>Wt.</u>	<u>Grade</u>
12 1/4"	0' - 200'	9 5/8"	32.3#	H-40
8 3/4"	0' - 2212'	7"	23.0#	J-55
6 1/4"	2112' - 5997'	4 1/2"	10.5#	J-55

Tubing Program:

0' - 5997' 2 3/8" 4.70# EUE

BOP Specifications, Wellhead and Tests:

Surface to Intermediate TD -

11" 2000 psi minimum double gate BOP stack (Reference Figure #1). After nipple-up prior to drilling out surface casing, rams and casing will be tested to 600 psi for 30 minutes.

BURLINGTON RESOURCES OIL & GAS COMPANY SEYMOUR #6B 2500' FSL & 1955' FWL, SECTION 14, T3IN, R9W, N.M.P.M. SAN JUAN COUNTY, NEW MEXICO APD MAP # 900' NEW BLM CONSTRUCTION NE/SW SECTION 14, T3IN, R9W. Josh O B 6/9 K 1049 Glade Canyon 66487 Glade "CORTRAL 6583 6570 Beanie Pockets & W tt EXISTING & R.O.W. Pocke NEW BLM R.O.W.