



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Indian Agency \_\_\_\_\_  
Allotted **Navajo**  
Lease No. **I-89-Ind-56**

SUNDRY NOTICES AND REPORTS ON WELLS

|                                               |                                            |          |
|-----------------------------------------------|--------------------------------------------|----------|
| NOTICE OF INTENTION TO DRILL                  | SUBSEQUENT REPORT OF WATER SHUT-OFF        |          |
| NOTICE OF INTENTION TO CHANGE PLANS           | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING |          |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF    | SUBSEQUENT REPORT OF ALTERING CASING       |          |
| NOTICE OF INTENTION TO REDRILL OR REPAIR WELL | SUBSEQUENT REPORT OF REDRILLING OR REPAIR  |          |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE       | SUBSEQUENT REPORT OF ABANDONMENT           | <b>X</b> |
| NOTICE OF INTENTION TO PULL OR ALTER CASING   | SUPPLEMENTARY WELL HISTORY                 |          |
| NOTICE OF INTENTION TO ABANDON WELL           |                                            |          |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**9-28-1955**, 19\_\_

Well No. **YA369** is located **990** ft. from **[S]** line and **990** ft. from **[E]** line of sec. **36**  
**SE 1/4** **30W** **19N** **RS2M**  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Wilcoats** **San Juan** **New Mex.**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5327** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging points, and all other important proposed work)

**Spudded 9-23-55**  
**Completed 9-28-55**  
**TD-975**  
**Top Da kota-835**  
**26 sack cement plug 900 to 740**  
**10 sack plug at surface**  
**pits filled, location cleaned up & regulation marker set.**



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Continental Oil Co.**

Address **Box 1896**

**Farmington, N.M.**

By **Wilbur L. Durr**

Title **Geologist Supervisor, Rig VA-4**

U. S. LAND OFFICE *Navajo*  
SERIAL NUMBER *E-896 Ind-82*  
LEASE OR PERMIT TO PROSPECT

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

A 10x10 grid with a small circle in the bottom right corner.

### LOCATE WELL CORRECTLY

Company Continental Oil Co. Address Durango, Colorado  
 Lessor or Tract Navajo I-09-Inc-56 Field Rattlesnake State New Mexico  
 Well No. VA369 Sec. 36 T. 30N R. 19W Meridian N.M.P.M. County San Juan  
 Location 990 ft. N. of S. Line and 990 ft. E. of W. Line of Sec. 36 Elevation 5327  
 (Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Annex V - Annex

Date November 3, 1955 Title Geologist

The summary on this page is for the condition of the well at above date.

Commenced drilling September 23, 1955 Finished drilling September 28, 1955

## OIL OR GAS SANDS OR ZONES

(Denote gas by  $G$ )

No. 1, from \_\_\_\_\_ to \_\_\_\_\_

No. 2, from \_\_\_\_\_ to \_\_\_\_\_

No. 3, from \_\_\_\_\_ to \_\_\_\_\_

No. 4, from \_\_\_\_\_ to \_\_\_\_\_

No. 5, from \_\_\_\_\_ to \_\_\_\_\_

No. 6, from \_\_\_\_\_ to \_\_\_\_\_

RECEIVED

## IMPORTANT WATER SANDS

No. 1, from 837 to 975 No. 3, from to  
No. 2, from to No. 4, from to

### CASING RECORD

[illegible]

## MUDDING AND CEMENTING RECORD

| Size casing | Where set                 | Number sacks of cement | Method used | Mud gravity | Amount of mud used |
|-------------|---------------------------|------------------------|-------------|-------------|--------------------|
|             | Set plug 900-740 w/26 sac |                        |             |             |                    |
|             | Set surface plug 9/10 sac |                        |             |             |                    |
|             |                           |                        |             |             |                    |
|             |                           |                        |             |             |                    |
|             |                           |                        |             |             |                    |
|             |                           |                        |             |             |                    |

## PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth set \_\_\_\_\_

|                         |            |
|-------------------------|------------|
| Adapters—Material ..... | Size ..... |
|-------------------------|------------|

## SHOOTING RECORD

| Size | Shell used | Explosive used | Quantity | Date | Depth shot | Depth cleaned out |
|------|------------|----------------|----------|------|------------|-------------------|
|      |            |                |          |      |            |                   |
|      |            |                |          |      |            |                   |
|      |            |                |          |      |            |                   |

## TOOLS USED

Rotary tools were used from Surface feet to 975 feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet.

Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet.

## DATES

-----, 19----- Put to producing -----, 19-----

The production for the first 24 hours was ----- barrels of fluid of which -----% was oil; -----% emulsion; -----% water; and -----% sediment. Gravity, °Bé. -----

If gas well, cu. ft. per 24 hours ..... Gallons gasoline per 1,000 cu. ft. of gas .....

Rock pressure, lbs. per sq. in. -----

## EMPLOYEES

W. J. Dunn Geology Pushay, Driller \_\_\_\_\_, Driller

\_\_\_\_\_  
 \_\_\_\_\_, Driller

## FORMATION RECORD

| FROM—               | TO— | TOTAL FEET | FORMATION |
|---------------------|-----|------------|-----------|
| Surf.               | 837 | 837        | Mancos    |
| 837                 | 975 | 138        | Dakota    |
| Plugged & Abandoned |     |            |           |

