| Office State of New M | exico Form C-103 |
|--|---|
| District I Energy, Minerals and Nat | |
| 1625 N. French Dr., Hobbs, NM 88240 | WELL API NO. |
| District II 811 South First Artesia NM 88210 OIL CONSERVATION | N DIVISION 30-045-30282 |
| 011 30util 1 131, 1 ti cold, 1111 00210 | 1.5 Indicate Type of Lease |
| 1000 Pio Prazos Pd. Aztec NM 97410 | STATE OF THE LA |
| <u>District IV</u> Santa Fe, NM § | 7505 6. State Oil & Gas Lease No. |
| 2040 South Pacheco, Santa Fe, NM 87505 | MMSF-079045 |
| SUNDRY NOTICES AND REPORTS ON WHILE (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PL DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) F PROPOSALS.) 1. Type of Well: | UGNACK TOA |
| Oil Well Gas Well Other: | |
| 2. Name of Operator: Devon Energy Production Co. L.P. | 8. Well No. |
| 2. Traine of operator. Bevon Bhergy Froduction Co. B.F. | 57M |
| Address of Operator: | Pool name or Wildcat: |
| 20 North Broadway, Suite 1500, Oklahoma | |
| 20 1 of the Diodaway, Saite 1300, Okkanonia | Dushi-Dukota |
| 3. Well Location | |
| | |
| Unit Letter O: 660 feet from the South line and 1980 feet from the East line. | |
| om Better 6. 000 feet nom the boath fine and 1900 | rect from the East line. |
| Section: 21 Township 31N Range | 7W NMPM County San Juan |
| 10. Elevation (Show whether D | |
| 6379' GR | |
| 11. Check Appropriate Box to Indicate N | Sture of Notice Papert or Other Date |
| | |
| NOTICE OF INTENTION TO: | SUBSEQUENT REPORT OF: |
| PERFORM REMEDIAL WORK PLUG AND ABANDON | REMEDIAL WORK ALTERING CASING |
| TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ | COMMENCE DRILLING OPNS. PLUG AND |
| PULL OR ALTER CASING MULTIPLE | ABANDONMENT CASING TEST AND |
| COMPLETION | CEMENT JOB |
| **··· ==··*· | |
| OTHER: Down hole commingle | OTHER: |
| 12. Describe proposed or completed operations. (Clearly state all pe | rtinent details, and give pertinent dates, including estimated date |
| of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation. | |
| | |
| Approval is requested to isolate the Basin-Dakota pool, perforate, fra | |
| commingle production from both zones. Please refer to attached exhib | pits. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| $\Omega / I = \Omega / T = A = 2$ | |
| UHC 755AZ | |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. | |
| | |
| SIGNATURE TITLE Operations Engineer Associate DATE 4/30/02 | |
| | |
| Type or print name Diana Booher | n |
| -/F F | Telephone No. (405) 552-4512 |
| | Telephone No. (405) 552-4512 |
| | |
| | POTY (M. 4.43) 1327 KC) ER, ENT. MAY - 3 2002 |

ATTACHMENTS TO APPLICATION TO DOWNHOLE COMMINGLE

The following information is being provided as supporting data for application to downhole commingle production from the following well:

Well:

NEBU #57M

Location:

SWSE, Sec. 21, T31N, R7W San Juan County, New Mexico

- 1. The Division order that establishes the two subject pools as pre-approved pools for commingling is Case No. 12346, Order No. R-11363.
- 2. The pools to be commingled are the Blanco-Mesaverde (72319) and the Basin-Dakota (71599).
- 3. The subject well is presently completed in the Basin-Dakota pool, the perforated interval being 7767-7952'. Proposed perforations in the Blanco-Mesaverde are as follows: 4292-4490' (34 holes), 5212-5456' (28 holes), 5536-5722' (36 holes).
- 4. Commingling will not reduce the value of the total remaining production in this well. Produced waters from both the Basin-Dakota and the Blanco-Mesaverde have been found to be compatible, with no evidence of scaling problems on tubulars, or of precipitate fill in the wellbore. The increased volume of gas flowing up the tubing will facilitate the well's ability to unload itself, thus increasing production and reducing potential operational problems.
- 5. Notice has been sent to all interest owners in the spacing unit by certified mail (return receipt) of Devon Energy's intent to downhole commingle production. A copy of this notice and a list of all interest owners is attached.
- 6. A copy of this notice of intent to downhole commingle has been sent to the Bureau of Land Management.

Method of Allocation

Devon Energy recommends the following procedure to allocate downhole commingled production between the Basin-Dakota and the Blanco-Mesaverde pools within the Northeast Blanco Unit:

- 1. The Basin-Dakota formation will be completed and flow tested for 30 -90 days to establish a stabilized rate and trend.
- 2. The Blanco-Mesaverde formation will be completed following the Dakota flow test and flow tested for 5 10 days to establish the initial production rate.
- 3. The two pools will be downhole commingled. Total well production will flow through common surface facilities and total produced gas will be measured using a conventional orifice plate meter tube.
- 4. Production will be allocated between the Mesa Verde and Dakota intervals by applying the variable percentage schedule to the daily total well production.

The Variable Percentage Schedule was derived using Mesa Verde and Dakota production type curves. These type curves were generated by normalizing production data from surrounding wells. The variable percentage schedule is required due to the dissimilar nature of the decline trends exhibited by the Mesa Verde and Dakota. Figure 1 depicts a typical Mesa Verde – Dakota production allocation. The actual percentages will vary from well to well, depending on well productivity.

Typical MV - DK Downhole Commingle Production % Schedule




Figure 1

The Basin-Dakota type curve was generated from normalized production of 40 offsetting Basin-Dakota producers. The Basin-Dakota type curve clearly defines the decline rate for the life of a well. Comparison of this type curve with the production schedule obtained by using flow test data demonstrates the reliability of this method for projecting production. (See Figure 2) The curve covers a three and one half year period with a variance in cumulative normalized production of only 165 MCF.

Dakota Type Curve




Figure 2

The Blanco – Mesa Verde type curve was generated from normalized production of 12 offsetting Blanco-Mesa Verde producers. Comparison of this type curve with the production schedule obtained by using flow test data demonstrates the reliability of this method for projecting production. (See Figure 3) The curve covers a four year period with a variance in cumulative normalized production of only 3,382 MCF.

Mesa Verde Type Curve




Figure 3

The Northeast Blanco Unit 57M has produced from the Dakota formation since December 2001. Production has followed the Dakota type curve schedule. A plunger lift was installed four weeks following frist delivery. Production began following the type curve within sixty to ninty days after first production. Figure 4 is a plot of actual production and the established type curve schedule for the Dakota.

Northeast Blanco Unit 57M Dakota Type Curve




FIGURE 4

The 57 M Mesa Verde schedule will be generated when a stabilized initial production rate has been established and input into the type curve schedule.

20 North Broadway, Suite 1500 Oklahoma City, Oklahoma 73102-8260 Telephone: (405) 235-3611 Fax: (405) 552-4667

April 18, 2002

IN RE: Permit to Downhole Commingle NEBU #57M, API #30-045-30282 SWSE, 660 FSL & 1980 FEL Sec. 21, T31N, R7W San Juan County, New Mexico

VIA CERTIFIED MAIL
To all Working Interest Owners:

In accordance with Division Rule 303.C governing downhole commingling, you are hereby notified that Devon Energy Production Company, LP, as operator of the above-captioned well, intends to downhole commingle production from the Blanco-Mesaverde and Basin-Dakota Pools. These are two of the pools pre-approved for commingling by the State of New Mexico Oil Conservation Division of the Energy, Minerals, and Natural Resources Department. As such Devon Energy is required to submit application to the OCD on form C-103 (Sundry Notice) of our intent to commingle the two zones.

The Basin-Dakota has been producing in this well since 12/27/2001, during which time a production trend for this zone has been established. The production from the Blanco-Mesaverde and the Basin-Dakota will be allocated on a production trend based formula.

Please direct inquiries concerning this matter to Diana Booher at (405) 552-4512.

Sincerely,

DEVON ENERGY PRODUCTION COMPANY, LP

Diana Booher

Operations Engineer Associate

Diana Booker

NORTHEAST BLANCO UNIT #57M- DAKOTA WORKING INTEREST OWNERS

Bryan Anderson BP America Production Company PO Box 3092 Houston, TX 77253-3092

Jim Ball Phillips Petroleum Company 5525 Highway 64, NBU 3004 Farmington, NM 87401

Alan Alexander Burlington Resources Oil & Gas Co. P. O. Box 4289 Farmington, NM 87499-4289

Kona, LTD 363 N. Sam Houston Pky East, Suite 1100 Houston, TX 77060

Brian Basham Diverse Energy Investments 1001 McKinney, Suite 520 Houston, TX 77002

Frank C. Davis III 3219 Bryn Mawr Dallas, TX 75225

NORTHEAST BLANCO UNIT #57M - MESAVERDE WORKING INTEREST OWNERS

Alan Alexander Burlington Resources Oil & Gas Co. P. O. Box 4289 Farmington, NM 87499-4289

Bryan Anderson BP America Production Company PO Box 3092 Houston, TX 77253-3092

Jim Ball Phillips Petroleum Company 5525 Highway 64, NBU 3004 Farmington, NM 87401

Castle, Inc. 502 Keystone Drive Warrendale, PA 15086

Eva G. Rodriquez Conoco, Inc. Lobo/San Juan Business Unit 600 N Dairy Ashford Houston, TX 77079

T. H. McElvain Oil & Gas Ltd. Partnership McElvain Oil & Gas Properties, Inc., GP 1050 17th Street, Suite 1800 Denver, CO 80265

NOJV Manager Four Star Oil & Gas Company P. O. Box 36366 Houston, TX 77236

Jane P. Ladouceur 109 Longsford San Antonio, TX 78209

Charles E. Kelly, Ph.D. 895 Technology Blvd., Suite 201 Bozeman, MT 59718-6855

Robert E. Zimmerman, Jr. P. O. Box 570174 Houston, TX 77257-0174

Charles W. Gay c/o James M. Raymond, AIF P. O. Box 291445 Kerrville, TX 78029-1445 Lorrayn Gay Hacker c/o James M. Raymond, AIF P. O. Box 291445 Kerrville, TX 78029-1445

James M. Raymond, Trustee Maydell Miller Mast Trust P. O. Box 291445 Kerrville, TX 78029-1445

James M. Raymond P. O. Box 291445 Kerrville, TX 78029-1445

Suzanna Phillips Kelly P. O. Box 147 Cameron, MT 59720

Suzanna P. Kelly Jr 8383 Chapman Road Bozeman, MT 59715

Andrew B. Kelly, Jr. 2575 Sunset Drive Atlanta, GA 30345

Gary Patterson Wiser Oil Company 8115 Preston Road, Suite 400 Dallas, TX 75225

Darrell Gillen
Williams Production Company
One Williams Center
P. O. Box 3102 MS 37-4
Tulsa, OK 74101

McAfee Oil and Gas LLC 103 W. Boyd, Suite A Norman, OK 73069

Kona, LTD 363 N. Sam Houston Pky East, Suite 1100 Houston, TX 77060

Bryan Basham Diverse Energy Investments 1001 McKinney, Suite 520 Houston, TX 77002



20 North Broadway, Suite 1500 Oklahoma City, Oklahoma 73102-8260

Diana Booher, Operations Engineer Associate

May 1, 2002

IN RE: Permit to Downhole Commingle NEBU #57M, API #30-045-30282 SWSE, 660' FSL & 1980' FEL Sec. 21, T31N, R7W San Juan County, New Mexico

Telephone: (405) 235-3611

Fax: (405) 552-4667

VIA CERTIFIED MAIL Bureau of Land Management 1235 La Plata Highway Farmington, NM 87401

Attn: Lee Otteni

Dear Mr. Otteni:

Devon Energy Production Company, L.P., in accordance with the New Mexico Oil Conservation Division Rule 303.C governing downole commingling, wishes to notify your office of our intent to downhole commingle the Basin-Dakota and Blanco-Mesaverde pools in the above-captioned well.

To this end, please refer to the following attachments:

- Copy of NMOCD form C-103, with all attachments
- Copy of notification to working interest owners
- List of names and addresses of working interest owners in each pool

Please direct any inquiries regarding this matter to the undersigned at (405) 552-4512.

Sincerely,

DEVON ENERGY PRODUCTION COMPANY, L.P.

Jiana Booker

Diana Booher

Operations Engineer Associate

Attachments