UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

				5.	Lease Number
. T	ype of Well GAS			6.	NMSF0777730 If Indian, All. or Tribe Name
				7.	Unit Agreement Nam
. N	ame of Operato	r			
4	RESOUR	アンピで	& GAS COMPANY		
3. Address & Phone No. of Operator				8.	Well Name & Numbe Sunray E #1B
PO Box 4289, Farmington, NM 87499 (505) 326-9700 Location of Well, Footage, Sec., T, R, M 1730'FSL, 1900'FEL, Sec.9, T-30-N, R-10-W, NMPM				9.	API Well No.
					30-045-30913 Field and Pool
					Blanco MV/Basin D
				11.	County and State San Juan Co, NM
			 		
	CHECK APPROPRI ype of Submiss		NDICATE NATURE OF NOTIC Type of A		DATA
•		of Intent	Abandonment	Change of Pla	ans
			Recompletion	New Construc	tion
	X Subsecu	ent Report	Plugging Back	Non-Routine	Fracturing
	Final A	Abandonment	Casing Repair Altering Casing	Water Shut o	II O Injection
			X Other - Spud, ca		o injection
	5		3-1-3-0		
3.	Describe Pro	posed or Com	pleted Operations		
		RU.			
	1/25/02 Sp	oud well @ 4:0	00 pm 1/25/02. Drill to	235'. Circ hole	clean TOOH
	1/25/02 5p		-		CICAII. 100II.
		TIH w/5 jts	9-5/8" 32.3# H-40 ST&C	csg, set @ 232'.	Cmtd w/195 sxs
	_	Class "B" nea	9-5/8" 32.3# H-40 ST&C at cmt w/3% calcium chl	loride, 0.5 pps c	Cmtd w/195 sxs
		Class "B" nea Ft.). Circ 1	9-5/8" 32.3# H-40 ST&C	loride, 0.5 pps c WOC. NU BOP.	Cmtd w/195 sxs
		Class "B" nea Ft.). Circ 1	9-5/8" $32.3 \pm H-40$ ST&C at cmt w/3% calcium chl 5 bbls cmt to surface.	loride, 0.5 pps c WOC. NU BOP.	Cmtd w/195 sxs
		Class "B" nea Ft.). Circ 1	9-5/8" $32.3 \pm H-40$ ST&C at cmt w/3% calcium chl 5 bbls cmt to surface.	loride, 0.5 pps c WOC. NU BOP.	Cmtd w/195 sxs
		Class "B" nea Ft.). Circ 1	9-5/8" $32.3 \pm H-40$ ST&C at cmt w/3% calcium chl 5 bbls cmt to surface.	loride, 0.5 pps c WOC. NU BOP.	Cmtd w/195 sxs
		Class "B" nea Ft.). Circ 1	9-5/8" $32.3 \pm H-40$ ST&C at cmt w/3% calcium chl 5 bbls cmt to surface.	loride, 0.5 pps c WOC. NU BOP.	Cmtd w/195 sxs
		Class "B" nea Ft.). Circ 1	9-5/8" $32.3 \pm H-40$ ST&C at cmt w/3% calcium chl 5 bbls cmt to surface.	loride, 0.5 pps c WOC. NU BOP.	Cmtd w/195 sxs
	1/26/02 PT	Class "B" nea Ft.). Circ 1! BOP & csg to	9-5/8" $32.3 \pm H-40$ ST&C at cmt w/3% calcium chl 5 bbls cmt to surface.	loride, 0.5 pps c WOC. NU BOP.	Cmtd w/195 sxs
		Class "B" nea Ft.). Circ 1! BOP & csg to	9-5/8" $32.3 \pm H-40$ ST&C at cmt w/3% calcium chl 5 bbls cmt to surface.	loride, 0.5 pps c WOC. NU BOP.	Cmtd w/195 sxs
	1/26/02 PT	Class "B" nea Ft.). Circ 1! BOP & csg to	9-5/8" $32.3 \pm H-40$ ST&C at cmt w/3% calcium chl 5 bbls cmt to surface.	loride, 0.5 pps c WOC. NU BOP.	Cmtd w/195 sxs
	1/26/02 PT	Class "B" nea Ft.). Circ 1! BOP & csg to	9-5/8" $32.3 \pm H-40$ ST&C at cmt w/3% calcium chl 5 bbls cmt to surface.	loride, 0.5 pps c WOC. NU BOP.	Cmtd w/195 sxs
	1/26/02 PT	Class "B" nea Ft.). Circ 1! BOP & csg to	9-5/8" $32.3 \pm H-40$ ST&C at cmt w/3% calcium chl 5 bbls cmt to surface.	loride, 0.5 pps c WOC. NU BOP.	Cmtd w/195 sxs
	1/26/02 PT	Class "B" nea Ft.). Circ 1! BOP & csg to	9-5/8" $32.3 \pm H-40$ ST&C at cmt w/3% calcium chl 5 bbls cmt to surface.	loride, 0.5 pps c WOC. NU BOP.	Cmtd w/195 sxs
	1/26/02 PT	Class "B" nea Ft.). Circ 1! BOP & csg to	9-5/8" $32.3 \pm H-40$ ST&C at cmt w/3% calcium chl 5 bbls cmt to surface.	loride, 0.5 pps c WOC. NU BOP.	Cmtd w/195 sxs
4	1/26/02 PT	Class "B" nea Ft.). Circ 1: BOP & csg to	9-5/8" 32.3# H-40 ST&C at cmt w/3% calcium chl 5 bbls cmt to surface. o 1500 psi/30 mins, OK.	loride, 0.5 pps c WOC. NU BOP. Drilling ahead.	Cmtd w/195 sxs
4.	1/26/02 PT	Class "B" nea Ft.). Circ 1: BOP & csg to	9-5/8" $32.3 \pm H-40$ ST&C at cmt w/3% calcium chl 5 bbls cmt to surface.	loride, 0.5 pps c WOC. NU BOP. Drilling ahead.	Cmtd w/195 sxs
	1/26/02 PT APD ROW Rela	Class "B" nea Ft.). Circ 1: BOP & csg to	9-5/8" 32.3# H-40 ST&C at cmt w/3% calcium chl 5 bbls cmt to surface. o 1500 psi/30 mins, OK.	loride, 0.5 pps c WOC. NU BOP. Drilling ahead.	Cmtd w/195 sxs elloflake (230 cu.
	1/26/02 PT APD ROW Rela	Class "B" near Ft.). Circ 1: T BOP & csg to ated	9-5/8" 32.3# H-40 ST&C at cmt w/3% calcium chl 5 bbls cmt to surface. o 1500 psi/30 mins, OK. e foregoing is true and Title Regulate	loride, 0.5 pps c WOC. NU BOP. Drilling ahead.	Cmtd w/195 sxs elloflake (230 cu.