Form 3160-5 (June 1990) Do not use this fo	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Orm for proposals to drill or to deepen or reentry to a different reservoi	FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993 5. Lease Designation and Serial No. 82-078464 6. If Indian, Allottee or Tribe Name
<u> </u>	Jse "APPLICATION FOR PERMIT—" for such proposals	r.
1. Type of Well	SUBMIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
Oil Gas Well 2. Name of Operator	Other	8. Well Name and No.
Snyder 011 3. Address and Telephone N	Corporation	Payne No. 1
P.O. Box 20:	38, Farmington, N.M. 87499 505-632-9056	30-045-10088
4. Location of Well (Footage / 4 / 0 1740 FSL & 1	e, Sec., I., R., M., or Survey Description)	10. Field and Pool, or Exploratory Area Basin Dakota
Section 35, T3		11. County or Parish, State
12. CHECK A	APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPO	San Juan, New Mexico
TYPE OF S	TYPE OF ACTION	
Notice of	Abandonment Recompletion	Change of Plans
Subsequen	Report DEU3 V 1993 Plugging Back	New Construction Non-Routine Fracturing
Finat Aba	ndonment No OIL COIN. DIV Casing Repair Altering Casing Other	Water Shut-Off Conversion to Injection
13. Describe Proposed or Comp		(Note: Report results of multiple completion on Well
give subsurface location	pleted Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and measured and true vertical depths for all markers and zones pertinent to this work.)*	ng any proposed work. If well is directionally drilled
survey plat. each side of be entirely o has been comp contained in	centerline survey with a total length of 283 in Federal surface. An archeological survey leted by Southwest Archaeological Services, Technical Report No. 93-SASI-06215 which has	own on the attached ight of way (20' on .98'. The line will of the entire route Inc. with the results
the BLM. Pipe	line specifications are shown on the attached	d sheet.
Snyder intend issued.	s to commence construction of this project as	s soon as approval is
14. I hereby certify/thap the fore	eding is true and correct	
Signed V	Steunde Tide AGENT	11/2/92

(This space for Federal or State office use) DEG 27 1993

DISTRICT MANAGER

SNYDER OIL CORPORATION PIPELINE SPECIFICATIONS

LINE SIZE: 4" Nominal.

PIPE SPECS: 4.5" O.D., 0.237" wall thickness, plain end seamless, Grade A25 or better manufactured in accordance with API Spec 5L.

BURIAL DEPTH: (+/-) 48". Sand padding will be used in all portions of ditch that have rock bottom and/or sides.

JOINING METHOD: Welded as per API Standard 1104.

SYSTEM OPERATING PRESSURE: 150 psig.

<u>TESTS:</u> 10% of welds will be radiologically inspected. Pipe will be tested to 500 psig prior to backfilling.

NOTIFICATIONS: All owner/operators of offset or crossed below ground facilities will be notified prior to start of construction.

MARKING: Pipeline route will be marked with appropriate markers at all road crossings and on a line of sight spacing through the entire route.

A SURVEY FOR

SNYDER OIL GAS PIPELINE PAYNE NO.1

SW/4 SEC. 35,T.31 N.,R.13 W.,N.M.P.M. SAN JUAN COUNTY, NEW MEXICO



