

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo Ute

	X	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_  
Lease No. 14-20-604-1951

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Sandoll Frac.</u>	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 8, 19 58

Horseshoe Ute

Well No. 9 is located 1900 ft. from NE line and 1890 ft. from W line of sec. 34

NE SW/4 Sec. 34  
(1/4 Sec. and Sec. No.)

31N  
(Twp.)

16W  
(Range)

NMPM  
(Meridian)

Horseshoe-Gallup  
(Field)

San Juan  
(County or Subdivision)

New Mexico  
(State or Territory)

The elevation of the derrick floor above sea level is 5389 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

12-5-58 Total Depth 1448'. Clean Out Total Depth 1320'.

Sandoll fractured Lower Gallup perforated intervals 1250-1288' (perf. 2 sh./ft.) with 27,090 gals. oil and 20,000# sand. BDP-750#, MTP-750#, ATP-750#. Injection Rate--55.1 bbls./min. Flush 1680 gals. oil; dropped 38 rubber balls one time.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Products Company

Address Post Office Box 1565  
Farmington, New Mexico

ORIGINAL SIGNED BY: JOSEPH E. KREGER  
By \_\_\_\_\_

Title Petroleum Engineer