

OIL CONSERVATION COMMISSION

P. O. BOX 2088 • SANTA FE, NEW MEXICO 87501 • PHONE 827-2434

MESSAGE

REPLY

TO

Emercy C. Arnold

Supervisor & Oil & Gas Inspector

District III

DATE

April 21, 1966

~~Re: [unclear]~~

Re: Standard Oil Co. of Tex.

Navajo Tribal 21

1 2310/N 1980/W

35-31N-18

Let us know if this well
should be numbered IX-F.

Also check for D & 4 report.

Thanks,

BY

C. R. Murrin

DATE

4-29-66

OK - No this is the
Navajo Tribal 21 # 1. We
will attempt to get I + A
report (This well is 1980
from the NW. They also
drilled a shallow well which
they call the Navajo Tribal
11 (We should call it the
Navajo Tribal # 1. Which
is located 2310 from the N
1980 from W. We also need
I + A report on this one.


SIGNED

Emercy

RECIPIENT KEEP THIS COPY, RETURN WHITE COPY TO SENDER

OIL CONSERVATION COMMISSION

P. O. BOX 2008 • SANTA FE, NEW MEXICO 87501 • PHONE 505 244 4444



TO: SAC, ALBUQUERQUE
FROM: SAC, SANTA FE
SUBJECT: [Illegible]

[The remainder of the page contains several paragraphs of extremely faint, illegible text, likely a teletype or letter. Some words like "SAC", "ALBUQUERQUE", and "SANTA FE" are visible in the header area.]

[The bottom half of the page contains several paragraphs of extremely faint, illegible text, likely a teletype or letter. Some words like "SAC", "ALBUQUERQUE", and "SANTA FE" are visible in the header area.]

OIL CONSERVATION COMMISSION
1000 RIO BRAZOS ROAD
AZTEC, NEW MEXICO

MAILED
1965 MAR 4 PM 6
Duplicate

February 25, 1965



*Well
File*

Standard Oil Company of Texas
Drawer "g"
Monahans, Texas

Re: Filing of Reports, Standard
Oil Company of Texas, Navajo
Tribal 21 #1, F-35-31N-18N

Gentlemen:

All required reports relative to the above well have been filed with
this office with the exception of two copies of Federal Well Record
Form, 9-330.

Will you please submit two copies of the above form to this office
immediately.

Yours very truly

Emery C. Arnold
Supervisor, District #3

cc: Mr.

Oil Conservation Commission
Santa Fe, New Mexico

United States Geological Survey
Farmington, New Mexico

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved
Budget Bureau No.

COMPLETION OR RECOMPLETION REPORT AND LOG*

1. WELL NO.		2. LEASE DESIGNATION AND NAME	
1-1		Navajo 14-20-1965	
3. IF INDIAN, ALLEGED ORIGIN		4. UNIT AGREEMENT NAME	
Navajo			
5. FARM OR LEASE NAME		6. WELL NO.	
Navajo 14-20-1965		1-1	
7. FIELD AND POOL OR WIRELINE		8. SEC. T. R. M. OR BLOCK AND SURVEY OR AREA	
Undesignated		Section 35; T-31N; R-18W, White Hill Area	
9. PERMIT NO.		10. DATE ISSUED	
14. PERMIT NO.		Dec. 28, 1964	
11. COUNTY OR PARISH		12. STATE	
San Juan		New Mexico	
13. DATE T.D. REACHED		14. DATE COMPL. (Ready to prod.)	
June 17, 1965		Dry Hole	
15. ELEVATIONS (DF, RKB, RT, GR, ETC.)*		16. ELEV. CASINGHEAD	
5009' G.L.		No	
17. TOTAL DEPTH, MD & TVD		18. PLUG, BACK T.D., MD & TVD	
621.963'		-----	
19. IF MULTIPLE COMPL., HOW MANY*		20. INTERVALS DRILLED BY	
-----		Rotary Tools	
21. PLUGGING INTERVAL (S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*		22. WAS DIRECTIONAL SURVEY MADE	
None		No	
23. WAS WELL CORED		24. WAS WELL CORED	
No		No	
CASING RECORD (Report all strings set in well)			
WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD
24	33	9-7/8"	7 sx. cement to surface
LINER RECORD			
TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)
-----	-----	-----	-----
TUBING RECORD			
SIZE	DEPTH SET (MD)	WELLER SET (MD)	
-----	-----	-----	
32. ACID, SHOT, FRACTURE CEMENT SQUEEZE, ETC.			
DEPTH INTERVAL (MD)	AMOUNT AND KIND OF FLUID USED		
None			
PRODUCTION			
TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD
-----	-----	-----	-----
FLOW, WINDING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.
-----	-----	-----	-----
24. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)			
TEST WITNESSED BY			

25. LIST OF ATTACHMENTS			

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records			
SIGNED <i>[Signature]</i>		TITLE Lead Engineer	
DATE February 1, 1965			

ILLEGIBLE

Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a completed well log on all types of lands and locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or both, pursuant to applicable Federal and/or State laws, regulations, and policies, for specific instructions concerning the completion of this form. The instructions are shown below or will be found in the Federal and/or State laws, regulations, and policies. See instructions on items 22 and 23 for the completion of all currently available logs (drillers, geologists, sample logs, etc.), formations and/or other tests, and directional surveys, shown in the attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be filed on this form, see item 33.

Item 22: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or both, pursuant to applicable Federal and/or State laws, regulations, and policies, for specific instructions.

Item 23: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 24 and in item 25 of the producing interval zone(s), top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (log) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 24: *Drillers' General:* Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:		38. GEOLOGIC MARKERS		
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF: CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				
FORMER	DESCRIPTION, COMMENTS, ETC.	NAME	MEAS. DEPTH	
TOP	BOTTOM		TRUE VERT. DEPTH	
No Sample	33	Testito	510	518.970'
Shale & sand	305	Testito	612	611.920'
Shale	435			
Sand	465			
Shale	550			
Sand	560			
Shale	611			
Sand	622 F.D.			