SOUTHERN UNION GAS COMPANY BURT BUILDING DALLAS 1, TEXAS

August 3, 1951



Re: Patented Land
Pierce No. 2 Well

Mr. Al Greer New Mexico Oil Conservation Commission Aztec, New Mexico

Dear Mr. Greer:

Attached in duplicate is "Well Record" and "Schlumberger Electrical Log" on our Pierce No. 2 well, located 1650' from the South line and 1650' from the West line of Section 30, Township 31 North, Range 10 West, N.M.P.M., Blanco Field, Sen Juan County, New Mexico.

Yours very truly,

Van Thompson
Chief Engineer

VT:jg cc: U.S.G.S.-Farmington, N.M.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

AUG 6 1951 OIL CON. COM. DIST. 3

Mail to Oil Conservation Commission, Sants Fe, New Mexico, or proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

LOCATE	EA 640 A WELL (CORRECT		C CMDA 37) - · · · · · · · · · · · · · · · · · ·		.=		* .			2	
				COMPAN.	Company o	r Operato	iswi	of S	ec. 30	Lease	, т3	1-N	
30 1/	erce	w p w	Blar	166		Field	ı	Sa	n Juar	1		County.	
_10=W	, N. 1 16 <i>5</i> 0 -	n. P. m n <u>ort</u>	h sthe	South	.[.	fe	et 9 8	st at of th	e West	line of	Sec. 30		
notonto	d land t	he owne	r is	John	L. Pierc	e		,	Address	Azt	ec, New M	exico	
Governi	nent land	d the pe	rmittee is	S				,	Address	3			
ho Lorgo	o la			<u> </u>				,	Address	3		-	
milling of	ommance	đ	May 2	•	19_5]	L Dri	lling v	vas comp	leted	June	17,	19_51	
lame of	drilling	contracte	or Gar	dner Br	os. Dril	lling	Comp	eny ,	Address	Dall	as, Texas		
Clevation	above se	a level a	at top of	casing_5	900 DF	feet.	i						
he infort	nation gi	iven is to	be kept	confident	tial until _							19	
					OIL SAN								
No. 1, fro		10-496									_to		
No. 2, fro	m		to			No.	5, fro	m			to		
No. 3, fro	m		to		MPORTAN						_to		
									ole.				
include d	ata on ra	ate of w	ater iniid	w and ex	evation to	WHICH			fee	t			
No. 1, fr	om				to_				fee	it		·	
No. 2, fr	om				tò				fee	ot			
χυ. σ, II Vo. 4 **	om				_to				fee	et		······································	
¥, LI						NG RE							
	WEIGH		HREADS		AMEGIZATO	KINI	OF OE	CUT & I	FILLED	PE: FROM	RFORATED TO	PURPOSE	
SIZE	PER FO	OOT PI	ER INCH	MAKE	AMOUNT	38							
.0-3/4" 5-1/2"					1641 47201								
2" tub	ing				49651								
		_		-									
						-							
				MUDI	DING AND	СЕМЕ	NTIN	G. RECO	RD	7			
	SIZE OF	WHERE	c mm	NO. SAC	KS MET	THOD US	SED	MUI	D GRAVI	TY	AMOUNT O	F MUD USED	
HOLE	CASING			75		lburto							
	10 - 3/4 5 - 1/2		201	250	11222								
								-					
		<u></u>				4 3 7 7 4 7	D A DM	TEDE					
					PLUGS .					Depth	Set		
					Size_								
Adapters	Materi	a1			SHOOTING								
				LOSIVE OF					DEPT	гонз на			
SIZE	SHEL	L USED	CHEM	ICAL USE	D QUAN	QUANTITY D.			DATE OR TRE		DEPTH	DEPTH CLEANED OUT	
			Nitrog	lyceri	660	qts.	7/2	2	4790	<u>-5051</u>	50511		
Populte	of shooti	ng or cl	emical ti	reatment_									
													
				RECORD	OF DRILI	-stem	AND	SPECIA	L TEST	S	v		
If drill-s	stem or o	other spe	ecial tests	or devia	tion survey	ys were	made	, sub m it	report e	on separ	ate sheet and	i attach hereto	
						ools t							
Rotary 1	tools wer	e used fr	o m	0	_feet to	471	71	_feet, an	d from.		feet to_	feet	
Cable to	ools were	used fr	om4	7171	_feet to	506	51	_feet, an	d from.		feet to	fee	
						RODUC	TION						
					,19						<i>~</i>	1. 6	
												1;	
emulsio	n;	·	% water;	and	%	sedimen	it. G	ravity, E	se	100 00 4	t of gog		
							anons	gasoline	; per 1,0	, o o cu. 1	UI Eas		
Rock pi	ressure, l	bs. per s	sq. in		070# T	 EMPLOY	Z JENTEN CO						
	C7											, Driller	
												, Driller	
	MGRODS	444			MATION R								
y t*	w awas=	or affi-	m that tl							correc	t record of t	he well and a	
work d	one on it	so far a	s can be	determine	ed from av	ailable	record	s.					
0k	had ond	gwarn t	before :	me this	3 rd					8	August 3,	1951	
puoscri	ும் வார	J., GLEE 61						,	Place	1-72	homb	ate	
	A	lumat.			19	51_	Nam	ie	_ uu	مرت ر			

FORMATION RECORD

FROM	то	,	RMATION RECORD
0	190	THICKNESS IN FEET	FORMATION Sand & Shale
190 1183 1309 2454 2500 3165 3540 3794 4148 4385 4416 4717 4725 4745 4800 4895 4925 4935	1183 1309 2454 2500 3165 3540 3794 4148 4385 4416 4717 4725 4745 4800 4895 4925 4935 5065	993 126 1145 46 665 375 254 354 237 31 301 8 20 55 95 30 10 130	Sand & Shale Sand Sand & Shale Shale, Sand & Coal Sand & Shale—Top Pictured Cliff 2550' (# 3350) Top Lewis 2613' (# 3287) Shale Sand & Shale Shale - Top Cliff House 4132' (# 1768) Sand & Shale - Top Menefee 4270' (# 1630) Shale Sand & Shale
-	,	,	-
	, , ,	-	
			1 元 1 元 1 元 1 元 1 元
	1-		
	<	(