


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Ute Mountain Tribal
Allottee _____
Lease No. 14-20-604-121



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

U. S. GEOLOGICAL SURVEY
DURANGO, COLO.

Ute Mountain Tribal F Farmington, New Mexico April 21, 1960

Well No. 4 is located 1720 ft. from S line and 570 ft. from W line of sec. 28


NW 1/4 SW 1/4 of Section 28 T-31-N R-11-W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Verde Gallup San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5529 ft. (RDB)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total depth 4310' 5-1/2" casing was set at 4310' with stage tool at 4016'. Cemented first stage with 60 sacks 6% gel cement with 2 pounds tuf plug per sack. Received good circulation throughout. Tested casing with 3000 psi for 30 minutes which held with no indication of pressure drop. Cemented second stage with 350 sacks 6% gel cement with 1-1/2 pound tuf plug per sack. Received good circulation throughout. Tested casing with 3000 psi for 30 minutes which held with no indication of pressure drop. Top of cement 1825 by survey.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation
Address Box 487
Farmington, New Mexico
Attn: L. O. Spear, Jr.
By R. M. Bauer, Jr.
Title Area Engineer

