

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. 14-20-604-1939	
2. NAME OF OPERATOR Benson-Montin-Greer Drilling Corp.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Ute Mountain Tribal	
3. ADDRESS OF OPERATOR 221 Petroleum Center Building, Farmington, NM 87401		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980' FLN, 660' FEL, Sec. 29, T31N, R14W		8. FARM OR LEASE NAME Ute Mountain Tribal 1939	
14. PERMIT NO.		9. WELL NO. #4	
15. ELEVATIONS (Show whether OF, RT, GR, etc.) 5601' GR		10. FIELD AND POOL, OR WILDCAT Verde Gallup	
		11. SEC., T., R., M., OR B.L.K. AND SURVEY OR AREA Sec. 29, T31 N, R14W	
		12. COUNTY OR PARISH San Juan	13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON*

CHANGE PLANE

X

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Cement plug #1 - Cement 5-1/2" casing 4024' to 3750' with 40 cu. ft. cement slurry.

Shoot off 5-1/2" casing at approximately 2000'.

Cement plug #2 - Cement plug on top of 5-1/2" casing looking up with 40 cu. ft. cement slurry.

Cement plug #3 - From 50' below surface pipe (107 plus 50' equals 157) from 160' to surface with 55 cu. ft. cement slurry. Accordingly the plug well be 160' to the surface.

Erect dry hole marker.

RECEIVED

SEP 23 1985

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Vice President

OIL CON. DIV
DIST. 3

DATE 9/18/85

(This space for Federal or State office use)

APPROVED BY

David J. Miller

TITLE

AREA MANAGER

DATE

SEP 20 1985

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side