



**B. & R.
SERVICE, INC.****TEMPERATURE SURVEY**COMPANY EL PASO NATURAL GAS PRODUCTS COMPANYWELL HORSESHOE UTE #19 FIELD COUNTY SAN JUAN STATE NEW MEXICOSEC. 28 TWP. 31N RGE. 16WAPPROX. TOP CEMENT 1340'Survey Begins at 500 Ft. Ends at 1657Approx. Fill-Up 64% Max. Temp. 84° AT 165'Log Measured From R.T. Run No. 1

Casing Size	Casing Depth	Diam of Hole	Depth
<u>5½" from 0</u>	<u>to 1744'</u>	<u>7⅞" from</u>	<u>to</u>
<u>from</u>	<u>to</u>	<u>from</u>	<u>to</u>

Date of Cementing AUGUST 2, 1959 Time 11:00 PMDate of Survey AUGUST 3, 1959 Time 11:00 AMAmount of Cement 100 SKS 50/50 POZM Type Amount of Admix Type Recorded by ELKIN Witnessed by

REMARKS OR OTHER DATA

**TEMPERATURE IN DEGREES FAHRENHEIT**

Lease No. Navajo-Ute Tribal 14-20-604-1951

**B. & R.
SERVICE, INC.**

TEMPERATURE SURVEY

COMPANY EL PASO NATURAL GAS PRODUCTS COMPANY

WELL HORSESHOE UTE #19 **FIELD**

COUNTY SAN JUAN **STATE** NEW MEXICO


SEC. 28 **TWP.** 31N **RGE.** 16W

APPROX. TOP CEMENT 1340'

Survey Begins at 500 **Ft. Ends at** 1657 **Ft.**

Approx. Fill-Up 64% **Max. Temp.** 84° **AT** 1657'

Log Measured From R.T. **Run No.** 1

Casing Size	Casing Depth	Diam of Hole	Depth
5½" from 0	to 1744'	7⅞" from	to
from	to	from	to
Date of Cementing	AUGUST 2, 1959	Time	11:00 PM
Date of Survey	AUGUST 3, 1959	Time	11:00 AM
Amount of Cement	100 SKS	50/50 POZM Type	
Amount of Admix		Type	
Recorded by	ELKIN	Witnessed by	
REMARKS OR OTHER DATA			
			
TEMPERATURE IN DEGREES FAHRENHEIT			

