Budget	Bureau	No.	42-R359	9,4
Approv	al expir	es 12-	-31-60.	

Form 8-381 b (April 1952)							

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

ndian Agency
-149-IND-7654
llottee
ease No

IOTICE OF INTENTION TO PRIVE		(NT REPORT OF W	6 5	CENTE	-
NOTICE OF INTENTION TO DRILL		11:				1.
IOTICE OF INTENTION TO CHANGE PI		11	NT REPORT OF S		L 2 9 1959	-
IOTICE OF INTENTION TO REDRILL O			NT REPORT OF R			
OTICE OF INTENTION TO SHOOT OR		SUBSEQUE	NI REPORT OF A	BANNANG OR I	LOGICAL SUR	1
IOTICE OF INTENTION TO PULL OR A		SUPPLEME	NTADY WELL DIS	TO SARMINO	ON NEW WE	(AF)
HOTICE OF INTENTION TO ABANDON		SOFFLEME				XIC
(INDICATI	E ABOVE BY CHECK MARK N	ATURE OF REP	ORT. NOTICE OR	OTHER DATA)		.
·				_		
			July 1		, 19	9 54
ist i all Maca · i	. 1 # 130 c c	[N] ₁ .	1 246	(Ē)	1· · · ·	
l No. 3 El Pase is loc	ated was it. from	n 👸 } line	and	t. from W	line of sec	
(14 Sec. and Sec. No.)	17 × (Twp.)		NMPM			
(% sec. and sec. No.)		(Range)	(Meri	CLINEL)		
(Field)	San June C	Subdivision)		(State or	Territory)	-
elevation of the derrick	0	1 . 5264	3 (
e names of and expected depths to	objective sands; show sizes ing points, and all oth	, weights, and er important	lengths of propos proposed work)	ed casings; indic	ate mudding jobs, o	cemer
ate names of and expected depths to	objective sands; show sizes ing points, and all oth	, weights, and ler important	lengths of propos proposed work)	ed casings; indic	ate mudding jobs, o	cemei
	ing points, and all oth	ier important	proposed work)		-,	cemei
lan to drill 8" hale t	ing points, and all oth	ier important	proposed work)		-,	cemėi
ian to drill \$" hale t 5 su.	ing points, and all oth	" 20 lb.	proposed work)		-,	comėi
ian to drill \$" hale to 5 sx. ian to spud an or be	ing points, and all oth to 65° and set 7° fore August 1,	" 20 lb. 19 59 .	J-85 ceg	, and con	oont with	cemė
lan to drill 8" hale to see to special see to special see or became to drill to approximate the drill to approximate the drill to approximate the drill to approximate the second see to see the second see to drill to approximate the second see the second se	ing points, and all oth to 65° and set 7° fore August 1, t. 1350 feet to 1	" 20 lb. 1959. Nest Dale	J-85 ceg	, and con	oont with	cemér
ian to drill 8" hale to 5 sm. San to spud on or be	ing points, and all oth to 65° and set 7° fore August 1, t. 1350 feet to 1	" 20 lb. 1959. Nest Dale	J-85 ceg	, and con	oont with	cemei
ian to drill 8" hale to 5 sx. ian to spud on or be ian to drill to approx	ing points, and all oth to 65° and set 7° fore August 1, t. 1350 feet to 1	" 20 lb. 1959. Nest Dale	J-85 ceg	, and con	oont with	Come
lan to drill 8" hale to 5 sm. lan to spud on or be lan to drill to approx	ing points, and all oth to 65° and set 7° fore August 1, t. 1350 feet to 1	" 20 lb. 1959. Nest Dale	J-85 ceg	, and con	oont with	D
ian to drill 8" hale to su. ian to spud an or be an to drill to approx	ing points, and all oth to 65° and set 7° fore August 1, t. 1350 feet to 1	" 20 lb. 1959. Nest Dale	J-85 ceg	, and con	RECEIVE	<u>D</u>
ian to drill 8" hale to su. ian to spud an or be an to drill to approx	ing points, and all oth to 65° and set 7° fore August 1, t. 1350 feet to 1	" 20 lb. 1959. Nest Dale	J-85 ceg	, and con	oont with	<u>D</u>
ian to drill 8" hale to 5 sx. ian to spud an or be ian to drill to approx	ing points, and all oth to 65° and set 7° fore August 1, t. 1350 feet to 1	" 20 lb. 1959. Nest Dale	J-85 ceg	, and con	RECEIVE	<u>D</u>
ian to drill \$" hale to su. ian to spud on or became to drill to approve 1/2" casing to hale to	ing points, and all other ing points, and all other ingests in the second section is a second section in the second section in the second section in the second section is a second section in the second section in the second section in the second section is a second section in the second section in the second section in the second section in the second section is a second section in the second section in the section in the section is a section in the sect	" 20 lb. 1959. lost Dale	J-\$5 csg.	, and con	RECEIVE AUG 3 195	<u>D</u>
ian to drill \$" hale to be. ian to spud on or her ian to drill to approx 1/2" casing to hale to	ing points, and all other ing points, and all other ing points and set 7 force August 1, a. 1350 feet to 1 depth if product	" 20 lb. 1959. lost Dale	J-\$5 csg.	, and con	RECEIVE	<u>D</u>
lan to drill \$" hale to 5 sm. lan to sped an or bellan to drill to approximate the special to th	ing points, and all other ing points, and all other inguity in the inguity in the inguity ingu	" 20 lb. 1959. lost Dale	J-\$5 csg.	, and con	RECEIVE AUG 3 195	<u>D</u>
lian to drill 6" hale (5 ex. lian to sped an or become to drill to approximate the special state of the special speci	ing points, and all other in the second section of the section of the second section of the sec	" 20 lb. 1959. Hest Dale	J-\$5 csg.	, and con	RECEIVE AUG 3 195	<u>D</u>
lan to drill \$" hale to 5 sm. lan to sped an or bellan to drill to approximate the special to th	ing points, and all other in the second section of the section of the second section of the sec	" 20 lb. 1959. Hest Dale	J-\$5 csg.	, and con	RECEIVE AUG 3 195	<u>D</u>
lian to drill 6" hale (5 ex. lian to sped an or become to drill to approximate the special state of the special speci	ing points, and all other in the second section of the section of the second section of the sec	" 20 lb. 1959. lost Dale	J-\$5 csg.	, and con	RECEIVE AUG 3 195	<u>D</u>
ion to drill \$" hale () su. ion to spud on or become to drill to approximate the control of the	ing points, and all other in the second section of the section of the second section of the sec	" 20 lb. 1959. Hest Dale	J-\$5 csg.	, and con	RECEIVE AUG 3 195	<u>D</u>
an to drill \$" bale (bu. an to spud an or bea m to drill to approx /2" casing to mind understand that this plan of work npanyKING_OIL_C SUITE 745 - PETROLE	ing points, and all other in the second section of the section of the second section of the sec	" 20 lb. 1959. Hest Dale	J-\$5 ceg. cta forma Geological Survey	, and con	RECEIVE AUG 3 195	<u>D</u>
na to drill \$" hale to see. an to spend on or her in to drill to approximate drill to approximate the see and the	ing points, and all other in the second section of the section of the second section of the sec	" 20 lb. 1959. Hest Dale	J-\$5 csg.	, and con	RECEIVE AUG 3 195	<u>D</u>

FORM C-128 Revised 5/1/57

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE SECTION A							
Operator			Lease			Well No.	
	OIL COMPANY	and the second of	NAVAJO				
Unit Letter	Section 26	Township 31 NORTH	Range 17 WEST	County SAN	JUAN		
Actual Footage Lo		ORTH line and	a 330	feet from the	WEST	ine	
Ground Level Elev			Pool	reet from the	· · · · · · · · · · · · · · · · · · ·	ated Acreage:	
5250.0					40	Acres	
who has the rig another. (65- 2. If the answer to wise? YES	tht to drill into and 3-29 (e) NMSA 193 o question one is '	to produce from any po	ol and to appropriate of all the owners be of Consolidation	the production ei	ther for himself or		
		SECTION B			CERT	IFICATION	
3300		26	4	1959 DIL CON. CO DIST. 3	Name Position KING BUTTE 745 Company Date Date Othereby certify shown on the play potted from field surveys made by supervision, and	that the information above is true and compared for my knowledge and OHL COMPANY PETROLEUM CLUB BLDG VER, COLORADO that the well location at in SECTION B was denotes of actual me or under my that the same is true e best of my knowledge	
0 330 660 9	90 1320 1650 19	90 Z310 2640 Z0	00 1500 1000	500 O	and/or Land Sur	essional Engineer	

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.