

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

SUNDRY NOTICES AN	D REPORTS ON WELLS	O	
NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO REDRILL OR REPAIR WELL. NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL	SUBSEQUENT REPORT OF WATER SHIP TO SUBSEQUENT REPORT OF SHOOTING OR ACKNIZING 2 SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF REDRILLING OF REPAIR OF SUBSEQUENT REPORT OF ABANDONMENT SHAPE OF SUPPLEMENTARY WELL HISTORY.	#5/10(#5/10(Paris P
	-1		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

		, 19.			
Well Nois loca	ted 1060 f	t. from $\begin{Bmatrix} N \\ S \end{Bmatrix}$ line	and ft.	from $\left\{ egin{array}{c} E \\ W \end{array} \right\}$ I	ine of sec.
(% Sec. and Sec. No.)	(Twp.)	(Range)	(Meridia	n)	
(Field)	San	County or Subdivision)		(State or T	erritory)

The elevation of the derrick floor above sea level is _____ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

with rotary tools 8-19-56. Brilled 11" hole to 107'. t to 105' w/50 mt. Drilled 7-7/8" hale to 2020', ren electrical lags and 5-1/2" 15.5% couling to 1997' w/100 mm. Sale d rotary rig and seved cebic tents on. Perforated coming 1874-1944 v/300-1/2" bullate. See M.000 gale crude and th,000/ sand. Total load oil used 10 m 9-16-56. Pumped load cill to 9-29-56. 179 9-30-56, 21 1

I understand that this plan of work must receive approval in writing by the Geological Survey Company The Company Address 2.2 Original digrest by PATTOJOS. -----Conger, Sycolog Petteron Lab

Title.

Metrics Courtes