Budget F	Bureau	No.	42-R	359.4
Approva	expire	s 12-	-316	0.

FOR	(April 1952)						
	1						

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency
- Window Rock
Allottee - Navejo Tribal
Lease No11_20_602_73

NOTICE OF INTENTION TO GENERAL WATER SHIT-OFF NOTICE OF INTENTION TO GENERAL WATER SHIT-OFF NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF ACENILLING OR REPAIR. SUBSEQUENT REPORT OF ACENILLING OR REPAIR. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTIO		TION TO DRILL	-	X -	SUBSEQUENT REPORT OF WATER SHUT-OFF	
SUBSCOUNT REPORT OF REDRILLING OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACHIDIZE SUBSCOUNT REPORT OF REDRILLING OR REPAIR NOTICE OF INTENTION TO SHOOT OR ACHIDIZE NOTICE OF INTENTION TO HAVE OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL (NESICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Well No. 1/8 is located 660 ft. from I line and 2827 ft. from I line of sec. 30 Well No. 1/8 is located 660 ft. from I line and 2827 ft. from I line of sec. 30 Regresshoe Gallup San Juen (County of Shiftishion) The elevation of the San State of San Juen (County of Shiftishion) DETAILS OF NORK (State names of and expected depths to objective sands) show does, weights, and lengths of proposed easings) indicate mudding jobs, coment- ing points, and all other important proposed work) We propose to drill a well at the above location to an approximate total depth of 1500°, 100° of 8-5/8" 0.D. caring will be set and comented to surface. Should the well prove productive a la-1/2" 0.D. call string will be used. Completion is contemplated in the Gallup formation. REFINED APR 20 1959 OIL CON. COM. OIL CON. COM. OIL CON. COM. OIL CON. Som. Lundsweatand that this plan of work must reserve approval in writing by the Geological Survey befolls into surface. Company The Atlantic Refining Company Address. P. O. Box 520.						
NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL NOTICE OF INTENTION TO ABANDON WELL NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO	1				•	7 1059
Well No. 16 is located 660 ft. from line and 2027 ft. from line of sec. 30 Well No. 16 is located 660 ft. from line and 2027 ft. from line of sec. 30 Well No. 16 is located 660 ft. from line and 2027 ft. from line of sec. 30 Forsesho Colling County of subdivision DETAILS OF WORK (State names of and expected depths to objective sands; show size, weights, and lengths of proposed easings; indicate mudding jobs, camenting points, and all other important proposed work) We propose to drill a well at the above location to an approximate total depth of 1500's, 100° of 8-5/8" 0.D. caring will be set and comented to surface. Should the well prove productive a 1-1/2" 0.D. of 1 string will be used. Completion is contemplated in the Callup formation. I understand that this plan of work must receive approval in writing by the Geological Survey befold inthicates may be commenced. Company The Atlentic Refining Company Address. P. 0. Box 520 Caspers Wyoning	1					APR 1 6 1300
Well No. 18 is located 660 ft. from line and 2822 ft. from line of sec. 30 Well No. 18 is located 660 ft. from line and 2822 ft. from line of sec. 30 Forseshoe Callun (County or Subdivision) The elevation of the structure above sea level is 55%-7 ft. DETAILS OF WORK (State names of and expected dapths to objective ands; show sizes, weights, and langths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) We propose to drill a well at the above location to an approximate total depth of 1500*. 100° of 8-5/8° O.D. casing will be set and cemented to surface. Should the well prove productive a b-1/2° O.D. oil string will be used. Completion is contemplated in the Gallup formation. Company The Atlantic Refining Company Address P. O. Box 520.						a Arailma
Well No. 18 is located 660 ft. from line and 2222 ft. from line of sec. 30 Be and second sec	NOTICE OF INTENT	TION TO ABANDON WELL.			i	NEW Y
Well No. 18 is located 660 ft. from line and 2222 ft. from line of sec. 30 Be and second sec		(INDICATE ADD	WE BY CHECK MARK			
Well No. 16 is located 660 ft. from line and 252 ft. from line of sec. 30 IF M (1860, and 860 ft.) is located 660 ft. from line and 252 ft. from line of sec. 30 Expendicular of the line of sec. 30 Expendicular of Sun June (State of Territory) The elevation of the secretary above sea level is 5574.7 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and langths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) We propose to drill a well at the above location to an approximate total depth of 1500°. 100° of 8-5/8" 0.D. casing will be set and cemented to surface. Should the well prove productive a 1-1/2" 0.D. oil string will be used. Completion is contemplated in the Gallup formation. FIFTID APR 20 1959 OIL CON. COM. OIL CON. COM. OIL CON. COM. Company The Atlantic Refining Company Address P. O. Box 520		(INDICATE ABO	VE BY CHECK MARK	NATU	RE OF REPORT, NOTICE, OR OTHER DATA)	
Well No. 16 is located 660 ft. from line and 252 ft. from line of sec. 30 IF M (1860, and 860 ft.) is located 660 ft. from line and 252 ft. from line of sec. 30 Expendicular of the line of sec. 30 Expendicular of Sun June (State of Territory) The elevation of the secretary above sea level is 5574.7 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and langths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) We propose to drill a well at the above location to an approximate total depth of 1500°. 100° of 8-5/8" 0.D. casing will be set and cemented to surface. Should the well prove productive a 1-1/2" 0.D. oil string will be used. Completion is contemplated in the Gallup formation. FIFTID APR 20 1959 OIL CON. COM. OIL CON. COM. OIL CON. COM. Company The Atlantic Refining Company Address P. O. Box 520					4nn47 75	19 #
Well No. 16 is located 660 ft. from the line and 2007 ft. from the line of sec. 30 Berseshoe Gallup Sun Juan (County of Subdivision) The elevation of the carries flow above sea level is 5574-7 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and langths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) We propose to drill a well at the above location to an approximate total depth of 1500°. 100° of 8-5/8" O.D. casing will be set and cemented to surface. Should the well prove productive a 1-1/2" O.D. oil string will be used. Completion is contemplated in the Gallup formation. Independent of the contemplated in the Gallup formation. Company The Atlantic Refining Company Address P. O. Box 520 Casper Wyoming AMA By O. A. M. By O. A. M	Neve	to			d h 2 l	······································
Borseshoe Gallun Sun Juan (County of Sundivision) The elevation of the despectations above sea level is Style-7 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) We propose to drill a well at the above location to an approximate total depth of 1500s. 100s of 8=5/8° 0.D. caring will be set and cemented to surface. Should the well prove productive a 1=1/2° 0.D. oil string will be used. Completion is contemplated in the Gallup formation. Apr 20 1959 OIL CON. COM. OIL CON. COM. OIL CON. COM. OIL CON. COM. OCCUPANTY I understand that this plan of work must receive approval in writing by the Geological Survy bet of Saltions may be commenced. Company. The Atlantic Refining Company. Address. P. O. Box 520.	Well No48	is located	660 ft. fro	$\mathbf{m} \left\{ \begin{array}{l} \mathbf{m} \\ \mathbf{m} \end{array} \right\}$	N line and 2807 ft. from	of sec 35
Borseshoe Gallup San Juon (Field) (County of Subdivision) San Juon (State of Territory) The elevation of the damage floor above sea level is \$574.7 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) We propose to drill a well at the above location to an approximate total depth of 1500°. 100° of 8-5/8" 0.D. caring will be set and cemented to surface. Should the well prove productive a 1-1/2" 0.D. oil string will be used. Completion is contemplated in the Gallup formation. I understand that this plan of work must receive approval in writing by the Geological Surver befold Strings may be commenced. Company The Atlantic Refining Company Address P. O. Box 520	-		~~~		(W)	or sec30
The elevation of the street floor above sea level is \$571.7 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) We propose to drill a well at the above location to an approximate total depth of 1500°. 100° of 8-5/8" O.D. casing will be set and cemented to surface. Should the well prove productive a 1-1/2" O.D. oil string will be used. Completion is contemplated in the Gallup formation. I understand that this plan of work must receive approval in writing by the Geological Survey befold in many be commenced. Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoning All By Castladers.	HP 134 (14 Sec. and	Sec. 30	(Twp.)	(Ra	Meridian	
The elevation of the described above sea level is \$571.7 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) We propose to drill a well at the above location to an approximate total depth of 1500°. 100° of 8-5/8" O.D. casing will be set and cemented to surface. Should the well prove productive a 1-1/2" O.D. oil string will be used. Completion is contemplated in the Gallup formation. I understand that this plan of work must receive approval in writing by the Geological Survey befold String may be commenced. Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoning Will By Castlanting Landing Company	Horseshoe G	ellun	San	Jus	Was Man	***
DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) We propose to drill a well at the above location to an approximate total depth of 1500°. 100° of 8-5/8° 0.D. casing will be set and cemented to surface. Should the well prove productive a 1-1/2° 0.D. oil string will be used. Completion is contemplated in the Callup formation. Apr 20 1959 OIL CON. COM. OIL CON. COM. Company The Atlantic Refining Company Address. P. O. Box 520. Casper, Wyoning All By Calludian	(Field	d)				
DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) We propose to drill a well at the above location to an approximate total depth of 1500°. 100° of 8-5/8° 0.D. casing will be set and cemented to surface. Should the well prove productive a 1-1/2° 0.D. oil string will be used. Completion is contemplated in the Callup formation. Apr 20 1959 OIL CON. COM. OIL CON. COM. Company The Atlantic Refining Company Address. P. O. Box 520. Casper, Wyoning All By Calludian	The elevation of	of the deriver floor	z ahove sea lev	ئا امر	o effek, 'a fi	
We propose to drill a well at the above location to an approximate total depth of 1500°. 100° of 8-5/8" O.D. casing will be set and cemented to surface. Should the well prove productive a 1-1/2" O.D. oil string will be used. Completion is contemplated in the Gallup formation. I understand that this plan of work must receive approval in writing by the Geological Survey befold partitions may be commenced. Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoming All Other Department of By Castley Line Company Casper, Wyoming All By Castley Line Casper, Wyoming By Ca		A CITY REPORTS AND A STREET	above sea iev	/CI I	» 99fdef 1 0.	
We propose to drill a well at the above location to an approximate total depth of 1500°. 100° of 8-5/8° 0.D. caring will be set and comented to surface. Should the well prove productive a h-1/2° 0.D. oil string will be used. Completion is contemplated in the Gallup formation. [Inderstand that this plan of work must receive approval in writing by the Geological Survey befold Sarah be commenced. Company The Atlantic Refining Company Address. P. O. Box 520.			DETAI	LS (OF WORK	
We propose to drill a well at the above location to an approximate total depth of 1500°. 100° of 8-5/8" O.D. casing will be set and cemented to surface. Should the well prove productive a h-1/2" O.D. oil string will be used. Completion is contemplated in the Callup formation. APR 20 1959 OIL CON. COM. Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoning AMA By Callulum he.	(State names of and	expected depths to object	tive sands; show size	es, wei	ights, and lengths of proposed casings; indicate muc	dding jobs, cement-
Should the well prove productive a 1-1/2" O.D. oil string will be used. Completion is contemplated in the Gallup formation. [CFIVE] APR 20 1959 OIL CON. COM. OIL CON. COM. Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoming All By Chilled Lac.		•	me points, and an or	ritet II	mporcant proposed work)	
Should the well prove productive a 1-1/2" O.D. oil string will be used. Completion is contemplated in the Gallup formation. [CFIVE] APR 20 1959 OIL CON. COM. OIL CON. COM. Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoming All By Chilled Lac.						
Should the well prove productive a 1-1/2" O.D. oil string will be used. Completion is contemplated in the Gallup formation. [CFIVE] APR 20 1959 OIL CON. COM. OIL CON. COM. Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoming All By Chilled Lac.	,					
I understand that this plan of work must receive approval in writing by the Geological Survey before Strations may be commenced. Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoming M. G. By College May he company	Ve propose (to drill a wel	1 at the ab	ove:	location to an approximate	total danth
I understand that this plan of work must receive approval in writing by the Geological Survey befold Strations may be commenced. Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoming Office By Company	01 T200.	ייט/כייים מבי מייטע	'Ualla canin	C W	Mil he set and comented to e	mer and
Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoming OM By Children George By Casper State of By Children George By Child	Should the	Mell brove bro	ductive a le	e w -1/	All be set and comented to so 2° 0.D. all string will be m	mer and
Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoming OM By Children George By Casper State of By Children George By Child	Should the	Mell brove bro	ductive a le	e w -1/	All be set and comented to so 2° 0.D. all string will be m	mer and
Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoming OM By Children George By Casper State of By Children George By Child	Should the	Mell brove bro	ductive a le	e w -1/	All be set and comented to so 2° 0.D. all string will be m	mer and
Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoming OM By Children George By Casper State of By Children George By Child	Should the	Mell brove bro	ductive a le	e w -1/	All be set and comented to so 2° 0.D. all string will be m	mer and
Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoming OM By Children George By Casper State of By Children George By Child	Should the	Mell brove bro	ductive a le	e w -1/	rill be set and cemented to an 12" O.D. oil string will be us	urface. Sed. Completio
Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoming OM By Children George By Casper State of By Children George By Child	Should the	Mell brove bro	ductive a le	e w -1/	rill be set and cemented to an 12" O.D. oil string will be us	urface. Sed. Completio
Company The Atlantic Refining Company Address P. O. Box 520 Casper, Wyoming ON A By Allow Lee	Should the	Mell brove bro	ductive a le	e w -1/	rill be set and cemented to an 12" O.D. oil string will be us	urface. Sed. Completio
Address P. O. Box 520 Casper, Wyoming ON A By College Le	Should the vis contemple	well prove pro sted in the Ga	C.D. casing ductive a li- illup formati	e w i-1/ ion	APR 20 1959 OIL CON. COM.	orface. Sed. Completic
Casper, Wyoming of a By attacher he	Should the vis contemple	well prove prosted in the Ga	CeDe Casing chuctive a literature formati	e w i-1/ ilon	APR 20 1959 OIL CON. COM. ag by the Geological Survey befold Salations may	orface. Sed. Completic
	Should the vis contemple	well prove prosted in the Ga	CeDe Casing chuctive a literature formati	e w i-1/ ilon	APR 20 1959 OIL CON. COM. ag by the Geological Survey befold Salations may	orface. Sed. Completic
	Should the tis contemple I understand that CompanyTh	well prove prosted in the Ga	CeDe Casing chuctive a literature formati	e w i-1/ ilon	APR 20 1959 OIL CON. COM. ag by the Geological Survey befold Salations may	orface. Sed. Completic
Title Tolling Smenintandent	Should the vis contemple I understand that Company The	well prove prosted in the Gasted in the Gast	C.D. Casing Chuctive a little formation formation formation formation for the control of the con	e w i-1/ ilon	APR 20 1959 OIL CON. COM. OIL String will be used to see the see that	be commenced.
	Should the vis contemple I understand that Company	well prove prosted in the Gasted in the Gast	C.D. Casing Chuctive a little formation formation formation formation for the control of the con	e w i-1/ ilon	APR 20 1959 OIL CON. COM. OIL String will be used to see the see that	be commenced.

3

Æ			િલ્લામાં ફેં પ્રાપ્ત કરે				r a
3 8.			788	N. P.	603	वर्षे स्व ा वर्षे	ris I
			्र स _् राज्ञात्र	好意	the same		16 17
	(mage)	1.72		Tari	· • []		antona 1186
						iso dug Genaine	

de parques to della e vell et die abore lecation de en expression's tetal deptire 1920: 1820 et 6-5/2 at 6-5/2 Gall esting mill be soù een access et et erafore. Pould the mail prove productive e halfas all all all edites of halfas desires of the boreous. Completion in socientisted in the dellay foundings.

The real grade field and the entitle

OR 14 60 8

audentifi **zen**erat

- Tan Barra san ar 1912 (1912 1917)

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

ection A.				Date	April 9, 1959	
Desarce THE ATLANTIC REFINING COM	PANY	Lease _	NAVAJ	3		
vell No. 48 Unit Letter C Se	ction 30	nemse_			Range 16 WEST	 I
ocated 660 Feet From NORTH		2021	Fe	et From	WERGLOO	
County SAN JUAN G. L. Elever	ion 5574.7				hoe Gallup	
value of Froducing Formation	<u>-</u>		Pool			
. Is the Operator the only owner in the dedic	ated acreage o	utlined on	the plat belo	w?		
YesNo						
2. If the answer to question one is "no", lagreement or otherwise? Yes	No	If answe	r is "yes",	Type of C	Consolidation.	niti
<u>Owner</u>	or all the Owne	ns and the		Descripti		
				1	APR 20 1959	1
				\o	L CON. COM	<i>†</i>
				1	DIST.	
ection B.	Note: All	distances	must be from	outer bou	ndaries of section.	
his is to certify that the information	1	7	0		1	1
a Section A above is true and complete	1	V	0			
the best of my knowledge and belief.	<u> </u>	<u> </u>				
<u>.</u>	2.0	PI				
The Atlantic Refining Company		1	: V	1		
(Operator)	<u> </u>			1	1	
A. D. Elexia				ł	!	
(Representative)	· [)	ŧ	
P.O. Bex 520	- -	-	-1	!		
(Address)				1	l l	
And I would	·	Ì	. 30	٠ '	1	
			·			1
	'		1	1	ı	
				1		
		-				`
	r		i	+	1	
	i		1	:		
	1			t	1	
			F		i	
	+-	-	_1	- 1	-i J	
			,			
	L		<u> </u>			
			1980 2310 2640		CICLO	
	0 330 660 99					



This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed_	8	April	1959		
<u>~</u>	A	1.			
Registered Profe	essiona	l Engine	eer and for	Land	Surveye
			cer and, or	Land	ourveyo