Budget B	ureau No.	42-R359.4.
Approval	expires 12	-31-60.

	(April 1952)						
			X				
į							
ı							

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency Navajo Triba
Mottee
Anso No. 14-20-603-2037

NOTICE OF IN	TENTION TO DRILL		X	CURCECULA			
	TENTION TO CHANGE PLAN			SUBSEQUENT R	EPORT OF WATE	SHUT-OFF	
	TENTION TO TEST WATER			SUBSEQUENT R	EPORT OF SHOOT	ING OR ROLDIZING	LIVE
NOTICE OF IN	TENTION TO REDRILL OR	REPAIR WELL		SUBSEQUENT D	EPORT OF ALTER	ING CASING.	
NOTICE OF IN	TENTION TO SHOOT OR AC	IDIZE		SUBSEQUENT D	PORT OF ABAND	LLING OR REPARTS.	1 1 1959
NOTICE OF IN	TENTION TO PULL OR ALTE	ER CASING					301/
NOTICE OF IN	TENTION TO ABANDON WEI	LL.	-		. WELL HISTORY	3.010 3.020 0.50	Hallai Dui
	(INDICATE A	BOVE BY CHECK MA					
ORAL APP	ROVAL OBTAIN	BOVE BY CHECK MAI	KK NATUR	re of Report, N	OTICE, OR OTHER	DATA)	
	y Rock				F	bruary 10	19.59
VI II S 7	S A		(%	Tì		•	
Well No	9-A is locate	d 660 ft. f	rom	line and	1980_ft. fr	om E line of	sec. 25
1 12 (41.12) 4 1	DEC. ZD	31N		~) 7 W	NMP	•	
	and Sec. No.)	(Twp.)	(Rang	ge)	(Meridian)	4	
OLSCRUSE	Gallup Ext.		Juan			New Mexico	
, "	r leid)	(Couni	ty or Subd	livision)		(State or Territory)	
he elevation	n of the derrick floo	or above see 1	ervol is	5947 f.			
		or above sea 1	CACI 12	9947 IC.			
		DETA	NI S O	E WODE			
State names of a	nd expected denthe to obta	DETA	ILS O	F WORK			
State names of a	nd expected depths to obje	DETA	ILS O	F WORK	of proposed casi ed work)	ngs; indicate muddi	ng jobs, cement-
State names of a	nd expected depths to obje	ective sands; show s ing points, and all	izes, weig other im	hts, and lengths portant propos	of proposed casi d work)	ngs; indicate muddi	ng jobs, cement-
It is	intended to drill	ective sands; show s ing points, and all	izes, weig other im	hts, and lengths	~		
it is id mud cir	intended to drill culation. Possib	ing points, and all a well thro le productive	izes, weig other im	hts, and lengths	~		
it is nd mud cir Esti	intended to drill culation. Possib mated Total Depi	ing points, and all a well thro le productive	izes, weig other im	hts, and lengths	~		
it is nd mud cir Esti	intended to drill culation. Possik mated Total Depi ng Program:	ing points, and all a well thro ble productive th 1595°.	izes, weig other im Ugh th	this, and lengths portant propose Lower-	Gellup For be perfor	mation using ated and san	
it is nd mud cir Esti	intended to drill culation. Possik mated Total Depi ng Program:	ing points, and all a well thro ble productive th 1595°.	izes, weig other im Ugh th	this, and lengths portant propose Lower-	Gellup For be perfor	mation using ated and san	rotary too
it is nd mud cir Esti	intended to drill culation. Possib mated Total Depi	ing points, and all a well thro ble productive th 1595°.	izes, weig other im Ugh th	this, and lengths portant propose Lower-	Gellup For be perfor	mation using ated and san	rotary too
it is nd mud cir Esti	intended to drill culation. Possit mated Total Depi ng Program: 8-5/8" at 109	a well thro sie productive sand all through the productive through t	izes, weig other im ugh th ve inte	this, and lengths portant propose Lower- crysls will cement cir	Gellup For be perfor	mation using ated and san	rotary too
it is nd mud cir Esti	intended to drill culation. Possik mated Total Depi ng Program:	a well thro sie productive sand all through the productive through t	izes, weig other im ugh th ve inte	this, and lengths portant propose Lower- crysls will cement cir	Gellup For be perfor	mation using ated and san	rotary too
it is ad mud cir Esti Casi	intended to drill culation. Possit mated Total Deping Program: 8-5/8" at 109 5-1/2" at 159	a well throole productive the 1595. with 160 so	izes, weig other im ugh th we inte	this, and lengths sportant propose le Lower- ervals will cement cir cement.	Gellup For be perfor	mation using ated and san surface.	rotary too doil fractur
it is ad mud cir Esti Casi	intended to drill culation. Possit mated Total Depi ng Program: 8-5/8" at 109	a well throole productive the 1595. with 160 so	izes, weig other im ugh th we inte	this, and lengths sportant propose le Lower- ervals will cement cir cement.	Gellup For be perfor	mation using ated and san surface.	rotary too doil fractur
It is ad mud cir Esth Casi	intended to drill culation. Possil mated Total Deping Program: 8-5/8" at 109 5-1/2" at 159: E/4 of Section 2:	a well throole productive th 1595". with 160 so by	izes, weig other im ugh th we inte acks c sacks	this, and lengths portant propose le Lower- ervals will cement cir cement.	Gellup For be perfor	mation using ated and san surface.	rotary too
It is id mud cir Estir Casi	intended to drill culation. Possii mated Total Deping Program: 8-5/8" at 109 5-1/2" at 159: E/4 of Section 2:	a well throole productive th 1595'. with 160 so is dedicate Navajo Tr.	izes, weig other im ugh th we inte acks c sacks	e Lower- ervals will cement cir cement.	Geliup For be perfor culated to	mation using ated and san surface.	rotary too doil fracture 2 1959 N. Com.
It is id mud cir Estir Casi	intended to drill culation. Possii mated Total Deping Program: 8-5/8" at 109 5-1/2" at 159: E/4 of Section 2:	a well throole productive th 1595'. with 160 so is dedicate Navajo Tr.	izes, weig other im ugh th we inte acks c sacks	e Lower- ervals will cement cir cement.	Geliup For be perfor culated to	mation using ated and san surface.	rotary too doil fracture 2 1959 N. Com.
It is and mud cir Estin Casi. Le NW/4 NE/4 I understand the	intended to drill culation. Possili mated Total Deping Program: 8-5/8" at 109 5-1/2" at 159: E/4 of Section 2: Section 25 Lat this plan of work must	a well thro le productive th 1595°. with 160 si sis dedicate Navajo Tra receive approval in	izes, weig other im ugh th we inte acks c acks id to ti ibal C	cement. cement. contract 14 by the Geological	deliup For be perfor culated to	surface.	rotary too doil fracture 2 1959 N. Com.
tt is ad mud cir Estin Casi. Ne NW/4 NE/4 I understand the company	intended to drill culation. Possii mated Total Deping Program: 8-5/8" at 100 5-1/2" at 159: E/4 of Section 2: Section 25 at this plan of work must	a well thro le productive th 1595'. with 160 si sis dedicate Navajo Tr receive approval in	izes, weig other im ugh th we inte acks c acks id to ti ibal C	cement. cement. contract 14 by the Geological	deliup For be perfor culated to	surface.	rotary too doil fracture 2 1959 N. Com.
It is and mud cir Estin Casi. Le NW/4 NE/4 I understand the	intended to drill culation. Possili mated Total Deping Program: 8-5/8" at 109 5-1/2" at 159: E/4 of Section 2: Section 25 Lat this plan of work must	a well thro le productive th 1595'. with 160 si sis dedicate Navajo Tr receive approval in	ugh the control of th	e Lower- ervals will cement cir cement. his well. ontract 14	deliup For be perfor culated to	mation using ated and san surface. Surface. OIL CO	rotary too doil fractured by 121959
tt is ad mud cir Estin Casi. Ne NW/4 NE/4 I understand the company	intended to drill culation. Possit mated Total Deping Program: 8-5/8" at 109 5-1/2" at 159: E/4 of Section 2: Section 25 at this plan of work must El Paso Natural Post Office Box	a well thro le productive th 1595". with 160 so sis dedicate Navajo Tr receive approval in al Gas Productive 1565	izes, weig other im ugh the ve inte	cement. cement. contract 14 by the Geologica company	deliup For be perfor culated to	mation using ated and san surface. Surface. OIL CO	rotary too doil fractured by 121959
tt is ad mud cir Estin Casi. Ne NW/4 NE/4 I understand the company	intended to drill culation. Possii mated Total Deping Program: 8-5/8" at 100 5-1/2" at 159: E/4 of Section 2: Section 25 at this plan of work must	a well thro le productive th 1595". with 160 so sis dedicate Navajo Tr receive approval in al Gas Productive 1565	izes, weig other im ugh the ve inte	cement. cement. contract 14 by the Geologica company	deliup For be perfor culated to	surface.	rotary too doil fractured by 121959
tt is ad mud cir Estin Casi. Ne NW/4 NE/4 I understand the company	intended to drill culation. Possit mated Total Deping Program: 8-5/8" at 109 5-1/2" at 159: E/4 of Section 2: Section 25 at this plan of work must El Paso Natural Post Office Box	a well thro le productive th 1595". with 160 so sis dedicate Navajo Tr receive approval in al Gas Productive 1565	izes, weig other im ugh the ve inte	cement. cement. contract 14 by the Geologica company	deliup For be perfor culated to	mation using ated and san surface. Surface. OIL CO	rotary too doil fractured by 121959
tt is ad mud cir Estin Casi. Ne NW/4 NE/4 I understand the company	intended to drill culation. Possit mated Total Deping Program: 8-5/8" at 109 5-1/2" at 159: E/4 of Section 2: Section 25 at this plan of work must El Paso Natural Post Office Box	a well thro le productive th 1595". with 160 so sis dedicate Navajo Tr receive approval in al Gas Productive 1565	izes, weig other im ugh the ve inte	e Lower- ervals will ement cir cement. his well. ontract 14 by the Geologica ompany ORIGINAL W By	deliup For be perfor culated to -20-603-2 si Survey before	mation using ated and san surface. Surface. OIL CO	rotary too doil fractured by 121959



DRIGHTAL STONED BY JESTPH E. WREITH

Well Location and Acreage Dedication Plat

ection A.				mury 6, 1959	
				jo Tribal Contr	ret
Operator EL PASO NATURAL GAS PRODUC	TS CO. L	ease Chiman	Rock 41-71)- ans-way	
Vell No. Unit Letter B Section Section 1	ion <u>45</u>	Townshi	p 31 HORTH	Range 17 / WST	NM
ocated 660 Feet From YOATH	Line, Li	78U I	Peet From	205-0	
ounty SAN JUAN G. L. Elevation	n 2027.U	Dedicate	ed Acreage	Indian Kat	, Ac
ame of Producing Formation Is the Operator the only owner in the dedicate		Pool	alow?		
Yes No No	ed acreage oddii	ned on the plat b	eiow:	•	
If the answer to question one is "no", has	ve the interests	s of all the owner	ers been conso	didated by commun	iitiza
agreement or otherwise? YesNo					
3. If the answer to question two is "no", list	all the owners	and their respect	ive interests b	elow:	
Owner		La	nd Description		
	Andrew Control of the		· · · · · · · · · · · · · · · · · · ·	VEL	
				EB 1 1 1959	<u> </u>
				01.00v	
·		.,	40.75	OLOGICAL SUK, S	V
ection B.	Note: All dis	stances must be fr		daries of sections	
	1	1	9	1	1
his is to certify that the information			1 %		1
a Section A above is true and complete			- O -	/980'	
the best of my knowledge and belief.			NEVOJO TI	that Contract	1
Bi Peso Meteral Gos Products Co.		,	14-30-662-	3937	
SIMPL GIGHTU DA. J. GLBA E KOLGLO		1	,		1
einal zienen di: 1025lph e. vxfesk	1	ı.	1		1
(Representative)	4			1	
(Address)				-!	
Farmington, New Marico					-
			25		
			SECON.		1
		· . /	T KII III		
				//	N
	1		FEB 1 2 195	<i>ξ</i> η ν	
	1	0	CON CON		
	1	1	CONTAX	9-1	-
	1	1	Olsz Co.		
		1	3	7.	
	+			<u> </u>	
	1		1	2.1	
	al al		1		1
		 	1		الـ
and the second s		1720 1670 1000	2440 2000 15	00 1000 #00	1
A A A A A A A A A A A A A A A A A A A	0 330 660 990	1320 1650 1980 2310	2640 2000 15	*	U
and the second		Scale 4 inche	es equal 1 mile		

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

(Seal)

Farmington, New Mexico

Date Surveyed 6 February 1959

Registered Professional Engineer and or Land Surveyor

James P. Leese N. Mex. Reg. No. 1463