

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

14-20-604-83

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

UTE MOUNTAIN TRIBAL

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Ute Mountain

9. WELL NO.

5

10. FIELD AND POOL, OR WILDCAT

Verde Gallup

11. SEC., T., S., M., OR BLK. AND
SURVEY OR AREA

Sec. 21, T-31N, R-14W

12. COUNTY OR PARISH

San Juan

13. STATE

New Mexico

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

BENSON-MONTIN-GREER DRILLING CORP.

3. ADDRESS OF OPERATOR

221 Petroleum Center Building, Farmington NM 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1980' FEL, 660' FSL, Sec. 21, T-31N, R-14W

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, CR, etc.)

U. S. GEOLOGICAL
FARMINGTON, N.M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☒CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to plug the well as follows:

Cement plug from TD 3093' to 2850'.

Fresh gel plug from 2850' to 1650' (use 9½# gel)

Back off 5½" casing at 1750'.

Cement plug from 1800' to 1650'.

Fresh gel plug from 1650' to surface (use 9½# gel)

Cement plug from 200' to surface.

Cut off 8-5/8" surface pipe and weld 1½" plate cover.

Erect 4" dry hole marker outside 8-5/8" casing.

Clean all trash and debris from location.

U. S. GEOLOGICAL SURVEY
OIL AND GAS OPERATIONS
DIVISION

MAR 8 1982

GRAND JUNCTION, COLORADO

Above plugging procedure approxed verbally by Mr. Carl Barrick,
Petroleum Engineer, U.S.G.S., Durango, Colorado, February 9, 1982.
Also approved by Mr. Frank Chavez, Supervisor, State of New Mexico
Oil Conservation Division, February 10, 1982.

18. I hereby certify that the foregoing is true and correct.

SIGNED

TITLE Vice-President

DATE 2-11-82

(This space for Federal or State office use)

Original Signed and Approved by
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

*See Instructions on Reverse Side

New Mexico Oil Conservation
Division

U. S. GEOLOGICAL SURVEY
OIL AND GAS OPERATIONS
RECEIVED

FEB 16 1982

GRAND JUNCTION, COLORADO