## (April 1962)

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency	Cons	يلور	deted	Ubi
gency,				
Allottee MC	mtein	Uta	Trib	
Lease No.	4-20-6	ioh-	119	

	· · · · · · · · · · · · · · · · · · ·	SUBSECUENT	T REPORT OF WATER S	HUT-OFF		
OTICE OF INTENTION TO DRILL		SODSEGOEIN	T REPORT OF SHOOTIN			
OTICE OF INTENTION TO CHANGE PL		1 1 -	T REPORT OF ALTERIN			
OTICE OF INTENTION TO TEST WATE		1	T REPORT OF REDRILL			*C
OTICE OF INTENTION TO REDRILL O		1 13	T REPORT OF ABANDO			
OTICE OF INTENTION TO SHOOT OR		1 1	TARY WELL HISTORY	MMEN I		
OTICE OF INTENTION TO PULL OR A		SUPPLEMEN	IART WELL HISTORIAL			
OTICE OF INTENTION TO ABANDON	WELL				*	
(INDICAT	E ABOVE BY CHECK MAR	K NATURE OF REPO	RT, NOTICE, OR OTHER	DATA)		
			,	June 19	19	57
Pubes Hountain						
ll No. Ute #19-13 is loc	atedft. fi	$\operatorname{rom}\left\{ S \right\}$ line a	nd 660 ft. fr	om W line	of sec	19
8ec. 19	3111	144	W.M. P	Ma		- 1200A
(14 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	Wasa Mass		
ldost		an Jane		APV MEZ	-	WE.
(Field)	(Count	ty or Subdivision)		(State or Terris	KLLL	IV Lu
	Carlo obovo con	evel is . 5557	f+	e e	<b>3</b>	r Landing
e elevation of the derner	TIOOT ADOVE SEA I	CACI 19 THENET	16.	i		
	DETA	AILS OF WO	RK	1	ou coi	a co
	221.				UIL W	annende
		ainee maichte, and l	engths of proposed cas	ines: indicate ma	idding jesë 🤻	
ite names of and expected depths to	o objective sands; show a ing points, and al	sizes, weights, and l l other important j	engths of proposed cas proposed work)	ings; indicate n	dding j	₹5.2 ° .ad
ite names of and expected depths to	o objective sands; show a ing points, and al	sizes, weights, and l l other important <u>j</u>	engths of proposed cas proposed work)	ings; indicate m	Iqqina 1006	
ate names of and expected depths to				`	OOT SOL	, set
<b></b>	red to drill v	nith retary		`	1	, set
<b></b>	ped to drill w	rith retary	tools to a d	epth of 10 or to drill	00+ 20# L vita :	, set
It is propos 5/8" casing and come ols to the top of the	med to drill went to surface me producing s	rith retary y/100+ sai	tools to a d k. Thereefte lectric log s	epth of M r to drill nd run 5-	1/2" cas	
It is propos 5/8" casing and come als to the top of the ment with approximate	med to drill we ment to surface me producing shely 50 sex.	rith retary y/100+ ser mane, run el Theresster	tools to a d k. Thereafte lectric log s to drill in	epth of her to drill and run 5- with cebb	1/2" cas	
It is proposed to the top of the ment with approximate, free through east	med to drill went to surface me producing s	rith retary y/100+ ser more, run el Therenfter XX gallens	tools to a d k. Thereafte lectric log s to drill in of cruie and	epth of 10 r to drill and rum 5-1 with cobl. 20,000 s	1/2" cas	
It is proposed to the top of the most with approximate g, free through east 11 with cable tool :	med to drill went to surface to producing stally 30 sex. ing with 20,00 rig until dail	ith retary (y/100+ same, Theresiter (x) gallons ( (y rate of )	tools to a d k. Thereafte lectric log s to drill in of crude and production is	epth of 10 or to drill md run 5- with cobl. 20,000 s	00+ feet l with : l/2" cas a tools, and; swe	
It is proposed in the proposed in the top of the ment with approximately, free through easies with cable tool in SWASH of the section.	med to drill we me to excluding a producing a hely 50 sex. ing with 20,00 rig until duil tion, contains	rith retary y/100+ ser none, run el Therenfter xx gallens y rate of ing 40 acres	tools to a d k. Thereafte lectric log s to drill in of crude and production is s, more or le	epth of 10 or to drill md run 5- with cobl. 20,000 s	00+ feet l with : l/2" cas a tools, and; swe	
It is proposed in the proposed in the top of the top of the ment with approximately, free through easili with cable tool is sufficient of the section.	med to drill we me to excluding a producing a hely 50 sex. ing with 20,00 rig until duil tion, contains	ith retary (y/100+ same, Theresiter (x) gallons ( (y rate of )	tools to a d k. Thereafte lectric log s to drill in of crude and production is s, more or le	epth of 10 or to drill md run 5- with cobl. 20,000 s	00+ feet l with : l/2" cas a tools, and; swe	
It is proposed in the proposed in the top of the ment with approximately, free through easies with cable tool in SWASH of the section.	med to drill we me to excluding a producing a hely 50 sex. ing with 20,00 rig until duil tion, contains	rith retary y/100+ ser none, run el Therenfter xx gallens y rate of ing 40 acres	tools to a d k. Thereafte lectric log s to drill in of crude and production is s, more or le	epth of 10 or to drill md run 5- with cobl. 20,000 s	00+ feet l with : l/2" cas a tools, and; swe	
It is proposed in the proposed in the top of the ment with approximately, free through easies with cable tool in SWASH of the section.	med to drill we me to excluding a producing a hely 50 sex. ing with 20,00 rig until duil tion, contains	rith retary y/100+ ser none, run el Therenfter xx gallens y rate of ing 40 acres	tools to a d k. Thereafte lectric log s to drill in of crude and production is s, more or le	epth of 10 or to drill md run 5- with cobl. 20,000 s	00+ feet l with : l/2" cas a tools, and; swe	
It is proposed in the proposed in the top of the ment with approximately, free through easies with cable tool in SWASH of the section.	med to drill we me to excluding a producing a hely 50 sex. ing with 20,00 rig until duil tion, contains	rith retary y/100+ ser none, run el Therenfter xx gallens y rate of ing 40 acres	tools to a d k. Thereafte lectric log s to drill in of crude and production is s, more or le	epth of 10 or to drill md run 5- with cobl. 20,000 s	00+ feet l with : l/2" cas a tools, and; swe	
It is proposed to the top of the most with approximate g, free through easill with cable tool : a Single of the section to the section of the section to the	med to drill we must to surface me producing shely 90 sex. ing with 20,00 rig until dmil tion, contains total depth:	rith retary  y/100+ service, run el Therenfter  x gallens  y rate of  ing 40 acres  2,750 fee	tools to a d k. Thereafte lectric log s to drill in of crude and production is s, more or la	epth of M or to drill nd run 5- with coble 20,000 s establishes, is de	00+ forth : 1/2" cas a tools, and; swe had, and dicated	, run ( ib and i campl to the
It is proposed to the top of the most with approximate g, free through easiel with cable tool of the section of	med to drill we must to surface me producing shely 90 sex. ing with 20,00 rig until dmil tion, contains total depth:	rith retary  y/100+ service, run el Therenfter  x gallens  y rate of  ing 40 acres  2,750 fee	tools to a d k. Thereafte lectric log s to drill in of crude and production is s, more or la	epth of M or to drill nd run 5- with coble 20,000 s establishes, is de	00+ forth : 1/2" cas a tools, and; swe had, and dicated	, run ( ib and i campl to the
It is propose 5/8" casing and come ols to the top of the ment with approximate g, free through easiel with cable tool as swiftly of the section of the secti	med to drill we must to surface me producing shely 90 sex. ing with 20,00 rig until dmil tion, contains total depth:	rith retary  y/100+ service, run el Therenfter  x gallens  y rate of  ing 40 acres  2,750 fee	tools to a d k. Thereafte lectric log s to drill in of crude and production is s, more or la	epth of M or to drill nd run 5- with coble 20,000 s establishes, is de	00+ forth : 1/2" cas a tools, and; swe had, and dicated	, run ( ib and i campl to the
It is proposed to the top of the ment with approximate g, free through easied with cable tool of the section of	med to drill we must to surface me producing shely 50 sex. Ing with 20,00 rig until deil deil deil deil depth:	rith retary  y/100+ service, run el Therenfter  x gallens  y rate of  ing 40 acres  2,750 fee	tools to a d k. Thereafte lectric log s to drill in of crude and production is s, more or la	epth of M or to drill nd run 5- with coble 20,000 s establishes, is de	00+ forth : 1/2" cas a tools, and; swe had, and dicated	, run ( ib and i campl to the
It is proposed to the top of the ment with approximate g, free through easied with cable tool : a stiffing of the section of t	med to drill went to surface me producing a hely 50 sex. Ing with 20,00 rig wrill duil bion, contains total depth:  k must receive approval LEUM CORPORATI	rith retary  y/100+ service, run el Therenfter  x gallens  y rate of  ing 40 acres  2,750 fee	tools to a d k. Thereafte lectric log s to drill in of crude and production is s, more or la	epth of M or to drill nd run 5- with coble 20,000 s establishes, is de	00+ forth : 1/2" cas a tools, and; swe had, and dicated	, run ( ib and i campl to the
It is proposed to the top of the ment with appreximating, free through easied with cable tool of the section of	med to drill we must to surface me producing shely 50 sex. Ing with 20,00 rig until deil deil deil deil depth:	rith retary  y/100+ service, run el Therenfter  x gallens  y rate of  ing 40 acres  2,750 fee	tools to a d k. Thereafte lectric log s to drill in of crude and production is s, more or la	epth of M or to drill nd run 5- with coble 20,000 s establishes, is de	00+ forth : 1/2" cas a tools, and; swe had, and dicated	, run ( ib and i campl to the
ols to the top of the most with approximation, from through continue of the social with cobie tool. In Signific of the social site. Brimsted ompany PUSCO PETROL oddress Post Office	med to drill went to surface me producing a hely 50 sex. Ing with 20,00 rig wrill duil bion, contains total depth:  k must receive approval LEUM CORPORATI	rith retary  y/100+ service, run el Therenfter  x gallens  y rate of  ing 40 acres  2,750 fee	tools to a d k. Thereafte lectric log s to drill in of crude and production is s, more or la	epth of M or to drill nd run 5- with coble 20,000 s establishes, is de	00+ forth : 1/2" cas a tools, and; swe had, and dicated	, run ( ib and i campl to the

U. S. GOVERNMENT PRINTING OFFICE 16-8437b-8

en de la companya del companya de la companya del companya de la c

•

•


 $\operatorname{Odd}_{\mathcal{A}}(\mathfrak{L}_{\mathcal{A}},\mathfrak{L}_{\mathcal{A}}) = \bigoplus_{\mathbf{k} \in \mathcal{A}} (\mathfrak{L}_{\mathcal{A}},\mathfrak{L}_{\mathcal{A}})$ 

## **NEW MEXICO** OIL CONSERVATION COMMISSION

Form: C-128

Well Location and/or Gas Provation Plat

June 19, 1957 Date MOUNTAIN UTE PUBCO PETROLEUM CO Operator Lease Well No. 19-13 Section Township, 31 N Range NMPM 660 Located.... Feet From south Line, 660 Feet From Line. San Juan County, New Mexico, G. L. Elevation ... 5557 Name of Producing Formation . Callur ... Pool Wille-Gallup Dedicated Acresge SWISW (40 ac)



Scale- 1 Inch Equals 1000 Feet

1. Is this Well a Dual Comp." Yes No X.

2. If the answer to Question I is yes, are there any other dually completed wells within the dedicated

acreage? Position ... Vice Preside

Pubes Petroleum Corporation Representing

Box 1419, Albaquerque, New Mexico Address .

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowle ige and belief

Inte Surveyed . May 29, 1957

Stephen H. Kinney

STEPHEN H. KINNEY.

Registered Professional Engineer and Land Surveyor