



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 070096
Unit Madge

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 21

19 51

Well No. 26 is located 1450 ft. from S line and 1190 ft. from E line of sec. 21

S.W. Section 21
($\frac{1}{4}$ Sec. and Sec. No.)

31-N
(Twp.)

11-W
(Range)

N.M.P.M.
(Meridian)

Basin Dakota
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 5241 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 7-16-61 Total Depth 7225'. Ran 226 joints 4 1/2" J-55 11.6# casing (7214') set at 7225'. Cemented with 130 sacks reg. $\frac{1}{4}$ " gel, 0.4# HR-4, 1/4# Fine Tuffplug, 1/8# Floccs/sk, and 50 sacks regular, 0.4# HR-4, 1/4# Fine tuffplug, 1/8# Floccs/sk. (1st stage)
2nd stage - 230 sacks regular, $\frac{1}{4}$ " gel, 1/2 cu.ft. Strata-Crete 6"/sk. Held 1500#/30 minutes. Top of cement by temp. survey at 3225'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 990

Farmington, New Mexico

By ORIGINAL SIGNED A.M. SMITH

Title Petroleum Engineer

