

(SUBMIT IN TRIPPLICATE)

Indian Agency Consolidated Ute

Agency, Ignacio, Colorado

Allottee Mountain Ute Tribe

Lease No. 14-20-604-119

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

|   |  |           |
|---|--|-----------|
| NOTICE OF INTENTION TO DRILL                  | SUBSEQUENT REPORT OF WATER SHUT-OFF        |           |
| NOTICE OF INTENTION TO CHANGE PLANS           | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING |           |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF    | SUBSEQUENT REPORT OF ALTERING CASING       |           |
| NOTICE OF INTENTION TO REDRILL OR REPAIR WELL | SUBSEQUENT REPORT OF REDRILLING OR REPAIR  |           |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE       | SUBSEQUENT REPORT OF ABANDONMENT           |           |
| NOTICE OF INTENTION TO PULL OR ALTER CASING   | SUPPLEMENTARY WELL HISTORY                 |           |
| NOTICE OF INTENTION TO ABANDON WELL           | Report Setting Casing                      | <b>EX</b> |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Astec, New Mexico January 2, 19 58

Mountain Ute

Well No. 19-7 is located 1980 ft. from N line and 1980 ft. from E line of sec. 19

NE 1/4 Sec. 19 31N 14W N.M.P.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Verde Gallup San Juan  
(Field) (County or Subdivision)

New Mexico  
(State or Territory)

The elevation of the ground above sea level is 5607 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

CASING DETAILS: 12-31-57

Ran 79 fts., 2759.64, 5 1/2", 14#, 8rd thd CFI casing w/Baker float chse and collar spread 38 apart w/centralizers 10 1/2, 35 and 90 of Bottom.

Baker two-stage cementing collar set at 1664 x w/centralizer above and below.

Halliburton cemented first stage w/80 sax regular, 80 cu. ft. stratacrete, 6% gel and 1/2# flocele per sk. Started cement at 5:00 A. M. all cement 5:10; started plug; displaced 5:20 A. M. good circulation. Pressures casing to 1000# and released pressure; dropped Baker bomb to open circulating sleeve; circulated w/rig pump for 2 hours. Started 2nd stage w/80 sax cement, 80 cu. ft. stratacrete 6% gel, 1/2# sk. flocele. WOC 8:15 A. M. 12-31-57.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pubco Petroleum Corporation

Address 106 West Chuska

Astec, New Mexico

By M. L. Seelinger

Title Dist Engr.

1944

1945

1946

1947

1948

1949

1950

1951

1952

1953

1954

1955

1956

1957

1958

1959

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1970

1971

1972

1973

1974

1975

1976

1977

1978

1979

1980

1981

1982

1983

1984

1985

1986

1987