

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease  
State  Fee

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator: <b>AMOCO PRODUCTION COMPANY</b>	8. Farm or Lease Name: <b>Holmberg Gas Com "B"</b>
3. Address of Operator: <b>501 Airport Drive, Farmington, New Mexico 87401</b>	9. Well No.: <b>1</b>
4. Location of Well: UNIT LETTER <b>P</b> , <b>1190</b> FEET FROM THE <b>South</b> LINE AND <b>810</b> FEET FROM THE <b>East</b> LINE, SECTION <b>28</b> TOWNSHIP <b>32N</b> RANGE <b>10W</b> N.M.P.M.	10. Field and Pool, or Wildcat: <b>Undesignated Fruitland</b>
15. Elevation (Show whether DF, RT, GR, etc.): <b>5872' GL, 5884' KB</b>	12. County: <b>San Juan</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK  PLUG AND ABANDON   
 TEMPORARILY ABANDON   
 PULL OR ALTER CASING  CHANGE PLANS   
 OTHER

SUBSEQUENT REPORT OF:

REMEDIAL WORK  ALTERING CASING   
 COMMENCE DRILLING OPNS.  PLUG AND ABANDONMENT   
 CASING TEST AND CEMENT JOB   
 OTHER

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

On December 4, 1973, the Holmberg Gas Com "B" No. 1 was plugged and abandoned by running 1-1/4" tubing with a Model "KC" cement retainer set at 2220'. Established a rate of 3 BPM with 2800 psi down the tubing and squeezed with 50 sacks Class "A" cement with maximum pressure 3000 psi. Pulled out of retainer and spotted cement on top of the retainer to 2170'. Spotted cement plugs at 1100-1220' (Base Ojo Alamo), 205-325' (bottom of surface casing), and 2 sacks at surface. Pressured bradenhead with 500 psi and OK. Erected PXA marker and cleaned up location.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Original Signed by J. ARNOLD CREEL TITLE Area Engineer DATE January 4, 1974

APPROVED BY [Signature] TITLE CONTROLLER DESK #4 DATE 4-24-74

CONDITIONS OF APPROVAL, IF ANY: