

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-76

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

3a. Indicate Type of Lease

State ☐Fee ☒

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO OCEPHEN OF PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator Amoco Production Company	8. Farm or Lease Name Leeper Gas Com "D"
3. Address of Operator 501 Airport Drive, Farmington, New Mexico 87401	9. Well No. 1
4. Location of Well UNIT LETTER <u>L</u> <u>1480</u> FEET FROM THE <u>South</u> LINE AND <u>800</u> FEET FROM THE <u>West</u> LINE, SECTION <u>34</u> TOWNSHIP <u>32N</u> RANGE <u>10W</u> NMPW.	10. Field and Pool, or Wildcat Mt. Nebo Fruitland
15. Elevation (Show whether DF, RT, GR, etc.) 5838' GR	12. County San Juan

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>
Spud & set casing & plug then abandon <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded a 12-1/4" hole on 1-16-84 then drilled ahead to 304'. Landed 9-5/8", 32.3#, H-40, casing at 295'. Cemented with 480 cu. ft. Class B cement w/2% CaCl2 then circulated cement to the surface. Drilled a 8-3/4" hole to a TD of 663'. Plugged and abandoned the hole as follows: (1) Set a 236 cu. ft. cement plug from 663'-270' with Class "B" cement w/2% CaCl2; (2) Set a 124 cu. ft. cement plug from 270' - surface with Class "B" cement w/2% CaCl2; (3) Topped off the hole with 2 BBLS of Class "B" cement w/2% CaCl2. (4) Cut off the casing below the surface and welded PXA marker. Released the rig 1-26-84. Please see our completion report filed 2-23-84 for additional information.

RECEIVED

MAY 17 1984

OIL CON. DIV.
DIST. 3

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Original Signed By

B. D. Shaw

SIGNED

TITLE District Admin. Supervisor

DATE May 11, 1984

Original Signed by CHARLES - [unclear]

APPROVED BY

TITLE

DATE

MAY 16 1984