

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

SF 080517

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Payne

9. WELL NO.

8

10. FIELD AND POOL, OR WILDCAT

Mt. Nebo Fruitland

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Section 21, T32N-R10W NMPM

12. COUNTY OR PARISH

San Juan

13. STATE

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Union Texas Petroleum Corporation

3. ADDRESS OF OPERATOR

P.O. Box 1290, Farmington, New Mexico 87499

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)

At surface

1663' FSL; 1850' FWL

Same as above

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6265'

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Subsequent Report of Completion X

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Pressure tested 7-5/8" casing to 2500 PSI. Held ok.
2. Perforated 3032'-3064' with 4 spf (7/13/84). Acidized with 600 gals 15 HCl.
3. Perforated 2893'-2902', 2832'-2842', and 2810'-2820' with 4 spf. Acidized with 500 gals 15% HCl.
4. Ran 2-7/8", 6.5#, J-55, EUE and landed at 3117'.

18. I hereby certify that the foregoing is true and correct

SIGNED

Charles W. Sponberg

TITLE Petroleum Engineer

DATE

Sept 6, 1984

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

FARMING OR RECREATION AREA

RV

*See Instructions on Reverse Side