

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

## Sundry Notices and Reports on Wells

1. Type of Well  
GAS

2. Name of Operator

**BURLINGTON  
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1790' FSL 810' FEL, Sec. 7, T-32-N, R-8-W, NMMP

I

5. Lease Number  
NM-33053

6. If Indian, All. or  
Tribe Name

7. Unit Agreement Name

RECEIVED  
MAR - 3 1999

8. Well Name & Number

Trail Canyon #100

9. APT Well No.

30-045-26983

10. Field and Pool

Basin Fruitland Coal

11. County and State

San Juan Co, NM

OIL COM. DIST. 3

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

☒ Notice of Intent

☐ Abandonment

☐ Change of Plans

☐ Subsequent Report

☐ Recompletion

☐ New Construction

☐ Final Abandonment

☐ Plugging Back

☐ Non-Routine Fracturing

☐ Casing Repair

☐ Water Shut off

☐ Altering Casing

☐ Conversion to Injection

☒ Other -

13. Describe Proposed or Completed Operations

It is intended to install a pump in the subject well according to the attached procedure and wellbore diagram.

RECEIVED  
PLM  
MAR 24 PM 12:39  
BUREAU OF LAND MANAGEMENT, NM

14. I hereby certify that the foregoing is true and correct.

Signed James W. Spencer (DWM) Title Regulatory Administrator Date 2/22/99

TLW

(This space for Federal or State Office use)

APPROVED BY /s/ Duane W. Spencer Title Team Lead, Petroleum Management Date MAR - 1 1999

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCD

Key

Trail Canyon #100  
PUMPING UNIT INSTALLATION PROCEDURE

Unit I, Section 7, T32N-R8W, San Juan County, New Mexico


Lat. 36.996370 / 36° 59.78'

Long. 107.707760 / 107° 42.47'

1. MIRU pulling unit.
2. NDWH / NUBOP.
3. PU 1 joint of tubing. TIH to tag for fill.
4. TOH standing back 2-3/8" tubing. (Tubing is set @ 3547', there are 114 jts of 2-3/8" 4.7# J-55 with an "F" nipple @ 3515').
5. PU 4-3/4" bit on tubing and TIH to COTD. Circ hole clean. ( Note: COTD is @ ~3572').
6. TIH w/ 2-3/8" tubing string and land tubing @ 3567'. Purge valve will be on bottom followed by pup joint, perforated sub, and seating nipple. Space out as needed with pup joints.
7. Hang tubing in donut. NDBOP / NUWH.
8. TIH w/ new 1.25" top hold down pump, 7/8" Grade D sucker rods (w/ spray metal couplings), polished rod, and polished rod liner. (Note: Vendor contact is listed below).
9. Seat the downhole pump, hang horses head, and space out pump.
10. Load tubing, and pressure test.
11. Start pumping unit and test (adjust spacing if needed).
12. RDMO.

COMPLY WITH ALL FEDERAL, STATE AND LOCAL RULES AND REGULATIONS RELATING TO OIL AND GAS OPERATIONS.

  
Prepared: D.W. Mussett

 2-4-99  
Approved: Drilling Supt.

Pump Vendor: Energy Pump  
Leo Noyes 564-2874

# Trail Canyon # 100

Basin Fruitland Coal  
Unit I, Section 7, T32N, R8W, San Juan County, New Mexico

Completed: 11/4/89

