

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

- | | |
|--|---|
| <p>1. Type of Well
GAS</p> <p>2. Name of Operator
BURLINGTON RESOURCES OIL & GAS COMPANY</p> <p>3. Address & Phone No. of Operator
PO Box 4289, Farmington, NM 87499 (505) 326-9700</p> <p>4. Location of Well, Footage, Sec., T, R, M
1590' FSL 1000' FEL, Sec.35, T-31-N, R-9-W, NMPM</p> | <p>5. Lease Number
SF-078439</p> <p>6. If Indian, All. or Tribe Name</p> <p>7. Unit Agreement Name</p> <p>8. Well Name & Number
Johnston Federal #23</p> <p>9. API Well No.
30-045-27270</p> <p>10. Field and Pool
Basin Fruitland Coal</p> <p>11. County and State
San Juan Co, NM</p> |
|--|---|

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

- | | | |
|--|---|--|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Abandonment | <input type="checkbox"/> Change of Plans |
| <input type="checkbox"/> Subsequent Report | <input type="checkbox"/> Recompletion | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Final Abandonment | <input type="checkbox"/> Plugging Back | <input type="checkbox"/> Non-Routine Fracturing |
| | <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Water Shut off |
| | <input type="checkbox"/> Altering Casing | <input type="checkbox"/> Conversion to Injection |
| | <input checked="" type="checkbox"/> Other - | |

13. Describe Proposed or Completed Operations

It is intended to install a pump in the subject well according to the attached procedure and wellbore diagram.

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] (EJG) Title Regulatory Administrator Date 2/25/99
TLW

(This space for Federal or State Office use)

APPROVED BY Chp [Signature] Title Acting Team Lead Date 3/11/99

CONDITION OF APPROVAL, if any:


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


Johnston Federal #23
PUMPING UNIT INSTALLATION PROCEDURE
2/3/99

Unit I, Section 35, T31N, R9W, San Juan County, New Mexico
Aircare Lat. 36 51.10'
Aircare Long. 107 44.64'


1. MIRU PULLING UNIT.
2. BLOW DOWN TBG. KILL WELL W/ WATER ONLY IF NECESSARY.
3. NDWH / NUBOP.
4. PU AT LEAST 2 JTS. OF TBG. - TIH TO TAG FOR FILL.
5. TOH LAYING DOWN 2-7/8" TBG. (TBG. IS SET @ 2692', THERE ARE 83 JTS. OF 2-7/8" 6.5# J-55 WITH F NIPPLE @ 2661').
6. PU 4-3/4" BIT ON 2-3/8" TBG. AND TIH TO COTB, CIRC. HOLE CLEAN. TOH W/ SAME.
7. TIH W/ 2-3/8" TBG. STRING AND LAND TBG. @ 2748'. PURGE VALVE WILL BE ON BOTTOM W/ 2-3/8"x10' PUP JOINT(2738'-2748'), 2-3/8"x6' PUP JOINT(2732'-2738'), 2-3/8"x4' PERFORATED SUB(2728'-2732') AND 2-3/8" SN @ 2728'.
8. HANG TBG. IN DONUT. NDBOP / NUWH.
9. TIH W/ NEW TOP HOLD DOWN ROD PUMP (2"x1-1/4"x10'x14' RHAC-Z), 4' SECTION CUP TYPE PLUNGER. RUN THREE - 1-1/4" SINKER BARS, 106 - 3/4" GRADE D SUCKER RODS (W/ SPRAY METAL COUPLINGS), A SET OF 3/4" PONY RODS (2', 4', 6', 8') TO SPACE OUT, ONE - 1-1/4"x 22 - 3/4" PIN POLISHED ROD AND ONE - 1/1/4"x1-1/2"x10' POLISHED ROD LINER.
10. SEAT THE DOWNHOLE PUMP, HANG HORSES HEAD ON, SPACE PUMP.
11. LOAD TBG. , PRESSURE TEST.
12. START PUMPING UNIT, AND TEST OK (ADJUST SPACING IF NEEDED).
13. RDMO.

COMPLY WITH ALL FEDERAL, STATE AND LOCAL RULES AND REGULATIONS RELATING TO OIL AND GAS OPERATIONS.

 2-4-99
Prepared: E.J. Giles
Office: 326-9584
Home: 325-8164
Pager: 324-2636

 2-9-99
Approved: Drilling Supt.

Johnston Federal #23
(Current)
Basin Fruitland Coal
Unit I, Section 35, T31N, R9W, San Juan County, New Mexico



Workover History:
 12-92 Well was sidetracked.
 3-96 Recavitation and bradenhead repair.