Submit to Appropriate District Office State Lease — 6 copies Fee Lease — 5 copies

## State of New Mexico Energy, Minerals and Natural Resources Department

Form C-101 Revised 1-1-89

CONDITIONS OF AFTROVAL, IF ANY:

**OIL CONSERVATION DIVISION** 

la. Type of Work:	NM 88210 ec, NM 87410	P.O. Box 20 Santa Fe, New Mexico TO DRILL, DEEPEN,	87504-2088	30 - 5. Indicate 6. State Oil E-503	Type of Lease STATE  A Gas Lease No.  Type or Unit Agreement N	FEE [	
OIL GAS WELL X OTHER SINGLE MULTIPLE ZONE XX ZONE				San Jua	San Juan 32-7 Unit		
2. Name of Operator  Northwest D	ineline Cornors	ation .		8. Well No.			
Northwest Pipeline Corporation  3. Address of Operator					210		
3539 East 30th St., Farmington, NM 87401					9. Pool name or Wildcat Basin Fruitland Coal Gas		
4. Well Location			Line and 11	27	From The West	Line	
Section 36	Town	nshin 32N Ra	nge 7W	NMPM San	Juan	C	
						County	
		10. Proposed Depth		11. Formation	12. Rotary	or C.T.	
		3500'(±	)	Fruitland	Rot		
13. Elevations (Show whether 6703 ' (GL Ur	er DF, RT, GR, etc.)	14. Kind & Status Plug. Bond Blanket	15. Drilling Contra		16. Approx. Date Work		
17.			Advise L		Upon Approv	<u>al</u>	
		ROPOSED CASING A	ND CEMENT PRO	OGRAM	5/320		
SIZE CF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPT		CEMENT ES	T. TOP	
2¼" 8½"	9-5/8" 7"	36# K-55 ST&C	250'	150 s		surface	
* 6-1/8"	5½" Liner	23# K-55 LT&C 15.5# or 23#	3130'	380 S		surface	
	25 PIHET	13.3# OL 23#	3500'	<u>l</u>	Top o	f Liner	
*If the coal is cleated a 5½", 23#, P-110 liner will be run in the opened hole withou being cemented.  *If the coal is not cleated a 5½", 15.5#, J-55 liner will be run cemented w/85 Sxs and the well will be fractured.  APPROVAL EXPIRES 6-16-90 UNLESS DRILLING IS COMMENCED. SPUD NOTICE MUST BE SUBMITTED WITHIN 10 DAYS.  Use mud additives as required for control. BOP EQUIP: (See attached schematic - Fig. 7-9 or 7-10)  IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: PPROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE MOWOUT PREVENTER PROGRAM, F ANY.  I hereby certify that the information above is true subcomplete to the best of my knowledge and belief.						Sxs	
SIGNATURE Tank	C. Thorpso	7m	Manager Pr	od. & Drlg.	DATE 1-12	-90	
TYPE OR PROTENAME Pau	l Thompson	•			TELEPHONE NO.	599-3400	
(This space for State Use)  APPROVED BY	5.0	m.	SUPERVISOR	DISTRICT # &		(Sanders)   <b>6</b> 1990	

Submit to Appropriate District Office State Lease - 4 copies Fee Lease - 3 copies

# State of New Mexico Energy, Minerals and Natural Resources Department

Form C-102 Revised 1-1-89

# OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

330

660

990

1320

1650

1980 2310

2640

P.O. Box 1980, Hobbs, NM 88240

WELL LOCATION AND ACREAGE DEDICATION PLAT 1000 Rio Brazos Rd., Aztec, NM 87410 All Distances must be from the outer boundaries of the section Operator £25£ NORTHWEST PIPELINE CORP. SAN JUAN 32-7 UNIT 210 Township Unit Letter Section County 36 SAN JUAN COUNTY T.32 N. R.7 W. Actual Footage Location of Well: feet from the WEST 2001 SOUTH 1137 feet from the line and line Ground level Elev. Producing Formation Pool Dedicated Acreage: 6703 Fruitland Basin Fruitland Coal Gas 320 Acres 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interest of all owners been consolidated by communitization, unitization, force-pooling, etc.?  $\Box$ Yes If answer is "yes" type of consolidation If answer is "no" list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if neccessary. No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interest, has been approved by the Division. OPERATOR CERTIFICATION I hereby certify that the information contained herein in true and complete to the best of my browledge and belief. Printed Name Paul Thompson JAN1 6 1990 Position Manager Prod. & Drlg. OIL CON. DIV Company Northwest Pipeline Corp. Date 1-12-90 SURVEYOR CERTIFICATION I hereby certify that the well location shown 17A (All) Tract on this plat was plotted from sield notes of 320 Acres actual surveys made by me or under my 1137 E-503 supervison, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed 989 DECEMBER 940 N 87--59 W 2671.681

1500


2000

1000

500

### FIELD PRACTICES AND STANDARDS


#### **ALTERNATIVE**



- 1. BELL NEPLE
- 2. FLOW LINE
- 2. PILLUP LINE
- 4. 2" FE PRESSURE OPERATED CHOKE LINE VALVE
- L 2" FE GATE VALVE
- 6. 2" FE CHOKE LINE TO MANIFOLD 7. 2" FE GATE VALVES
- & 2" PEKILL LINE
- S. DRILLING SPOOL
- 16. 2" SE OR PE GATE VALVE WITH NEEDLE
- \_\_ YALYE 11. CARNG HEAD HOUSING

NOTE: THE DRILLING SPOOL MAY BE LOCATED BELOW BOTH SETS OF RAME IF A DOUBLE PREVENTER IS USED AND IT DOES NOT HAVE SUITABLE OUTLETS BETWEEN RAMS

Figure 7-9. Standard Hydraulic Blowout Preventer Assembly 3 M Working Pressure Alternative 1



- 1. BELL NIPPLE
- 2. FLOW LINE
- 2. FILLUPLINE
- 4. 2" FE PRESSURE-OPERATED CHOKE LINE VALVE
- 6. 2" FE CHOKE LINE TO MANIFOLD
- 7. 2" FE GATE VALVES
- & 2" FE KILL LIN
- 10. 2" SE OR FE GATE VALVE WITH NEEDLE
- 11. CASING HEAD HOUSING

Figure 7-10. Standard Hydraulic Blowout Preventer Assembly 3 M Working Pressure Alternative 3 (without Drilling Spool)

