Submit to Appropriate


State of New Mexico Energy Minerals and Natural Resources Department

Form C-101

TELEPHONE NO.

District Office State Lease — 6 copies	ciergy,	ATHICISTS SHOT LASTER STATE	outes Dopmaran		Keared 1-1-92
Fee Lease - 5 copies <u>DISTRICT I</u> P.O. Box 1980, Hobbs, NM	19240	OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088		API NO. (assigned by OCD on New Wells) 30-045-27854	
<u>DISTRICT II</u> P.O. Drawer DD, Artesia, N		anta Fe, New Mexico		5. Indicate Type of Lease S	TATE X FEE
DISTRICT III 1000 Rio Brazos Rd., Aziec	, NM 87410			6. State Oil & Gas Lease E-503-9	No.
	• •	O DRILL, DEEPEN, O	R PLUG BACK		
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK 1a. Type of Work:				7. Lease Name or Unit Agreement Name	
DRILL	X RE-ENTER	DEEPEN	PLUG BACK		
b. Type of Well: OIL GAS WELL WELL WELL	Отнеж	SENGLE ZONE	MULTIPLE ZONE	San Juan 32-7	Unit
2. Name of Operator				8. Well No. 215 W M 32C	
Phillips Petroleum Company				9. Pool name or Wildcat	
3. Address of Operator 300 W. Arrington, Suite 200, Farmington, N.M. 87401				Basin Fruitland Coal	
4. Well Location			1070		
Unit Letter K	: 1236 Feet F	rom The South	Line and1870	Feet From The	West Line
Section 3	2 Town:	thip 32N Ran		MPM San Ju mation	an County
		3200	Fr	uitland	Rotary
13. Elevations (Show whethe 6534' (GL Unpi		14. Kind & Status Plug. Bond Blanket	15. Drilling Contractor Advise Late		. Date Work will start Approval
17.	PF	ROPOSED CASING AN			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	
12-1/4"	9-5/8"	36#, K-55	250' 3147'	250 Sxs 650 Sxs	Circ to Surface
8-3/4" 6-1/8"	7" 5-1/2"	23#, K-55 15.5# or 23#	3047'-3200'	030 3XS	*
being cemen	ted.	5-1/2", 23#, P-11 d the well will l cemented.			
	J	APPROVAL EXPIRES_ UNLESS DRILLING IS SPUD NOTICE MUST WITHIN 10 DAYS.	COMMENCED.	MAY31	1990
Use mud addi BOP Equipmer	tives as requi nt: See attach	red for control. ed schematic (Fi	g. 7-9 or 7-10)	OIL CO	
	CRIBE PROPOSED PRO	GRAM: #PROPOSAL IS TO DEEP			
	mation above is true and comp	late to the best of my knowledge and		tory Affairs	DATEMay 31, 199
SIGNATURE	III. XIUMI	THE THE THE THE	TLE		DAIR

L. M. Sanders TYPE OR PRINT NAME (This space for State Use) DEPUTY OIL & GAS INSPECTOR, DIST. #3 DATE JUN 0 1 1990 CONDITIONS OF AFTROVAL, IF ANY:



OIL CON. DIV

Compared to the second second

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-.02 Revised 1-1-89

OIL CONSERVATION DIVISION

P.O. Box 2088


Santa Fe, New Mexico 87504-2088

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

WELL LOCATION AND ACREAGE DEDICATION PLAT

All Distances must be from the outer boundaries of the section 1000 Rio Brazos Rd., Azzec, NM 87410 Well No. 215 SAN JUAN 32-7 UNIT Operator PHILLIPS PETROLEUM County SAN JUAN COUNTY Range Township .32 N. R.7 W. Section NMPM Unit Letter Κ WEST Actual Footage Location of Well: line feet from the 1870 SOUTH Dedicated Acreage: line and 1236 feet from the Pool Producing Formation 320 Acres Basin Fruitland Coal Ground level Elev. 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 6534 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interest of all owners been consolidated by communitization, Unitization unitization, force-pooling, etc.? If answer is "yes" type of consolidation If answer is "no" list the owners and tract descriptions which have actually been consolidated. (Use reverse side of No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interest, has been approved by the Division. OPERATOR CERTIFICATION I hereby certify that the information contained herein in true and complete to the



best of my browledge and belief.

Printed Name

L. M. Sanders Position

Supv. Regulatory Affairs Company


Phillips Petroleum Co.

Date

May 31, 1990


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervison, and that the same is true and correct to the best of my knowledge and belief.



FIELD PRACTICES AND STANDARDS


ALTERNATIVE



- 1. SELL NIPPLE
- 2. FLOW LINE
- 2 FILLUP LINE
- 4. 2" PE PRESSURE OPERATED CHOKE LINE VALVE
- & 2" FE GATE VALVE
- & 2" FE CHOKE LINE TO MANIFOLD
- 7. 2" PE GATE VALVES
- & 2" FEKILL LINE
- S. DRILLING SPOOL
- 10. 2" SE OR FE GATE VALVE WITH NEEDLE
- __ VALVE 11. CASING HEAD HOUSING

NOTE: THE DRILLING SPOOL MAY BE LOCATED BELOW BOTH SETS OF RAMS IF A DOUBLE PREVENTER IS USED AND IT DOES NOT HAVE SUITABLE OUTLETS SETWEEN RAME

Figure 7-9. Standard Hydraulic Blowout Preventer Assembly 3 M Working Pressure Alternative 1



- 1. DELL NIPPLE
- 2. FLOW LINE 2. FILLUP LINE
- 4. 2" FE PRESSURE OPERATED CHOKE LINE VALVE
- L 2" PEGATE VALYE
- 8. 2" FE CHOKE LINE TO MANIFOLD
 7. 2" FE GATE VALVES
- 8. 2" FE KILL LII
- G. 2" SE OR PE GATE VALVE WITH NEEDLE VALVE
- 11. CASING HEAD HOUSING

Figure 7-10. Standard Hydraulic Blowout Preventer Assembly 3 M Working Pressure Alternative 3 (without Drilling Spool)

Well Control 4 January/83

