Form 3160-5 (December 1989)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED Budget Bureau No. 1004-0135 Expires: September 30, 1990


5. Lease Designation and Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.


SF-078509

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals		6. If Indian, Allottee or Tribe Name
SUBMIT IN TRIPLICATE		7. If Unit-or-CA, Agreement Designation
1. Type of Well OIL WELL OTH	ER	8. Well Name and No.
2. Name of Operator Amoco Production Company Melissa Velasco-Price		9. API Well No.
Amoco Production Company 3. Address and Telephone No.	WEIISSA VEIASCO-FIICE	30-045-28685
P.O. Box 3092 Houston, TX 7725	3 (281) 366-2548	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey		Blanco Pictured Cliffs
, , , , , , , , , , , , , , , , , , ,		11. County or Parish, State
1850' FSL 800' FEL Sec 30 T32	N R09W	San Juan New Mexico
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
Subsequent Report	Recompletion	New Construction
Final Abandonment Notice	☐ Plugging Back ☐ Casing Repair	Non-Routine Fracturing Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	Other BLM Letter 6/20/00	
(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)		
After further review of the subject we	arly state all pertinent details, and give pertinent dates, including ace locations and measured and true vertical depths for all marketell, it was determined that the well was returned	
Signed (This space for Federal or State office use)	Title Permitting Assistant	Date07/07/00
·	Title	Date
Approved by	Title	Date



350

300



Pressure (PSI)

100

ည

200

250