UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells		
	5.	Lease Number SF-078439
1. Type of Well GAS	6.	If Indian, All. or Tribe Name
2. Name of Operator	7.	Unit Agreement Name
BURLINGTON RESOURCES OIL & GAS COMPANY		
	8.	Well Name & Number
3. Address & Phone No. of Operator		Johnston Federal #28R
PO Box 4289, Farmington, NM 87499 (505) 326-9700	9.	API Well No.
4. Location of Well, Footage, Sec., T, R, M		30-045-28921
1255'FNL, 1740'FWL, Sec.33, T-31-N, R-9-W, NMPM	10.	Field and Pool Basin Fruitland Coal
	11.	County and State
		San Juan Co, NM
	Il according	tion Fracturing ff o Injection
14. I hereby certify that the foregoing is true and correct Signed Man Man (GWL47) Title Regulatory Advanced (GWL47) Title Regulatory Advanced (GWL47)	et.	
(This space for Federal or State Office use)	API	R 1 1 1997
APPROVED BY	Date 7	

Johnston Federal #28R Tubing Change-out Procedure 2/25/97

1255' FNL X 1740' FWL Section 33, T31N, R09W San Juan County, New Mexico

Pertinent Data:

7" Casing shoe: 2802'

5-1/2" Liner 23# P110 Liner:

2739' to 3039'

TD: 3039'

- 1. Move on location and rig up daylight service rig.
- 2. ND wellhead, NU BOP.
- 3. TOH w/4-1/2" tubing. There is 69 jts of 4-1/2" 10.5# K-55 8RD tubing hung in the well. Landed at 2720' w/ an F-Nipple at 2686'. Lay down tubing on a float and send to BR yard for inspection.
- 4. TIH w/ tubing string configured as follows:

1 2-7/8" Expendable Check 1 jt 2-7/8" 6.5# J-55 Tubing 1 2-7/8" F-Nipple 270' 2-7/8" 6.5# J-55 Tubing 1 2-7/8" X 3-1/2" Crossover 2700' 3-1/2" 9.3# J-55 Tubing

This configuration will leave a tapered string of 3-1/2" tubing down to approximately 30' above the liner top and 2-7/8" tubing inside the 5-1/2" liner. The string will be landed approximately 30' off bottom.

- 5. Hang tubing in the donut. ND BOP, NU wellhead. Drop the ball and pump off the expendable check.
- 6. Install the remainder of the tree and rig down. Notify production operations of completing the change out so the well can be returned to production.

Prepared: G.W. Lee

Approved: Drlg Superintendent

MATERIAL / SERVICE REQUISITION

Requisitioner:

G.W. Lee

Drilling Engineer

Deliver To:

Johnston Federal #28R

Quantity	Description	Supplier
420 ft	2-7/8" 6.5# J-55 Tubing (150' extra included)	BR
2700 ft	3-1/2" 9.3# J-55 Tubing	BR
1	2-7/8" Expendable check	BR
1	2-7/8" F-Nipple	BR
1	2-7/8" X 3-1/2" Crossover	BR


Approved:	
	Drilling Superintendent

Johnston Federal #28R

Current

Basin Fruitland Coal

1255' FNL, 1740' FWL Unit C, Section 33, T31N, R9W, San Juan County, New Mexico



Pertinent Data Sheet - Johnston Federal #28R

Location: 1255' FNL, 1740' FWL. Unit C, Section 33, T31N, R9W, San Juan County, New Mexico <u>Lat:</u> 36.858398 <u>Long:</u> 107.788422

Field: Basin Fuitland Coal

Elevation: 6241' GL

TD: 3039'

Spud Date: 12/14/92

Workover: None

Completed: 01/17/93

1st Delivery: 09/21/93

DP #: 30372A Prop #: 071382808

Lease #: SF-078439 **API#:** 30-045-2892100

Casing Record:

Hole Size Csg Size 12-1/4" 9-5/8" 8-3/4"

Wt. & Grade 36.0# K-55 20.0# K-55

Depth Set 249' 2802'

Cement 212 cf 950 cf

Top/Cement Circ/Surface Circ/Surface

Liner Record:

Hole Size 6-1/4"

Liner Size 5-1/2"

Wt. & Grade 23.0# P-110

Depth Set 2739'-3039'

Cement None

Top/Cement n/a

Tubing Record:

Tbg Size 4-1/2"

Wt. & Grade 10.5# K-55

Depth Set 2720' (69 jts)

"F" Nipple @ 2686'

Formation Tops:

Ojo Alamo:

1725'

Kirtland:

1832'

Fruitland Coal: 2724'

Logging Record: None

Stimulation: Pre-Drilled Liner; Perf'd: 2832'-3035'

Workover History: None

Transporter: El Paso Natural Gas Company