

District I
PO Box 1980, Hobbs, NM 88241-1980
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

HOLD C-104 FOR
Form C-102
Revised October 18, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

' API Number 30-845-29469	' Pool Code 71629	' Pool Name Basin Fr. Coal
' Property Code	' Property Name SAN JUAN 32-7 UNIT	' Well Number 240
' OGRID No. 17654	' Operator Name PHILLIPS PETROLEUM COMPANY	' Elevation 6283

10 Surface Location



UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	20	32N	7W		1326'	NORTH	231'	WEST	SAN JUAN

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	19	32N	7W		1892'	NORTH	335'	EAST	SAN JUAN


' Dedicated Acres	' Joint or Infill	' Consolidation Code	' Order No.
-------------------	-------------------	----------------------	-------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16 2841.30'	1892.0'	2638.02'	1326.0'	2601.72'	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.  Signature Richard Allred Printed Name Drilling Supervisor Title August 6, 1997 Date
	BOTTOM HOLE LOCATION 335.0'		SURFACE LOCATION 231.0'		
	SECTION 19		SECTION 20		18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 04/17/97 Date of Survey Signature and Seal of Professional Surveyor:  Certificate Number 11393
		2624.16'			
3017.52'				2490.84'	

PHILLIPS PETROLEUM CO.

SAN JUAN 32-7 #240
NW/4 SEC.20, T.32 N., R.7 W., N.M.P.M.,
SAN JUAN COUNTY, NEW MEXICO



PHILLIPS PETROLEUM

Structure : SEC.20-T32N-R7W Well : SAN JUAN 32-7 #240


Field : SAN JUAN COUNTY

Location : NEW MEXICO



WELL PROFILE DATA

Point	MD	Inc	Dir	TVD	North	East	V. Sect	Deg/100
Tie on	0.00	0.00	225.00	0.00	0.00	0.00	0.00	0.00
KOP	600.00	0.00	225.00	600.00	0.00	0.00	0.00	0.00
End of Build	1101.03	25.05	225.00	1085.22	-76.22	-76.22	107.80	5.00
End of Hold	2453.95	25.05	225.00	2310.87	-481.31	-481.31	680.67	0.00
Target SJ 240	3010.65	0.00	225.00	2850.00	-566.00	-566.00	800.44	4.50
T.D. & End of Hold	3280.65	0.00	225.00	3100.00	-566.00	-566.00	800.44	0.00



PHILLIPS PETROLEUM
SEC.20-T32N-R7W

SAN JUAN 32-7 #240
SLOT #1
SAN JUAN COUNTY
NEW MEXICO

P R O P O S A L L I S T I N G

by
Baker Hughes INTEQ

Your ref : INITIAL PLAN, REV.#3
Our ref : prop2912
License :

Date printed : 17-Jun-97
Date created : 9-Jun-97
Last revised : 17-Jun-97

Field is centred on n36 50 0.000,w107 30 0
Structure is centred on n36 59 13.300,w107 35 54.36

Slot location is n36 59 0.189,w107 35 51.513
Slot Grid coordinates are N 2177306.294, E 568840.335
Slot local coordinates are 1326.00 S 231.00 E

Projection type: mercator - New Mexico West (3003), Spheroid: Clarke - 1866
Reference North is True North

Measured Depth	Inclin. Degrees	Azimuth Degrees	True Vert Depth	R E C T A N G U L A R C O O R D I N A T E S	Dogleg Deg/100ft	Vert Sect
0.00	0.00	225.00	0.00	0.00 N	0.00	0.00
500.00	0.00	225.00	500.00	0.00 N	0.00	0.00
600.00	0.00	225.00	600.00	0.00 N	0.00	0.00
700.00	5.00	225.00	699.87	3.08 S	5.00	4.36
800.00	10.00	225.00	798.99	12.31 S	5.00	17.41
900.00	15.00	225.00	896.58	27.61 S	5.00	39.05
1000.00	20.00	225.00	991.93	48.87 S	5.00	69.11
1100.00	25.00	225.00	1084.28	75.92 S	5.00	107.36
1101.03	25.05	225.00	1085.22	76.22 S	5.00	107.80
1500.00	25.05	225.00	1446.66	195.68 S	0.00	276.74
2000.00	25.05	225.00	1899.62	345.39 S	0.00	488.45
2453.95	25.05	225.00	2310.87	481.31 S	0.00	680.67
2510.65	22.50	225.00	2362.75	497.47 S	4.50	703.53
2610.65	18.00	225.00	2456.55	521.94 S	4.50	738.13
2710.65	13.50	225.00	2552.77	541.12 S	4.50	765.27
2810.65	9.00	225.00	2650.82	554.92 S	4.50	784.77
2910.65	4.50	225.00	2750.10	563.22 S	4.50	796.52
3010.65	0.00	225.00	2850.00	566.00 S	4.50	800.44
3260.65	0.00	225.00	3100.00	566.00 S	0.00	800.44
						TOTAL DEPTH

All data is in feet unless otherwise stated.
 Coordinates from SLOT #1 and TVD from rotary table.
 Bottom hole distance is 800.44 on azimuth 225.00 degrees from wellhead.
 Vertical section is from wellhead on azimuth 225.00 degrees.
 Calculation uses the minimum curvature method.
 Presented by Baker Hughes INTEQ

PROPOSAL LISTING Page 2

SEC. 20-T32N-R7W, SAN JUAN 32-7 #240
SAN JUAN COUNTY, NEW MEXICO

PROPOSAL LISTING Page 2
Your ref : INITIAL PLAN, REV.#3
Last revised : 17-Jun-97

Comments in wellpath

MD	TVD	Rectangular Coords.	Comment
3010.65	2850.00	566.00 S	SJ 240
3260.65	3100.00	566.00 S	566.00 W TOTAL DEPTH

Casing positions in string 'A'

Top MD	Top TVD	Rectangular Coords.	Bot MD	Bot TVD	Rectangular Coords.	Casing
0.00	0.00	0.00N	500.00	500.00	0.00N	0.00E 9 5/8 Surfa

Targets associated with this wellpath

Target name	Geographic Location	T.V.D.	Rectangular Coordinates	Revised
SJ 240		2850.00	566.00S 566.00W	9-Jun-97