

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Form Approved.
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐

2. NAME OF OPERATOR
W.M. Gallaway

3. ADDRESS OF OPERATOR
101-02 Petr. Plaza Bldg. Farmington, N.M.

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1980' FSL, 660' FEL

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) ☐

SUBSEQUENT REPORT ☐

☐
☐
☐
☐
☐
☐
☐
☐
☒

RECEIVED
AUG 19 1981
U. S. GEOLOGICAL SURVEY
DURANGO, COLO.

5. LEASE

14-20-151-46

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
UTE INDIAN A

9. WELL NO.

1

10. FIELD OR WILDCAT NAME
VERDE GALLUP

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

SEC. 15, T31N, R15W

12. COUNTY OR PARISH 13. STATE

SAN JUAN

N.M.

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

5819

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

4/20/81 Fill hole w/gel water, circulate hole w/45" tubing sub

Spot 45 sk. cement plug in Gallup open hole 2162' to 50' into 7" csq.

5/22/81 Tagged cement 2030', stretched csq., shot @ 1625'

spotted 22 sk. cement across stub, 1588' to 1650'

spotted 48 sk. cement across top Point Lookout 530'-416'

spotted 22 sk. cement bottom of surface

5/28/81 Spotted 10 sk cement in top of hole

erect dry hole and clean location.

RECEIVED
FEB 28 1984
OIL CON. DIV.
DIST. 3

Subsurface Safety Valve: Manu. and Type

Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

Richard A. Baskin

TITLE

Agent

DATE

8/14/81

(This space for Federal or State office use)

APPROVED BY

David J. Miller

TITLE

Area Manager

DATE

FEB 24 1984

CONDITIONS OF APPROVAL, IF ANY: