

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Indian Agency \_\_\_\_\_

Navajo Tribal Lands \_\_\_\_\_

Allottee \_\_\_\_\_

Lease No. 14-20-603-590

X		

# SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	X
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____	
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 7, 1962

Navajo 590

Well No. 1 is located 1885 ft. from N line and 565 ft. from W line of sec. 36

NW/4 Sec. 36  
(1/4 Sec. and Sec. No.)

32 N 20 W  
(Twp.) (Range)

N.M.P.M.  
(Meridian)

Wildcat  
(Field)

San Juan  
(County or Subdivision)


New Mexico  
(State or Territory)

The elevation of the ~~water level~~ ground level above sea level is 4851 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran and cemented surface casing as follows: Ran 6 joints (190') 13-3/8" OD, 48#, E-40, ST&C and set at 205'. Cemented with 260 sacks. Cement circulated to surface. WOC 12 hours. Pressure tested casing to 600 lbs for 30 minutes. Held ok.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Tennessee Oil Company

Address P. O. Box 1714

Durango, Colorado

By J. J. Lacey J. J. Lacey

Title District Petroleum Engineer