

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER-		7. Unit Agreement Name
2. Name of Operator El Paso Natural Gas Company		8. Farm or Lease Name Hubbard
3. Address of Operator Box 990, Farmington, New Mexico		9. Well No. 1
4. Location of Well UNIT LETTER J , 1845 FEET FROM THE South LINE AND 1690 FEET FROM THE East LINE, SECTION 30 TOWNSHIP 32N RANGE 11W NMPM.		10. Field and Pool, or Wildcat Blanco Mesa Verde
15. Elevation (Show whether DF, RT, GR, etc.) 6486' GL		12. County San Juan

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐

PLUG AND ABANDON ☐
CHANGE PLANS ☐

OTHER **Case, cement & fracture treat** ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING TEST AND CEMENT JOB ☐
OTHER ☐
ALTERING CASING ☐
PLUG AND ABANDONMENT ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

It is intended to workover and recomple this well to attempt to increase production in the following manner:

Squeeze cement the 7" annulus at top of Fruitland (approximately 2645').

Clean out old hole or whipstock and redrill through the Mesa Verde formation to approximately 5510'.

Run full string of 4 1/2" production casing and run cement to tie into the bottom of the 7" casing.


Perforate and sand-water frac the Mesa Verde formation.

In the event it is necessary to whipstock, squeeze cement the open hole through a 7" retainer set near the bottom of the 7" casing with approximately 250 sacks of cement.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Original signed by
Carl E. Matthews

TITLE **Petroleum Engineer**



APPROVED BY **Emery Charles**
CONDITIONS OF APPROVAL, IF ANY:

TITLE **Supervisor Dist. # 3**

DATE