



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office .....

Lease No. **I-22-Ind. 2772**

Unit .....

## SUNDRY NOTICES AND REPORTS ON WELLS

|   |                                     |   |  |
|---|-------------------------------------|---|--|
| NOTICE OF INTENTION TO DRILL.....                   |                                     | SUBSEQUENT REPORT OF WATER SHUT-OFF.....        |  |
| NOTICE OF INTENTION TO CHANGE PLANS.....            |                                     | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... |  |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....     |                                     | SUBSEQUENT REPORT OF ALTERING CASING.....       |  |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR..... |  |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....        |                                     | SUBSEQUENT REPORT OF ABANDONMENT.....           |  |
| NOTICE OF INTENTION TO PULL OR ALTER CASING.....    |                                     | SUPPLEMENTARY WELL HISTORY.....                 |  |
| NOTICE OF INTENTION TO ABANDON WELL.....            |                                     |   |  |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... **July 21** ....., 19 **54**Well No. **11** is located **2708** ft. from **DN** line and **1608** ft. from **W** line of sec. **16****N 1/4 Sec. 16** (1/4 Sec. and Sec. No.) **T-32-N** (Twp.) **R-11-W** (Range) **M.M.P.M.** (Meridian)**Darker Dome** (Field) **San Juan** (County or Subdivision) **New Mexico** (State or Territory)**Ground Level**The elevation of the ~~surface~~ above sea level is **6415** ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Recommended Re-completion:

1. Kill well, pull tubing, inspect tubing with Otis Caliper Survey.
2. Set Bridging plug @ 8810' and dump cement plug on top.
3. Perf. 8645-8720 1/4 bullets/ft.
4. Run tubing. Swab in and test.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **AMSC OIL & GAS COMPANY**Address **311 Burt Building****Dallas, Texas**

By

*[Signature]*  
**G. B. Williams**

Title

**Petroleum Engineer**