Form (April	9-331 b 1952)
-------------	------------------

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form approved. No. 42-R359.4.
Indian Agency
Tribal
14-20-603-383
Lease No.

	ON WELLS
	AND REPORTS ON WELLS
CUNDRY NOTICES A	IND IN
SOUDK:	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO CHANGE PLANS	TOODT OF REDICE
NOTICE OF INTENTION TO CHARGE SHUT-OFF	SUBSEQUENT REPORT OF ABANDONMENT SUBSEQUENT REPORT OF ABANDONMENT
	SUBSEQUENT REPORT OF THE SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO SHOOT OR ALITER CASING	SUPPLEMENTARY WELL INC.
I POLL OF	
NOTICE OF INTENTION TO ABANDON WELL	DATA)
NOTICE OF INTERVIOR	ARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
(INDICATE ABOVE BY CHECK MA	Mark Nature of Report, No.
	E line of sec.
Merajo "AA"	line and ft. from
is located ft	. from IS I mile and
Well No is located	from S line and 1400 ft. from E line of sec. 17
328	(Range) (Meridian)
EM/4 SE/4 Sec. 17 328 (Twp.)	- A - Company
/14 Sec. and Sec. No./	
THE REAL PROPERTY OF THE PARTY	County of Subdivision)
(Field)	1799.7 ft GERMAN
- A - Love S	ea level is
t the derrick floor above s	EG 1040-
The elevation of the derrick floor above s	THE OF WORK
D	El Allas Va
D	show sizes, weights, and lengths of proposed casings; indicate museums, show sizes, weights tant proposed work)
D and expected depths to objective sands; ing points,	show sizes, weights, and lengths of proposed casings; indicate mustaces, weights, and lengths of proposed work) and all other important proposed work.
(State names of and expected depths to objective sands; ing points,	show sizes, weights, and lengths of proposed casings; indicate mutations and all other important proposed work) and all other important proposed work) and all other important proposed work and all other importa
(State names of and expected depths to objective sands; ing points,	show sizes, weights, and lengths of proposed work) and all other important proposed work) and all other important proposed work) as surface casing, sensest to surface. Brill 64" and surface casing, sensest to surface. Brill 64" and surface casing to surface with the surface wit
(State names of and expected depths to objective sands; ing points,	show sizes, weights, and lengths of proposed work) and all other important proposed work) and send of the cover approximately 130' and send of the cover approximately 130' and send of the cover approximately 130'.
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed works and all other important proposed work) -55 workers coming, coment to cover end/or oil, run Gallup w/air. Gut 10' work w/air end/or oil, run R w/walficient answer to cover approximately 150' R w/walficient answer to cover approximately 250'
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed works and all other important proposed work) -55 workers coming, coment to cover end/or oil, run Gallup w/air. Gut 10' work w/air end/or oil, run R w/walficient answer to cover approximately 150' R w/walficient answer to cover approximately 250'
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed works and all other important proposed work) -55 corfece coming, coment to corfe will end/or oil, run Gallup wisks. Gut 10' core wisks approximately 150' or wirefiliciant amount to cover approximately 150'
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed works and all other important proposed work) -55 workers coming, coment to cover end/or oil, run Gallup w/air. Gut 10' work w/air end/or oil, run R w/walficient answer to cover approximately 150' R w/walficient answer to cover approximately 250'
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) and all other important proposed work) -55 perfece casing, consent to correct work/or cil, run Gallup W/aix. Cut 20' core w/aix and/or cil, run to /perfecient assemb to cover approximately 150' to be perfected w/jet-metab pus and sand-fraced to be perfected w/jet-metab pus and sand-fraced instely 1900 bbls of cil. Estimated tops of
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) and all other important proposed work) -55 markees casing, seasont to surface. Brill 64" -55 markees casing, seasont to surface. Brill 64" Gallup w/six. Cut 20' wore w/six mas/er oil, run to /sufficient memorat to cover approximately 150' to be perferenced w/jet-metab gam and sand-fraced instely 1800 bbls of oil. Refineded tops of RECEIVED
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) and all other important proposed work) -55 markees casing, seasont to surface. Brill 64" -55 markees casing, seasont to surface. Brill 64" Gallup w/six. Cut 20' wore w/six mas/er oil, run to /sufficient memorat to cover approximately 150' to be perferenced w/jet-metab gam and sand-fraced instely 1800 bbls of oil. Refineded tops of RECEIVED
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) and all other important proposed work) 1-35 perfects coming, senset to correct and/or oil, run Gallup W/aix. Out 20 core w/aix and/or oil, run to be perfected w/jet-metal per oil send-fraced instally 1800 bbls of oil. Ret install tops of Instally 1800 bbls of oil. RELLEVED ANY 1 2 1964
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) and all other important proposed work) 1-35 merface casing, senset to surface. Brill 54" Gallup W/aix. Gut 20 core w/aix and/or oil, sun to be perference w/jet-merch and send-fraced to be perference w/jet-merch and send-fraced to be perference w/jet-merch and send-fraced to be perferenced w
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) and all other important proposed work) -55 markets casing, season to surface. Brill 64" Gallup w/six. Cut 30' users w/six sus/es cil, run to be perferenced w/ist-seach am and sund-fraced instally 1900 bbls of cil. Retinated tops of T.B. MAY 1 2 1964 OIL CON. COM.
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) and all other important proposed work) -55 markets casing, season to surface. Brill 64" Gallup w/six. Cut 30' users w/six sus/es cil, run to be perferenced w/ist-seach am and sund-fraced instally 1900 bbls of cil. Retinated tops of T.B. MAY 1 2 1964 OIL CON. COM.
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) and all other important proposed work) -55 markets casing, season to surface. Brill 64" Gallup w/six. Cut 30' users w/six sus/es cil, run to be perferenced w/ist-seach am and sund-fraced instally 1900 bbls of cil. Retinated tops of T.B. MAY 1 2 1964 OIL CON. COM.
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) and all other important proposed work) -55 markets casing, season to surface. Brill 64" Gallup w/six. Cut 30' users w/six sus/es cil, run to be perferenced w/ist-seach am and sund-fraced instally 1900 bbls of cil. Retinated tops of T.B. MAY 1 2 1964 OIL CON. COM.
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) and all other important proposed work) #55 markes casing, season to surface. Brill Fig. Gallup w/aix. Cat 20 core w/aix and/or cil, reside to be perferenced work to cover specuminately 150 instally 1800 bbls of cil. Lever Gallup - 1623' F.B. MAY 1 2 1964 OIL CON. COM. DIST. 3 e approval in writing by the Geological Survey before operations may be commenced.
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) and all other important proposed work) #55 markes casing, season to surface. Brill Fig. Gallup w/aix. Cat 20 core w/aix and/or cil, reside to be perferenced work to cover specuminately 150 instally 1800 bbls of cil. Lever Gallup - 1623' F.B. MAY 1 2 1964 OIL CON. COM. DIST. 3 e approval in writing by the Geological Survey before operations may be commenced.
State names of and expected depths to objective sands; ing points,	show sizes, weights, and lengths of proposed work) and all other important proposed work) ### So markes casing, sensor to surface. Brill Fundaments of the surface oil, run ### So perfected with the sensor to cover speculiantally 150 ### So perfected with the sensor to cover speculiantally 150 ### So perfected with the sensor to cover speculiantally 150 ### So perfected with the sensor to cover speculiantally 150 #### MAY 1 2 1964 OIL CON. COM. DIST. 3 **Paperval in writing by the Geological Survey before operations may be commenced.
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) and all other important proposed work) ### So markes casing, sensor to surface. Brill Fundaments of the surface oil, run ### So perfected with the sensor to cover speculiantally 150 ### So perfected with the sensor to cover speculiantally 150 ### So perfected with the sensor to cover speculiantally 150 ### So perfected with the sensor to cover speculiantally 150 #### MAY 1 2 1964 OIL CON. COM. DIST. 3 **Paperval in writing by the Geological Survey before operations may be commenced.
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) and all other important proposed work) ### So markes casing, sensor to surface. Brill Fundaments of the surface oil, run ### So perfected with the sensor to cover speculiantally 150 ### So perfected with the sensor to cover speculiantally 150 ### So perfected with the sensor to cover speculiantally 150 ### So perfected with the sensor to cover speculiantally 150 #### MAY 1 2 1964 OIL CON. COM. DIST. 3 **Paperval in writing by the Geological Survey before operations may be commenced.
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) -55 markets casing, season to sarriage. Brill 44" -55 markets casing, season to sarriage. Brill 44" Gallup v/aix. Cut 30' sere v/aix san/er cil, run to be parference v/jet-metch as and sand-fraced instally 1890 bels of cil. Est install tops of Install 44" NAY 1 2 1964 OIL CON. COM. DIST. 3 e approval in writing by the Geological Survey before operations may be commenced.
State names of and expected depths to objective sands; ing points,	show sizes, weights, and lengths of proposed work) -55 markets casing, season to sarriage. Brill 44" -55 markets casing, season to sarriage. Brill 44" Gallup v/aix. Cut 30' sere v/aix san/er cil, run to be parference v/jet-metch as and sand-fraced instally 1890 bels of cil. Est install tops of Install 44" NAY 1 2 1964 OIL CON. COM. DIST. 3 e approval in writing by the Geological Survey before operations may be commenced.
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) 55 marriage casing, someth to surface. Gellup v/six. Sec. 10 core v/six mai/ag cil. So yearface casing, someth to surface. Fig. 1900 bbls of cil. MAY 1 2 1964 OIL CON. COM. DIST. 3 e approval in writing by the Geological Survey before operations may be commenced.
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) -55 markets casing, season to sarriage. Brill 44" -55 markets casing, season to sarriage. Brill 44" Gallup v/aix. Cut 30' sere v/aix san/er cil, run to be parference v/jet-metch as and sand-fraced instally 1890 bels of cil. Est install tops of Install 44" NAY 1 2 1964 OIL CON. COM. DIST. 3 e approval in writing by the Geological Survey before operations may be commenced.
(State names of and expected depths to objective sands; ing points, ing points	show sizes, weights, and lengths of proposed work) -35 serface casing, consent to serface. Brill serial casing casing and serial casing casin
State names of and expected depths to objective sands; ing points,	show sizes, weights, and lengths of proposed work) 55 marriage casing, someth to surface. Gellup v/six. Sec. 10 core v/six mai/ag cil. So yearface casing, someth to surface. Fig. 1900 bbls of cil. MAY 1 2 1964 OIL CON. COM. DIST. 3 e approval in writing by the Geological Survey before operations may be commenced.

Harry Company of the Carrier Control . - 1 කි. කි. මෙම පැවසුට මේ ප්රතිය පළමු විදු කැල්ල වී කරුව Contract to the second of the second

Well Location and Acreage Dedication Plat

Section A.		TANKO	58y 4,-1994
Operator MURPHY OIL CORPORATION	<u></u>	BRE Kavajo "AA"	
(ell No. 12 Unit Letter J Source 1532 Feet From SOUTH	ection 17	Township 32, NORPI	Range 17 FET NV
ocated 1532 Feet From SOUTH	L ne, _ At	NCC Feet rom	<u>19401.</u>
cunty SAN JUAN G. L. Eleva ame of Producing Formation Gallug			
. Is the Operator the only owner in the dedic	cated acresus out	ned on the i.ar below?	
YesNo			
If the answer to question one is "no", agreement or otherwise? Yes			
f. If the answer to question two is "no" li Owner	areall the owners	and their respective interests	
	and the second s	RELEIVED	
	· management of the control of the c	MAY 1 2 1964	·
	MATERIAL CONTRACTOR OF THE SAME AND THE	OIL CON. COM	MAY 1 1854
		DIST.	
ection B.	Note: All dis	stances must be from outer bou	ndaries of section.
his is to certify that the information	,	1	
Section A above is true and complete			!
the best of my knowledge and belief.			
rphy Oil Corporation			,
Q (Operator)		i	
XX Numeau			
(Representative)	'	18.	
00 Jefferson Avenue		10.	
(Address)		, ,	
l Derado		100 OF THE	
irkansas		4 %	
			7)
		1 AW	
		26	001
		Q-	
	:		
		33	
			1 1/2 / 1/2
. •	1		D An
		<u> </u>	
		1920 1650 1980 23 10 2640 2000	1500 1000 500 0
	0 350 660 990	Scale 4 inches equal 1 mil	
Mg.		Scale & Inches equal 1 mi.	, ,
Mir e			

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

(Seal)

Farmington, New Mexico

Registered Professional Engineer and or Lund Survey of Lines P. Leose, N. Test. Reg. No. 1463

San Juan Engineering Company