SUBMIT IN TRIPLICATE*

Form approved. Budget Bureau No. 42-R1425.

(Other instructions on reverse side) UNITED STATES
DEPARTMENT OF THE INTERIOR

	_	TED STATE		reverse s	ide)	30-045-22608
	DEPARTMEN	T OF THE I	NTE	RIOR		TELEBRE DENIENATION AND SERIAL NO.
	GEOLO	Ind-2772				
APPLICATION	FOR PERMIT	TO DRILL,	DEEP	EN, OR PLUG E	BACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
la. TYPE OF WORK	LL 🛭	DEEPEN		PLUG BA		Ute Mountain Barkerecteck*Dome Gas
b. TYPE OF WELL						Storage Project
	ELL OTHER	Gas Store	age z	INGLE MULTII	PLE	Barker Creek Dome Gas
	tural Cac Co	omp a n u				Storage Project 9. WELL NO.
E.I. PASO INC. 3. ADDRESS OF OPERATOR	atural Gas Co	Diliparry				WI #7
PO Box 990), Farmingtor	n, NM 874	401			10. FIELD AND POOL, OR WILDCAT
4. LOCATION OF WELL (R At surface	eport location clearly and	Barker Creek Dakota 11. SEC., T., B., M., OR BLK. AND SURVEY OR AREA				
At proposed prod. zon	e	Sec.21,T-32-N,R-14-W				
14. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POS	T OFFIC	E*		12. COUNTY OR PARISH 13. STATE
						San Juan NM
15. DISTANCE FROM PROPOSED® LOCATION TO NEAREST			Total project To			OF ACRES ASSIGNED THIS WELL
PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 18. DISTANCE FROM PROPOSED LOCATION®			1			ARY OR CABLE TOOLS
TO NEAREST WELL, D OR APPLIED FOR, ON TH	RILLING, COMPLETED,				Rota	
21. ELEVATIONS (Show who	ether DF, RT, GR, etc.)					July 15, 1977
23.	-	PROPOSED CASI	NG AN	D CEMENTING PROGR	AM	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	TOOT	SETTING DEPTH		QUANTITY OF CEMENT
12 1/4"	9 5/8"	32.3# H-4	40	640'		cu.ft.to circulate
8 3/4"	7"	20.0# K-	5.5	2487'		u.ft.to fill 400' above
					casıı	ng shoe
Dakota for 7" casing This well Dome Gas 5	mation. The seat to the will be used	e well will total deposit to tall deposit to the section of the se	ll b oth ural	e completed	open l in tl	depth into the hole from the he Barker dedicated
gene. If proposal is to preventer program if an 24. 816 NET	drill or deepen direction	ally, give pertinen	TLE	plug back, give data on pon subsurface locations a Drilling	Clerk	June 10, 1977
APPROVED BY		Ti	TLE _			DATE
CONDITIONS OF APPROV						

Form C-102 Supersedes C-128 Effective 1-1-65

All distances must be from the outer boundaries of the Section Operator Lease UTE IND. TRIBAL I-22-IND-2772 WI-7 EL PASO NATURAL GAS COMPANY BARKER CREEK DOME GAS STORAGE PROJECT County Township Unit Letter Section 32-N 14-W SAN JUAN 21 В Actual Footage Location of Well: 1594 EAST NORTH feet from the line feet from the line and Producing Formation Pool Dedicated Acreage: Ground Level Elev. N/A N/A6433 DAKOTA Acres 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation □ No Yes If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. CERTIFICATION 1594 I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. ORIGINAL SIGNED BY LARRY A. AIMES Name Sr.Drilling Engineer Position El Paso Natural Gas Cb. Company June 10, 1977 Date SECTION 21 I hereby certify that the well location shown on this plat was plotted from field notes of octual surveys made by me or is true and correct to the best of my knowledge and ballef. Date Surveyed APRIL 19, 1977 Registered Professional Engineer and/or Land Surveyor



P. O. BOX 990 FARMINGTON, NEW MEXICO 87401 PHONE: 505-325-2841

Multi-Point Surface Use Plan Barker Creek Dome Gas Storage Project WI #7

- Please refer to Map No. 1 which shows the existing roads. New roads which will be required have been marked on this map. All existing and new roads will be properly maintained during the duration of this project.
- 2. Planned Access Roads Please refer to Map No. 1. The grade of the access roads will be consistent with that of the local terrain. The road surface will not exceed twenty feet (20') in width. Upon completion of the project, the access road will be adequately drained to control soil erosion. Drainage facilities may include ditches, water bars, culverts or any other measure deemed necessary by trained Company personnel to insure proper drainage. Gates and/or cattleguards will be installed if necessary.
- 3. Location of Existing Wells Please refer to Maps No. 1 and No. 2.
- 4. Location of Tank Batteries, Production Facilities, and Production
 Gathering and Service Lines Please refer to Maps No. 1 and No. 2.

 Map No. 2 shows the existing gas gathering
 lines. Map No. 1 shows the existing roads and
 new proposed access roads. All known production
 facilities are shown on these two maps.
- 5. Location and Type of Water Supply Water for the proposed project will be obtained from El Paso Natural Gas Company's San Juan River Plant.
- 6. Source of Construction Materials No additional materials will be required to build either the access road or the proposed location.

Multi-Point Surface Use Plan

- 7. Methods of Handling Waste Materials - All garbage and trash materials will be put into a burn pit shown on the attached Location Plat No. 1. When clean-up operations are begun on the proposed project, the burn pit with its refuse will be buried to a depth of at least three feet (3'). A latrine, the location of which is also shown on Plat No. 1 will be provided for human waste. If large amounts of liquids are left in the reserve pit after completion of the project, the pit will be fenced until the liquids have had adequate time to dry. The location clean-up will not take place until such time as the reserve pit can be properly covered over to prevent run-off from carrying any of these materials into the watershed. No earthen pit will be located on natural drainages; all earthen pits will be so constructed as to prevent leakage from occurring.
- 8. Ancillary Facilities No camps or airstrips will be associated with this project.
- 9. Wellsite Layout Please refer to the attached Plat No. 1.
- 10. Plans for Restoration of the Surface After completion of the proposed project, the location will be cleaned and leveled. The location will be left in such a condition that will enable reseeding operations to be carried out. Seed Mixture #2 will be used. The reseeding operation will be performed during the time period set forth by the regulatory body. The location production equipment will be painted Forest Green.
- 11. Other Information The immediate area is a rocky shale hill with cedar and pinon trees. No animals inhabit the area.

- 12. Operator's Representative W. D. Dawson, Post Office Box 990, Farmington, New Mexico 87401
- 13. Certification -

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by El Paso Natural Gas Company and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

June 10, 1977

L. A. Aimes

Sr. Drilling Engineer

LAA:pb

Operations Plan Barker Creek Dome Gas Storage Project WI #7

I. Location: 102'N, 1594'E, Section 21, T-32-N, R-14-W, San Juan County, NM

Field: Barker Creek Dakota <u>Elevation:</u> 6433'GL

II. Geology:

- A. Formation Tops: Mesa Verde --- Greenhorn 2355'

 Menefee surface Graneros 2415'

 Point Lookout 240' Dakota 2485'

 Mancos 600' Total Depth 2585'
- B. Logging Program: GR-I, FDC, SNP at 7" casing point GR-I, FDC, SNP, GR-N at Total Depth.
- C. Coring Program: none
- D. Natural Gauges: gauge well every connection past 2445' and at TD. Record all gauges in daily drilling report and on morning report.

III. Drilling:

A. Mud Program: mud on surface hole. Air from surface casing depth to Total Depth.

IV. Materials:

A.	Casing Program:	Hole Size	Depth	Csg.Size	Wt.&Grade	
		12 1/4" 8 3/4"	640' 2487'	9 5/8" 7"	32.3# H-40 20.0# K-55	
		6 1/4"	2487-2585'			

B. Float Equipment: 9 5/8" surface casing - notched collar for guide shoe.


7" intermediate casing - cement guide shoe and self-fill insert float valve. Run float two joints above shoe.

- C. Tubing: 2570' of 2 3/8", 4.7#, J-55 8rd EUE tubing.
- D. Wellhead Equipment: 10" 2000 psi x 9 5/8" Type R Brewster casing head. 10" 2000 psi x 6" 2000 psi Type 2-082-77 Brewster xmas tree assembly.

V. Cementing:


9 5/8" surface casing - use 340 sks. of Class "B" cement with 3% calcium chloride (401 cu.ft. of slurry, 100% excess to circulate to surface). WOC 12 hours. Test casing to 600#/30 minutes.


7" intermediate casing - use 76 sks. of Class "B" cement with 2% calcium chloride (90 cu.ft. of slurry, 50% excess to fill 400' above the casing shoe). Run temperature survey at 8 hours. WOC 12 hours. Test casing to 1200#/30 minutes.




Series 900 Double Gate BOP, rated at 3000 psi Working Pressure When airdrilling operations begin a Shaffer type 50 or equivalent rotating head is installed on top of the flow nipple and the flow line is converted into a blowie line.

Typical Location Plat for Pactured Chief's Wei







El Paso Natural Gas Company

Well Name: WI #7

Location: 102'N, 1594'E, Section 21 T-32-N, R-14-W, San Juan County, NM

Map #1
Proposed road
and pipeline