SUBMIT IN TRIPLICATE*

PATE June

DATE _

(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

(IASW) TWHA	UNIT DEPARTMEN	TED STATES T OF THE I		reverse si		30-045-22613 5. Lease Designation and Serial No. Tribal 1-22		
		GICAL SURVI				Ind-2772 6. If Indian, allottee or tribe name		
1a. TYPE OF WORK	I FOR PERMIT : LL	DEEPEN [EN, OR PLUG B		Ute Mountain 7. UNIT AGREEMENT NAME Barker Creek Dome Gas		
2. NAME OF OPERATOR	ELL OTHER	Gas Stor	age ^{zo}	NGLE MULTIP	LE _	Storage Project 8. FARM OR LEASE NAME Barker Creek Dome Gas Storage Project 9. WELL NO.		
3. ADDRESS OF OPERATOR	atural Gas C		401			WI #1 10. FIELD AND POOL, OR WILDCAT		
PO BOX 99 4. LOCATION OF WELL (Real At surface) At proposed prod. zon	2525'N, 1		Barker Creek Dakota 11. SEC. T., R., M., OR BLK. AND SURVEY OR AREA Sec. 21, T-32-N, R-14-W					
14. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POS	T OFFICE	t.•	<u> </u>	NMPM 12. COUNTY OR PARISH 13. STATE		
15. DISTANCE FROM PROPOSED® LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT.				tal project es-14,728		San Juan New Mexico		
(Also to nearest drig. unit line, if any) 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.			19. PROPOSED DEPTH 2574'		20. ROTARY OR CABLE TOOLS ROTARY			
21. BLEVATIONS (Show who	ether DF, RT, GR, etc.)					July 15, 1977		
6252 GR		PROPOSED CASI	NG ANI	O CEMENTING PROGRA	AM	10019 13, 13,		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	TOOT	SETTING DEPTH		QUANTITY OF CEMENT		
12 1/4" 8 3/4"	9 5/8"	32.3# H- 20.0# K-	I			cu.ft.to circulate cu.ft.to fill 400' above		
0_J/-4						ng shoe		
Dakota an	d into the M	orrison s	hale	ole from 7" . The well e total dept	will :	g depth through the be completed open 2574'.		
Dome Gas	will be use Storage Proj east of Cal	ect. The	ural sto	gas storage grage gas wil	in t	he Barker Creek dedicate		
in above space describes some. If proposal is to preventer program, if an 24.	drill or deepen direction	proposal is to dee	epen or it data	plug back, give data on pon subsurface locations a	oresent pro nd measure	ductive zone and proposed hew productive ed and true vertical depths. Other blowout		

TITLE

(This space for Federal or State office use)

CONDITIONS OF APPROVAL, IF ANY I

PERMIT NO. _____

APPROVED BY ...

1

APPROVAL DATE _

Drilling-Clerk

		All distanc	es must be fr	om the out	er boundar	ies of the	Section.			
Operator EL PASO NA	TURAL GAS	COMPANY	BAF	KER CR	REEK DO	ME GAS	STORA	22-IND-2 AGE PROJ	772 ECT	Well No. WI-1
Unit Letter Section	2 1	Township 32-	-N	Rang	14-M	Co	ounty	SAN JUA	N	
Actual Footage Location o	f Well:									
2525 feet	from the	NORTH	line and	169	90	feet fro	m the	EAST	T	line
Ground Level Elev.	Producing For			Pool		m /∧			1	ated Acreage:
6252		DAKOTA				N/A				Acres
interest and roy	ne lease is ralty).	dedicated	to the well	, outline	e each an	d identii	fy the o	wnership t	hereo	f (both as to working
dated by commu	nitization,	unitization, i	force-pooli es;" type o	ng. etc? I consoli	idation _					owners been consoli-
this form if nece No allowable wi	essary.) Il be assigr	ed to the we	ell until all	interest	s have b	een con	solidate	ed (by con	nmunit	(Use reverse side of ization, unitization, oved by the Commis-
					1				CER	RIFICATION
				2525	 			tained h	erein is ny know CINAL	that the information contrive and complete to the dedge and belief. SIGNED BY
	+ ! !				 			Position		ling Engineer Natural Gas
	1				 			Company Jun	e 9,	1977
	i ·	SECTI	ON 21	\rightarrow	165	90′		-		
	 		-		Ow)		shown of notes of under m	n this p factual y super and co	fy that the well location plat was plotted from field a surveys made by me or vision, and that the same arrect to the best of my belief.
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		The state of the s		15/2)			PRIL Protes	15, 1977 sstonal Engineer
0 230 660 90	1320 1650 1	960 2510 264	10 200	0 1500		500	í	Certificate	o No.	<u> </u>



P.O. BOX 990 FARMINGTON, NEW MEXICO 87401

PHONE: 505-325-2841

Multi-Point Surface Use Plan Barker Creek Dome Gas Storage Project WI #1

- 1. Existing Road Please refer to Map No. 1 which shows the existing roads. New roads which will be required have been marked on this map. All existing and new roads will be properly maintained during the duration of this project.
- 2. Planned Access Roads Please refer to Map No. 1. The grade of the access roads will be consistent with that of the local terrain. The road surface will not exceed twenty feet (20') in width. Upon completion of the project, the access road will be adequately drained to control soil erosion. Drainage facilities may include ditches, water bars, culverts or any other measure deemed necessary by trained Company personnel to insure proper drainage. Gates and/or cattleguards will be installed if necessary.
- 3. Location of Existing Wells Please refer to Map No. 1 and No. 2.
- 4. Location of Tank Batteries, Production Facilities, and Production Gathering and Service Lines Please refer to Maps No. 1 and No. 2.

 Map No. 2 shows the existing gas gathering lines. Map No. 1 shows the existing roads and new proposed access roads. All known production facilities are shown on these two maps.
- 5. Location and Type of Water Supply Water for the proposed project will be obtained from El Paso Natural Gas Company's San Juan River Plant.
- 6. Source of Construction Materials No additional materials will be required to build either the access road or the proposed location.

- 7. Methods of Handling Waste Materials - All garbage and trash materials will be put into a burn pit shown on the attached Location Plat No. 1. When clean-up operations are begun on the proposed project, the burn pit with its refuse will be buried to a depth of at least three feet (3'). A latrine, the location of which is also shown on Plat No. 1 will be provided for human waste. If large amounts of liquids are left in the reserve pit after completion of the project, the pit will be fenced until the liquids have had adequate time to dry. The location clean-up will not take place until such time as the reserve pit can be properly covered over to prevent run-off from carrying any of these materials into the watershed. No earthen pit will be located on natural drainages; all earthen pits will be so constructed as to prevent leakage from occurring.
- 8. Ancillary Facilities No camps or airstrips will be associated with this project.
- 9. Wellsite Layout Please refer to the attached Plat No. 1.
- 10. Plans for Restoration of the Surface After completion of the proposed project, the location will be cleaned and leveled. The location will be left in such a condition that will enable reseeding operations to be carried out. Seed Mixture #1 will be used. The reseeding operation will be performed during the time period set forth by the regulatory body. The location production equipment will be painted Forest Green.
- 11. Other Information The immediate area is shale flats, with cedar trees and sagebrush. Some deer and cattle inhabit the area.

- 12. Operator's Representative W. D. Dawson, Post Office Box 990, Farmington, New Mexico 87401
- 13. Certification -

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by El Paso Natural Gas Company and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

June 9, 1977

L. A. Aimes

Sr. Drilling Engineer

LAA:pb

Operations Plan WI #1

I. Location: 2525'N, 1690'E, Section 21, T-32-N, R-14-W, San Juan County, NM

Field: Barker Creek Dakota <u>Elevation:</u> 6252'GL

II. Geology:

A. Formation Tops:	Mesa Verde Menefee Point Lookout Mancos	surface	Greenhorn Graneros Dakota Morrison Total Depth	2184' 2244' 2314' 2544' 2574'
--------------------	--	---------	--	---

- B. Logging Program: GR-I, FDC, SNP on surface hole. GR-I, FDC, SNP, GRN on Production hole.
- C. Coring Program: 570' of core will be cut beginning at 1984'.
- D. Natural Gauges: gauge well every connection past 2274' and at TD. Record all gauges in daily drilling report and on morning report.

III. Drilling:

A. Mud Program: mud on surface hole. Air from surface casing depth to Total Depth.

IV. Materials:

A. Casing Program:	Hole Size	Depth	Csg.Size	Wt.&Grade
	12 1/4" 8 3/4" 6 1/4"	469' 2316' 2316-2574'	9 5/8" 7"	32.3# H-40 20.0# K-55

B. Float Equipment: 9 5/8" surface casing - notched collar for guide shoe.


7" intermediate casing - cement guide shoe and self-fill insert float valve. Run float two joints above shoe.

- C. Tubing: 2559' of 2 3/8", 4.7#, J-55 8rd EUE tubing.
- D. Wellhead Equipment: 10" 2000 psi x 9 5/8" Type R Brewster casing head. 10" - 2000 psi x 6" 2000 psi Type 2-082-77 Brewster xmas tree assembly.

V. <u>Cementing</u>:


9 5/8" surface casing - use 233 sks. of Class "B" cement with 3% calcium chloride (275 cu.ft. of slurry, 100% excess to circulate to surface). WOC 12 hours. Test casing to 600#/30 minutes.


7" intermediate casing - use 76 sks. of Class "B" cement with 2% calcium chloride (90 cu.ft. of slurry, 50% excess to fill 400' above the casing shoe). Run temperature survey at 8 hours. WOC 12 hours. Test casing to 1200#/30 minutes.




Scrics 900 Double Gate BOP, rated at 3000 psi Working Pressure
When air drilling operations begin a Shaffer type 50 or equivalent rotating head is installed on top of the flow nipple and the flow line is converted into a blowie line.

El Poso Natural Gos Company Typical Location Plat for Pectured Chills Well







El Paso Natural Gas Company

Well Name: WI #1

Location: 2525'N, 1690'E, Section 21,

T-32-N, R-14-W

San Juan County, New Mexico

Map #1

Proposed road and pipeline